

宮城県公共用水域水質測定結果（海域）

| 項目名 | 注意事項等 | 項目コード | 605-02B0 | 605-01B0 | 606-01A0 | 606-02A0 | 606-03A0 | 606-56A | 621-01B0 | 622-01A0 | 622-02A0 | 622-58A | 622-59A | 623-03B0 | 624-01A0 | 607-01C0 | 608-01B0 | 609-01A0 |
|-----------------|-------------|---------|----------|----------|----------|--------------|--------------|--------------|-------------|----------|----------|---------|---------|----------|----------|----------|----------|----------|
| | | | 神明崎沖 | 蜂ヶ崎沖 | 大島北沖 | K-2 (二つ根) | K-3 (日向貝) | K-1 (千岩田) | 志津川 魚市場前 | 荒島沖 | 弁天崎沖 | 椿島沖 | 館崎沖 | 鮎川漁港内 | 御番所崎沖 | 女川魚市場前 | 小乗浜前 | 桐ヶ崎 |
| *測定年度 | 西暦下2桁 | 002 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 |
| *測定地点番号 | 文字 | 001 | 605-02 | 605-01 | 606-01 | 606-02 | 606-03 | 606-56 | 621-01 | 622-01 | 622-02 | 622-58 | 622-59 | 623-03 | 624-01 | 607-01 | 608-01 | 609-01 |
| *調査区分コード | 数値1桁 | 004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| *採水月日 | 数値(MMDD) | 101 | 0706 | 0706 | 0706 | 0706 | 0706 | 0706 | 0706 | 0706 | 0706 | 0706 | 0706 | 0713 | 0713 | 0706 | 0706 | 0706 |
| *採水時刻 | 数値(HHMM) | 102 | 0655 | 0708 | 0718 | 0722 | 0740 | 0730 | 0916 | 0906 | 0911 | 0900 | 0842 | 0816 | 0810 | 1156 | 1150 | 1139 |
| *採水位置コード | コード2桁 | 107 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 |
| *採水水深 | (m) | 999.9 | 108 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 |
| 全水深 | (m) | 99.9 | 109 | 7.6 | 9.6 | 30.0 | 11.5 | 9.7 | 11.2 | 6.3 | 13.9 | 11.1 | 27.1 | 14.5 | 11.4 | 24.9 | 9.5 | 19.7 |
| 透明度 | (m) | 9.9 | 110 | 1.6 | 2.2 | 2.5 | 3.2 | 4.4 | 3.0 | 2.4 | 3.8 | 4.4 | 5.5 | 5.7 | 3.9 | 5.1 | 4.0 | 5.4 |
| 天候コード | コード2桁 | 103 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 02 | 04 | 04 | 04 |
| 降雨状況 | コード3桁 | 901 | 0×× | 0×× | 0×× | 0×× | 0×× | 0×× | 0×× | 0×× | 0×× | 0×× | 0×× | ××× | ××× | 0×× | 0×× | 0×× |
| 気温(度) | 99.9 | 104 | 19.5 | 19.3 | 19.1 | 18.9 | 18.9 | 19.2 | 22.5 | 22.0 | 22.5 | 22.0 | 22.0 | 23.6 | 23.1 | 20.8 | 20.0 | 20.1 |
| 水温(度) | 99.9 | 105 | 17.9 | 17.4 | 17.6 | 17.8 | 17.6 | 17.7 | 21.2 | 21.0 | 21.0 | 21.9 | 19.2 | 21.9 | 23.3 | 19.0 | 20.0 | 19.5 |
| pH | 99.9 | 201 | 8.2 | 8.3 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.2 | 8.1 | 8.1 | 8.1 | 8.1 | 8.2 | 7.8 | 8.1 | 8.1 |
| DO | (mg/l) | 99.9 | 202 | 9.9 | 10 | 10 | 10 | 9.1 | 10 | 9.3 | 8.6 | 9.1 | 8.1 | 7.5 | 8.0 | 7.7 | 8.2 | 8.3 |
| BOD | (mg/l) | 99.9 | 203 | | | | | | | | | | | | | | | |
| COD | (mg/l) | 99.9 | 204 | 5.4 | 4.7 | 3.0 | 3.2 | 2.4 | 2.7 | 2.9 | 2.6 | 2.4 | 2.2 | 1.6 | 2.0 | 3.2 | 2.2 | 1.8 |
| SS | (mg/l) | 9999 | 205 | | | | | | | | | | | | | | | |
| 大腸菌群数 | (MPN/100ml) | 1.0E+99 | 206 | | 1.3E+02 | 3.3E+01 | 7.9E+02 | 2.2E+01 | | 2.0E+00 | 1.8E+00 | 2.0E+00 | 1.8E+00 | | 1.8E+00 | | | 1.8E+00 |
| n-ヘキサン(油分) | (mg/l) | 99.9 | 207 | | | | | | | | | | | | | | | |
| 全窒素 | (mg/l) | 99.99 | 208 | 0.61 | 0.34 | 0.28 | 0.33 | 0.15 | 0.10 | 0.13 | 0.13 | 0.13 | 0.10 | 0.08 | 0.07 | 0.07 | 0.65 | 0.11 |
| 全リン | (mg/l) | 99.999 | 209 | 0.10 | 0.048 | 0.031 | 0.038 | 0.015 | 0.008 | 0.009 | 0.011 | 0.014 | 0.007 | 0.008 | 0.004 | 0.004 | 0.056 | 0.010 |
| 鉛 | (mg/l) | 9.999 | 301 | | | | | | | | | | | | | | | |
| 全シアン | (mg/l) | 99.9 | 302 | | | | | | | | | | | | | | | |
| 鉛 | (mg/l) | 9.999 | 304 | | | | | | | | | | | | | | | |
| 六価クロム | (mg/l) | 99.99 | 305 | | | | | | | | | | | | | | | |
| 砒素 | (mg/l) | 9.999 | 306 | | | | | | | | | | | | | | | |
| 総水銀 | (mg/l) | 9.9999 | 307 | | | | | | | | | | | | | | | |
| メチル水銀 | (mg/l) | 9.9999 | 308 | | | | | | | | | | | | | | | |
| PCB | (mg/l) | 9.9999 | 309 | | | | | | | | | | | | | | | |
| ジクロロエチレン | (mg/l) | 9.999 | 310 | | | | | | | | | | | | | | | |
| 四塩化炭素 | (mg/l) | 9.9999 | 311 | | | | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/l) | 9.9999 | 312 | | | | | | | | | | | | | | | |
| 1,1-ジクロロエチレン | (mg/l) | 9.999 | 313 | | | | | | | | | | | | | | | |
| シス-1,2-ジクロロエチレン | (mg/l) | 9.999 | 314 | | | | | | | | | | | | | | | |
| 1,1,1-トリクロロエタン | (mg/l) | 9.999 | 315 | | | | | | | | | | | | | | | |
| 1,1,2-トリクロロエタン | (mg/l) | 9.9999 | 316 | | | | | | | | | | | | | | | |
| トリクロロエチレン | (mg/l) | 9.999 | 317 | | | | | | | | | | | | | | | |
| テトラクロロエチレン | (mg/l) | 9.9999 | 318 | | | | | | | | | | | | | | | |
| 1,3-ジクロロプロペン | (mg/l) | 9.9999 | 319 | | | | | | | | | | | | | | | |
| チカテム | (mg/l) | 9.9999 | 320 | | | | | | | | | | | | | | | |
| シマジン | (mg/l) | 9.9999 | 321 | | | | | | | | | | | | | | | |
| チオベンカルブ | (mg/l) | 9.999 | 322 | | | | | | | | | | | | | | | |
| ベンゼン | (mg/l) | 9.999 | 323 | | | | | | | | | | | | | | | |
| セレン | (mg/l) | 9.999 | 324 | | | | | | | | | | | | | | | |
| 硝酸性窒素及び亜硝酸性窒素 | (mg/l) | 9.999 | 325 | | | | | | | | | | | | | | | |
| フッ素 | (mg/l) | 99.9 | 326 | | | | | | | | | | | | | | | |
| ホウ素 | (mg/l) | 9.99 | 327 | | | | | | | | | | | | | | | |
| 1,4-ジオキサン | (mg/l) | 9.999 | 328 | | | | | | | | | | | | | | | |
| 亜鉛 | (mg/l) | 99.99 | 403 | | | | | | | | | | | | | | | |
| ニルフェノール | (mg/l) | 9.99999 | 904 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.1 | (mg/l) | 9.99999 | 409 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.2 | (mg/l) | 9.99999 | 410 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.3 | (mg/l) | 9.99999 | 411 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.4 | (mg/l) | 9.99999 | 412 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.5 | (mg/l) | 9.99999 | 413 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.6 | (mg/l) | 9.99999 | 414 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.7 | (mg/l) | 9.99999 | 415 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.8 | (mg/l) | 9.99999 | 416 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.9 | (mg/l) | 9.99999 | 417 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.10 | (mg/l) | 9.99999 | 418 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.11 | (mg/l) | 9.99999 | 419 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.12 | (mg/l) | 9.99999 | 420 | | | | | | | | | | | | | | | |
| ニルフェノール異性体No.13 | (mg/l) | 9.99999 | 421 | | | | | | | | | | | | | | | |
| LAS | (mg/l) | 9.99999 | 940 | | | | | | | | | | | | | | | |
| C10-LAS | (mg/l) | 9.99999 | 941 | | | | | | | | | | | | | | | |
| C11-LAS | (mg/l) | 9.99999 | 942 | | | | | | | | | | | | | | | |
| C12-LAS | (mg/l) | 9.99999 | 943 | | | | | | | | | | | | | | | |
| C13-LAS | (mg/l) | 9.99999 | 944 | | | | | | | | | | | | | | | |
| C14-LAS | (mg/l) | 9.99999 | 945 | | | | | | | | | | | | | | | |
| EPN | (mg/l) | 9.999 | 501 | | | | | | | | | | | | | | | |
| 糞便性大腸菌群数 | (個/100ml) | 1.0E+99 | | | | | | | | | | | | | | | | |
| 塩化物イオン | (mg/l) | 99999 | 607 | 16800 | 16800 | 14700 | 15200 | 17100 | 16500 | 17300 | 17400 | 17400 | 17600 | 18300 | 17300 | 16200 | 12300 | 18000 |
| リン酸態リン | (mg/l) | 9.999 | | | | | | | | | | | | | | | | |
| アンモニア性窒素 | (mg/l) | 99.99 | 511 | | | | | | | | | | | | | | | |
| 亜硝酸性窒素 | (mg/l) | 9.999 | 512 | | | | | | | | | | | | | | | |
| 硝酸性窒素 | (mg/l) | 99.99 | 513 | | | | | | | | | | | | | | | |
| 界面活性剤 | (mg/l) | 99.99 | 620 | | | | | | | | | | | | | | | |
| 色度 | (mg/l) | 9999 | 701 | | | | | | | | | | | | | | | |
| COD(7℃リ法) | (mg/l) | 99.9 | 574 | | | | | | | | | | | | | | | |
| 透明度 | (cm) | 99 | 602 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 |
| 色相コード | コード3桁 | 123 | 151 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 |
| 臭気コード | コード3桁 | 124 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 | 011 |
| 濁りコード | コード2桁 | 125 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 | 01 |
| 干潮時刻 | | 131 | 1230 | 1230 | 1230 | 1230 | 12 | | | | | | | | | | | |

宮城県公共用水域水質測定結果（海域）

| 項目名 | 注意事項等 | 項目コード | 603-01A0 | 603-55A | 603-56A | 603-57A | 603-58A | 603-59A | 611-03B0 | 612-01A0 | 612-02A0 | 613-01C0 | 614-01B0 | 615-01A0 | 625-01A0 | 625-01A0 | 625-02A0 | 625-02A0 | |
|-----------------|-------------|---------|----------|-----------|---------|-----------|-----------|-----------|-----------|----------|-----------|----------|----------|----------|-----------|----------|-----------|-----------|-------|
| | | | 桂島 | 桂島西 | 内裡島沖 | 松島海岸沖 | 蛇島崎西 | 蛇島崎東 | 御殿崎-1 | 葛蒲田前-1 | 御殿崎-2 | 二ノ倉前-1 | 二ノ倉前-2 | 二ノ倉前-3 | 荒浜(亶理)右 | 荒浜(亶理)左 | 磯浜 右 | 磯浜 左 | |
| *測定年度 | 西暦下2桁 | 002 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | 15 | |
| *測定地点番号 | 文字 | 001 | 603-01 | 603-55 | 603-56 | 603-57 | 603-58 | 603-59 | 611-03 | 612-01 | 612-02 | 613-01 | 614-01 | 615-01 | 625-01 | 625-01 | 625-02 | 625-02 | |
| *調査区分コード | 数値1桁 | 004 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | |
| *採水月日 | 数値(MMDD) | 101 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0721 | 0709 | 0709 | 0709 | 0709 | |
| *採水時刻 | 数値(HHMM) | 102 | 0643 | 0648 | 0609 | 0617 | 0625 | 0632 | 0659 | 0655 | 0712 | 0718 | 0810 | 0815 | 1042 | 1047 | 1000 | 0955 | |
| *採水位置コード | コード2桁 | 107 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | 11 | | | | | |
| *採水水深 | (m) | 999.9 | 108 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | 0.5 | |
| 全水深 | (m) | 99.9 | 109 | 2.9 | 5.2 | 3.2 | 3.3 | 2.9 | 4.1 | 10.3 | 8.3 | 18.4 | 15.8 | 19.1 | 20.4 | | | | |
| 透明度 | (m) | 9.9 | 110 | 1.9 | 2.1 | 1.7 | 1.9 | 1.8 | 2.7 | 2.5 | 2.5 | 1.9 | 2.6 | 2.6 | 2.7 | > | 1.0 | > | |
| 天候コード | コード2桁 | 103 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | 08 | |
| 降雨状況 | コード3桁 | 901 | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | ××× | |
| 気温(度) | 99.9 | 104 | 23.9 | 24.0 | 24.0 | 23.9 | 23.9 | 23.8 | 24.4 | 24.0 | 24.4 | 25.8 | 25.4 | 25.4 | 24.8 | 24.8 | 21.0 | 20.4 | |
| 水温(度) | 99.9 | 105 | 24.7 | 24.4 | 25.4 | 25.5 | 25.5 | 25.9 | 23.8 | 24.5 | 23.8 | 24.2 | 24.5 | 24.6 | 22.8 | 22.8 | 21.8 | 21.8 | |
| pH | 99.9 | 201 | 8.0 | 8.0 | 8.0 | 7.9 | 7.9 | 7.9 | 8.3 | 8.2 | 8.3 | 8.3 | 8.3 | 8.3 | 8.1 | 8.1 | 8.0 | 8.0 | |
| DO | (mg/l) | 99.9 | 202 | 7.0 | 7.0 | 6.7 | 6.7 | 6.4 | 6.6 | 8.6 | 7.9 | 8.6 | 8.7 | 8.9 | 8.7 | 7.7 | 7.7 | 7.6 | |
| BOD | (mg/l) | 99.9 | 203 | | | | | | | | | | | | | | | | |
| COD | (mg/l) | 99.9 | 204 | 3.0 | 3.1 | 3.7 | 3.5 | 3.1 | 3.1 | | 3.2 | 3.9 | 3.6 | 4.2 | 3.6 | 2.0 | 2.4 | 1.8 | |
| SS | (mg/l) | 9999 | 205 | | | | | | | | | | | | | | | | |
| 大腸菌群数 | (MPN/100ml) | 1.0E+99 | 206 | < 1.8E+00 | 4.5E+00 | < 1.8E+00 | < 1.8E+00 | < 1.8E+00 | < 1.8E+00 | | < 1.8E+00 | 1.7E+01 | | 4.0E+00 | | | | | |
| n-ヘキサン(油分) | (mg/l) | 99.9 | 207 | | | | | | | | | | | | ND | ND | ND | ND | |
| 全窒素 | (mg/l) | 99.99 | 208 | 0.11 | 0.16 | 0.21 | 0.19 | 0.18 | 0.15 | 0.23 | 0.14 | 0.33 | 0.13 | 0.15 | 0.13 | | | | |
| 全リン | (mg/l) | 99.999 | 209 | 0.029 | 0.029 | 0.036 | 0.034 | 0.038 | 0.044 | 0.028 | 0.016 | 0.031 | 0.013 | 0.012 | 0.011 | | | | |
| 鉛 | (mg/l) | 9.999 | 301 | | | | | | | | | | | | | | | | |
| 全シアン | (mg/l) | 99.9 | 302 | | | | | | | | | | | | | | | | |
| 鉛 | (mg/l) | 9.999 | 304 | | | | | | | | | | | | | | | | |
| 六価クロム | (mg/l) | 99.99 | 305 | | | | | | | | | | | | | | | | |
| 砒素 | (mg/l) | 9.999 | 306 | | | | | | | | | | | | | | | | |
| 総水銀 | (mg/l) | 9.9999 | 307 | | | | | | | | | | | | | | | | |
| メチル水銀 | (mg/l) | 9.9999 | 308 | | | | | | | | | | | | | | | | |
| PCB | (mg/l) | 9.9999 | 309 | | | | | | | | | | | | | | | | |
| ジクロロメタン | (mg/l) | 9.999 | 310 | | | | | | | | | | | | | | | | |
| 四塩化炭素 | (mg/l) | 9.9999 | 311 | | | | | | | | | | | | | | | | |
| 1,2-ジクロロエタン | (mg/l) | 9.9999 | 312 | | | | | | | | | | | | | | | | |
| 1,1-ジクロロエチレン | (mg/l) | 9.999 | 313 | | | | | | | | | | | | | | | | |
| シス-1,2-ジクロロエチレン | (mg/l) | 9.999 | 314 | | | | | | | | | | | | | | | | |
| 1,1,1-トリクロロエタン | (mg/l) | 9.999 | 315 | | | | | | | | | | | | | | | | |
| 1,1,2-トリクロロエタン | (mg/l) | 9.9999 | 316 | | | | | | | | | | | | | | | | |
| トリクロロエチレン | (mg/l) | 9.999 | 317 | | | | | | | | | | | | | | | | |
| テトラクロロエチレン | (mg/l) | 9.9999 | 318 | | | | | | | | | | | | | | | | |
| 1,3-ジクロロプロペン | (mg/l) | 9.9999 | 319 | | | | | | | | | | | | | | | | |
| チカテム | (mg/l) | 9.9999 | 320 | | | | | | | | | | | | | | | | |
| シマジン | (mg/l) | 9.9999 | 321 | | | | | | | | | | | | | | | | |
| チオベンカルブ | (mg/l) | 9.999 | 322 | | | | | | | | | | | | | | | | |
| ベンゼン | (mg/l) | 9.999 | 323 | | | | | | | | | | | | | | | | |
| セレン | (mg/l) | 9.999 | 324 | | | | | | | | | | | | | | | | |
| 硝酸性窒素及び亜硝酸性窒素 | (mg/l) | 9.999 | 325 | < 0.015 | < 0.015 | < 0.015 | < 0.015 | < 0.015 | < 0.015 | | | < 0.015 | < 0.015 | < 0.015 | | | | | |
| フッ素 | (mg/l) | 99.9 | 326 | | | | | | | | | | | | | | | | |
| ホウ素 | (mg/l) | 9.99 | 327 | | | | | | | | | | | | | | | | |
| 1,4-ジオキサン | (mg/l) | 9.999 | 328 | | | | | | | | | | | | < 0.005 | | < 0.005 | | |
| 亜鉛 | (mg/l) | 99.99 | 403 | | | | | | | | | | | | | | | | |
| ニルフェナル | (mg/l) | 9.99999 | 904 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.1 | (mg/l) | 9.99999 | 409 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.2 | (mg/l) | 9.99999 | 410 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.3 | (mg/l) | 9.99999 | 411 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.4 | (mg/l) | 9.99999 | 412 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.5 | (mg/l) | 9.99999 | 413 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.6 | (mg/l) | 9.99999 | 414 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.7 | (mg/l) | 9.99999 | 415 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.8 | (mg/l) | 9.99999 | 416 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.9 | (mg/l) | 9.99999 | 417 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.10 | (mg/l) | 9.99999 | 418 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.11 | (mg/l) | 9.99999 | 419 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.12 | (mg/l) | 9.99999 | 420 | | | | | | | | | | | | | | | | |
| ニルフェナル異性体No.13 | (mg/l) | 9.99999 | 421 | | | | | | | | | | | | | | | | |
| LAS | (mg/l) | 9.99999 | 940 | | | | | | | | | | | | | | | | |
| C10-LAS | (mg/l) | 9.99999 | 941 | | | | | | | | | | | | | | | | |
| C11-LAS | (mg/l) | 9.99999 | 942 | | | | | | | | | | | | | | | | |
| C12-LAS | (mg/l) | 9.99999 | 943 | | | | | | | | | | | | | | | | |
| C13-LAS | (mg/l) | 9.99999 | 944 | | | | | | | | | | | | | | | | |
| C14-LAS | (mg/l) | 9.99999 | 945 | | | | | | | | | | | | | | | | |
| EPN | (mg/l) | 9.999 | 501 | | | | | | | | | | | | | | | | |
| 糞便性大腸菌群数 | (個/100ml) | 1.0E+99 | | | | | | | | | | | | | < 2.0E+00 | 4.0E+00 | < 2.0E+00 | < 2.0E+00 | |
| 塩化物イオン | (mg/l) | 99999 | 607 | 16800 | 16800 | 16500 | 16400 | 16500 | 16500 | 16600 | 17000 | 16800 | 17100 | 16900 | 16400 | 14200 | 15400 | 17800 | 17600 |
| リノ酸糖リン | (mg/l) | 9.999 | 511 | < 0.023 | 0.028 | 0.032 | 0.032 | 0.030 | 0.035 | | | | 0.005 | 0.008 | < 0.005 | | | | |
| アモニア性窒素 | (mg/l) | 99.99 | 512 | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 | < 0.05 | | | | < 0.05 | < 0.05 | < 0.05 | | | | |
| 亜硝酸性窒素 | (mg/l) | 9.999 | 513 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | < 0.005 | | | | < 0.005 | < 0.005 | < 0.005 | | | | |
| 硝酸性窒素 | (mg/l) | 99.99 | 514 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | < 0.01 | | | | < 0.01 | < 0.01 | < 0.01 | | | | |
| 界面活性剤 | (mg/l) | 99.99 | 620 | | | | | | | | | | | | | | | | |
| 色度 | (mg/l) | 9999 | 701 | | | | | | | | | | | | | | | | |
| COD(7ℓカリ法) | (mg/l) | 99.9 | 574 | | | | | | 2.7 | | | | 1 | 2 | 2 | | | | |
| 透明度 | (cm) | 99 | 602 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | > 50 | | | | |
| 色相コード | コード3桁 | 123 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | 230 | |
| 臭気コード | コード3桁 | 124 | 011 | | | | | | | | | | | | | | | | |

