

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

宮城県

2022年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	10,670	8,096	18,766	100.0	100.0	100.0	959.5	693.2	823.1	446.3	357.4	393.7	313.4	267.3	285.3	37.9	29.8	33.5
口腔・咽頭	C00-C14	286	121	407	2.7	1.5	2.2	25.7	10.4	17.9	14.2	5.0	9.4	10.3	3.7	6.9	1.3	0.4	0.8
食道	C15	435	111	546	4.1	1.4	2.9	39.1	9.5	23.9	18.3	4.0	10.7	12.6	2.8	7.5	1.6	0.3	1.0
胃	C16	1,755	741	2,496	16.4	9.2	13.3	157.8	63.4	109.5	67.7	24.2	44.2	45.8	16.9	30.3	5.7	2.0	3.8
大腸（結腸・直腸）	C18-C20	1,554	1,333	2,887	14.6	16.5	15.4	139.7	114.1	126.6	69.1	49.1	58.5	49.3	35.3	41.9	5.9	4.1	5.0
結腸	C18	988	950	1,938	9.3	11.7	10.3	88.8	81.3	85.0	41.1	32.4	36.4	28.7	23.0	25.6	3.4	2.7	3.1
直腸	C19-C20	566	383	949	5.3	4.7	5.1	50.9	32.8	41.6	28.0	16.7	22.1	20.6	12.2	16.2	2.5	1.4	2.0
肝および肝内胆管	C22	388	163	551	3.6	2.0	2.9	34.9	14.0	24.2	15.9	4.7	9.9	11.3	3.4	7.2	1.4	0.4	0.9
胆のう・胆管	C23-C24	234	179	413	2.2	2.2	2.2	21.0	15.3	18.1	8.0	3.7	5.7	5.2	2.4	3.7	0.5	0.2	0.4
膵臓	C25	450	417	867	4.2	5.2	4.6	40.5	35.7	38.0	18.7	12.8	15.6	13.1	8.8	10.8	1.6	1.0	1.3
喉頭	C32	78	5	83	0.7	0.1	0.4	7.0	0.4	3.6	3.2	0.2	1.6	2.2	0.1	1.1	0.3	0.0	0.1
肺	C33-C34	1,565	761	2,326	14.7	9.4	12.4	140.7	65.2	102.0	61.3	24.9	41.7	41.6	17.5	28.7	5.1	2.1	3.6
皮膚	C43-C44	258	219	477	2.4	2.7	2.5	23.2	18.8	20.9	9.8	6.6	8.0	6.7	4.7	5.6	0.7	0.4	0.6
乳房	C50	12	1,841	1,853	0.1	22.7	9.9	1.1	157.6	81.3	0.6	106.6	54.1	0.5	81.8	41.4	0.1	9.1	4.6
子宮	C53-C55	-	543	543	-	6.7	2.9	-	46.5	-	-	34.5	-	-	26.8	-	-	2.9	-
子宮頸部	C53	-	154	154	-	1.9	0.8	-	13.2	-	-	10.6	-	-	8.2	-	-	0.8	-
子宮体部	C54	-	383	383	-	4.7	2.0	-	32.8	-	-	23.8	-	-	18.5	-	-	2.1	-
卵巣	C56	-	250	250	-	3.1	1.3	-	21.4	-	-	16.0	-	-	12.9	-	-	1.3	-
前立腺	C61	1,856	-	1,856	17.4	-	9.9	166.9	-	-	72.5	-	-	49.4	-	-	6.6	-	-
膀胱	C67	274	111	385	2.6	1.4	2.1	24.6	9.5	16.9	10.4	2.7	6.3	7.0	1.9	4.3	0.9	0.2	0.5
腎・尿路（膀胱除く）	C64-C66 C68	403	197	600	3.8	2.4	3.2	36.2	16.9	26.3	18.0	6.9	12.1	12.8	5.0	8.7	1.5	0.6	1.0
脳・中枢神経系	C70-C72	48	48	96	0.4	0.6	0.5	4.3	4.1	4.2	2.9	3.4	3.1	2.4	3.2	2.7	0.2	0.2	0.2
甲状腺	C73	63	185	248	0.6	2.3	1.3	5.7	15.8	10.9	3.8	12.2	8.0	2.9	9.8	6.4	0.3	1.0	0.7
悪性リンパ腫	C81-C85 C96	361	333	694	3.4	4.1	3.7	32.5	28.5	30.4	16.3	14.1	15.0	12.2	10.2	11.1	1.4	1.2	1.3
多発性骨髄腫	C88-C90	65	62	127	0.6	0.8	0.7	5.8	5.3	5.6	2.8	2.0	2.4	2.0	1.3	1.6	0.2	0.2	0.2
白血病	C91-C95	137	108	245	1.3	1.3	1.3	12.3	9.2	10.7	7.8	5.6	6.6	6.6	4.5	5.5	0.6	0.4	0.5

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

宮城県

2022年

		罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人口			世界人口					
部位	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	11,737	9,187	20,924	100.0	100.0	100.0	1,055.5	786.6	917.7	495.1	428.1	452.5	347.9	322.2	329.3	42.1	35.3	38.4
食道	C15 D001	469	118	587	4.0	1.3	2.8	42.2	10.1	25.7	19.6	4.4	11.5	13.5	3.1	8.0	1.7	0.4	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,150	1,645	3,795	18.3	17.9	18.1	193.3	140.8	166.4	97.8	63.4	79.7	70.0	45.9	57.3	8.5	5.4	7.0
結腸 *2	C18 D010	1,413	1,181	2,594	12.0	12.9	12.4	127.1	101.1	113.8	60.9	43.1	51.3	42.8	30.9	36.4	5.2	3.7	4.4
直腸 *2	C19-C20 D011-D012	737	464	1,201	6.3	5.1	5.7	66.3	39.7	52.7	36.9	20.3	28.3	27.2	15.0	20.9	3.3	1.8	2.5
肺	C33-C34 D021-D022	1,572	781	2,353	13.4	8.5	11.2	141.4	66.9	103.2	61.6	26.0	42.4	41.9	18.2	29.2	5.1	2.2	3.6
皮膚	C43-C44 D030-D049	310	277	587	2.6	3.0	2.8	27.9	23.7	25.7	11.9	8.2	9.8	8.2	5.7	6.8	0.8	0.5	0.7
乳房	C50 D05	15	2,106	2,121	0.1	22.9	10.1	1.3	180.3	93.0	0.8	123.8	62.9	0.6	95.1	48.1	0.1	10.6	5.4
子宮	C53-C55 D06	-	859	859	-	9.4	4.1	-	73.5	-	-	65.8	-	-	52.0	-	-	5.0	-
子宮頸部	C53 D06	-	470	470	-	5.1	2.2	-	40.2	-	-	41.9	-	-	33.5	-	-	3.0	-
膀胱	C67 D090	576	178	754	4.9	1.9	3.6	51.8	15.2	33.1	22.9	5.5	13.6	15.6	3.9	9.4	1.8	0.4	1.1

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	10,670	5	3	5	13	12	18	25	46	86	146	268	481	818	1,507	2,424	1,783	1,559	977	384	106	4	0
	口腔・咽頭	C00-C14	286	0	0	0	0	0	1	1	7	5	9	10	24	26	56	54	39	39	13	2	0	0	0
	食道	C15	435	0	0	0	0	0	0	0	1	1	5	12	27	37	59	108	72	71	31	9	2	0	0
	胃	C16	1,755	0	0	0	0	0	0	2	2	3	7	19	56	120	260	426	317	287	185	62	9	0	0
	大腸（結腸・直腸）	C18-C20	1,554	0	0	0	2	0	0	4	9	22	37	65	93	150	205	329	245	185	135	54	16	3	0
	結腸	C18	988	0	0	0	1	0	0	1	4	12	15	31	47	80	126	216	162	138	101	40	11	3	0
	直腸	C19-C20	566	0	0	0	1	0	0	3	5	10	22	34	46	70	79	113	83	47	34	14	5	0	0
	肝および肝内胆管	C22	388	1	0	0	0	0	0	1	0	1	4	9	19	38	48	91	61	55	46	13	1	0	0
	胆のう・胆管	C23-C24	234	0	0	0	0	0	0	0	0	1	3	0	3	11	24	37	45	54	36	16	4	0	0
	膵臓	C25	450	0	0	0	1	0	1	0	2	2	4	19	23	28	65	103	72	70	41	12	7	0	0
	喉頭	C32	78	0	0	0	0	0	0	0	0	0	0	5	3	10	4	19	15	13	6	2	1	0	0
	肺	C33-C34	1,565	0	0	0	0	0	0	1	2	5	9	33	57	112	210	368	278	258	137	74	20	1	0
	皮膚	C43-C44	258	0	0	0	0	0	0	1	0	4	9	7	7	14	23	46	30	51	35	22	9	0	0
	乳房	C50	12	0	0	0	0	0	0	0	0	0	0	2	0	3	2	3	1	1	0	0	0	0	0
	前立腺	C61	1,856	0	0	0	0	0	0	0	1	0	4	21	55	123	324	500	348	253	154	57	16	0	0
	膀胱	C67	274	0	0	0	0	0	0	0	0	1	4	2	10	20	31	67	40	50	30	14	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	403	0	0	0	0	0	1	1	5	3	6	18	30	29	69	67	68	47	37	17	5	0	0
	脳・中枢神経系	C70-C72	48	0	0	1	1	2	0	0	0	3	5	3	3	4	6	6	6	2	5	1	0	0	0
	甲状腺	C73	63	0	0	0	0	2	0	0	1	9	2	4	5	9	6	11	4	4	2	1	3	0	0
	悪性リンパ腫	C81-C85 C96	361	1	0	0	3	2	4	1	1	2	8	13	18	33	49	78	47	53	33	13	2	0	0
	多発性骨髄腫	C88-C90	65	0	0	0	0	0	0	0	0	0	2	1	6	8	4	14	16	7	5	1	1	0	0
	白血病	C91-C95	137	2	2	4	1	0	0	1	3	4	9	9	12	6	12	19	23	13	13	3	1	0	0

*1 総数は年齢不詳を含む
*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	8,096	4	2	6	8	17	24	56	122	275	440	485	487	650	835	1,269	952	984	814	490	160	16	0
	口腔・咽頭	C00-C14	121	0	0	0	0	0	0	1	1	6	6	6	5	11	13	10	14	23	9	11	5	0	0
	食道	C15	111	0	0	0	0	0	0	0	0	3	1	0	6	11	14	21	19	19	7	8	2	0	0
	胃	C16	741	0	0	0	0	0	0	2	5	4	15	15	20	50	76	141	117	112	112	57	15	0	0
	大腸（結腸・直腸）	C18-C20	1,333	0	0	0	2	0	2	3	7	25	34	57	67	88	142	237	174	199	169	95	27	5	0
	結腸	C18	950	0	0	0	2	0	2	1	4	11	18	27	47	58	94	171	129	149	134	78	20	5	0
	直腸	C19-C20	383	0	0	0	0	0	0	2	3	14	16	30	20	30	48	66	45	50	35	17	7	0	0
	肝および肝内胆管	C22	163	1	0	0	0	0	0	0	2	0	2	3	2	7	15	27	23	20	33	24	4	0	0
	胆のう・胆管	C23-C24	179	0	0	0	0	0	0	0	0	0	0	1	2	6	5	23	21	35	43	27	14	2	0
	膵臓	C25	417	0	0	1	0	1	1	0	1	1	7	5	12	20	35	83	63	85	59	35	8	0	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	1	0	0	0	0	0
	肺	C33-C34	761	0	0	0	0	1	0	0	2	7	10	19	18	53	88	148	126	109	95	59	25	1	0
	皮膚	C43-C44	219	0	0	0	0	0	1	0	4	4	4	8	10	5	11	23	31	26	32	41	14	5	0
	乳房	C50	1,841	0	0	0	0	0	3	16	45	122	215	178	179	196	217	258	153	125	78	46	9	1	0
	子宮	C53-C55	543	0	0	0	0	0	0	10	28	43	54	77	55	70	47	58	32	28	25	12	3	1	0
	子宮頸部	C53	154	0	0	0	0	0	0	2	19	23	14	16	10	18	7	15	9	9	6	6	0	0	0
	子宮体部	C54	383	0	0	0	0	0	0	8	9	20	40	61	44	52	40	43	23	18	16	5	3	1	0
	卵巣	C56	250	0	1	1	1	6	3	5	1	14	29	33	27	27	26	31	16	17	7	2	3	0	0
	膀胱	C67	111	0	0	0	0	0	1	0	0	1	0	1	2	3	8	17	9	23	25	13	8	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	197	0	0	0	0	0	1	2	0	1	4	7	11	9	26	37	23	24	28	15	9	0	0
	脳・中枢神経系	C70-C72	48	1	1	1	2	2	0	1	4	3	1	4	1	6	4	2	7	5	2	1	0	0	0
	甲状腺	C73	185	0	0	0	1	3	5	4	7	17	23	13	18	21	19	18	13	9	5	6	3	0	0
	悪性リンパ腫	C81-C85 C96	333	0	0	0	1	0	2	4	1	5	14	15	22	27	33	60	53	54	30	9	2	1	0
	多発性骨髄腫	C88-C90	62	0	0	0	0	0	0	0	1	2	0	1	1	2	7	11	8	15	10	3	1	0	0
	白血病	C91-C95	108	0	0	3	0	1	3	2	4	8	4	4	2	5	11	19	11	13	12	4	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	18,766	9	5	11	21	29	42	81	168	361	586	753	968	1,468	2,342	3,693	2,735	2,543	1,791	874	266	20	0
	口腔・咽頭	C00-C14	407	0	0	0	0	0	1	2	8	11	15	16	29	37	69	64	53	62	22	13	5	0	0
	食道	C15	546	0	0	0	0	0	0	0	1	4	6	12	33	48	73	129	91	90	38	17	4	0	0
	胃	C16	2,496	0	0	0	0	0	0	4	7	7	22	34	76	170	336	567	434	399	297	119	24	0	0
	大腸（結腸・直腸）	C18-C20	2,887	0	0	0	4	0	2	7	16	47	71	122	160	238	347	566	419	384	304	149	43	8	0
	結腸	C18	1,938	0	0	0	3	0	2	2	8	23	33	58	94	138	220	387	291	287	235	118	31	8	0
	直腸	C19-C20	949	0	0	0	1	0	0	5	8	24	38	64	66	100	127	179	128	97	69	31	12	0	0
	肝および肝内胆管	C22	551	2	0	0	0	0	0	1	2	1	6	12	21	45	63	118	84	75	79	37	5	0	0
	胆のう・胆管	C23-C24	413	0	0	0	0	0	0	0	0	1	3	1	5	17	29	60	66	89	79	43	18	2	0
	膵臓	C25	867	0	0	1	1	1	2	0	3	3	11	24	35	48	100	186	135	155	100	47	15	0	0
	喉頭	C32	83	0	0	0	0	0	0	0	0	0	0	6	3	10	4	21	16	14	6	2	1	0	0
	肺	C33-C34	2,326	0	0	0	0	1	0	1	4	12	19	52	75	165	298	516	404	367	232	133	45	2	0
	皮膚	C43-C44	477	0	0	0	0	0	1	1	4	8	13	15	17	19	34	69	61	77	67	63	23	5	0
	乳房	C50	1,853	0	0	0	0	0	3	16	45	122	215	180	179	199	219	261	154	126	78	46	9	1	0
	子宮	C53-C55	543	0	0	0	0	0	0	10	28	43	54	77	55	70	47	58	32	28	25	12	3	1	0
	子宮頸部	C53	154	0	0	0	0	0	0	2	19	23	14	16	10	18	7	15	9	9	6	6	0	0	0
	子宮体部	C54	383	0	0	0	0	0	0	8	9	20	40	61	44	52	40	43	23	18	16	5	3	1	0
	卵巣	C56	250	0	1	1	1	6	3	5	1	14	29	33	27	27	26	31	16	17	7	2	3	0	0
	前立腺	C61	1,856	0	0	0	0	0	0	0	1	0	4	21	55	123	324	500	348	253	154	57	16	0	0
	膀胱	C67	385	0	0	0	0	0	1	0	0	2	4	3	12	23	39	84	49	73	55	27	13	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	600	0	0	0	0	0	2	3	5	4	10	25	41	38	95	104	91	71	65	32	14	0	0
	脳・中枢神経系	C70-C72	96	1	1	2	3	4	0	1	4	6	6	7	4	10	10	8	13	7	7	2	0	0	0
	甲状腺	C73	248	0	0	0	1	5	5	4	8	26	25	17	23	30	25	29	17	13	7	7	6	0	0
	悪性リンパ腫	C81-C85 C96	694	1	0	0	4	2	6	5	2	7	22	28	40	60	82	138	100	107	63	22	4	1	0
	多発性骨髄腫	C88-C90	127	0	0	0	0	0	0	0	1	2	2	2	7	10	11	25	24	22	15	4	2	0	0
	白血病	C91-C95	245	2	2	7	1	1	3	3	7	12	13	13	14	11	23	38	34	26	25	7	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	11,737	5	3	5	13	12	20	29	50	103	172	314	554	913	1,660	2,654	1,956	1,714	1,048	401	107	4	0
	食道	C15 D001	469	0	0	0	0	0	0	0	1	2	5	12	28	39	63	120	78	76	33	10	2	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,150	0	0	0	2	0	1	7	12	30	51	100	141	212	302	462	333	256	166	56	16	3	0
	結腸 *2	C18 D010	1,413	0	0	0	1	0	0	2	6	15	22	53	79	127	193	310	231	196	124	40	11	3	0
	直腸 *2	C19-C20 D011-D012	737	0	0	0	1	0	1	5	6	15	29	47	62	85	109	152	102	60	42	16	5	0	0
	肺	C33-C34 D021-D022	1,572	0	0	0	0	0	0	1	2	5	9	34	58	112	211	370	280	258	137	74	20	1	0
	皮膚	C43-C44 D030-D049	310	0	0	0	0	0	1	1	0	7	10	7	8	17	27	52	37	65	44	25	9	0	0
	乳房	C50 D05	15	0	0	0	0	0	0	0	0	1	0	3	0	3	2	3	2	1	0	0	0	0	0
	膀胱	C67 D090	576	0	0	0	0	0	0	1	0	3	12	7	28	46	65	126	92	109	56	25	6	0	0
女	全部位	C00-C96 D00-D09	9,187	4	2	6	9	20	39	110	196	386	544	563	558	741	944	1,401	1,057	1,046	865	515	165	16	0
	食道	C15 D001	118	0	0	0	0	0	0	0	0	3	1	1	6	11	17	23	20	19	7	8	2	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,645	0	0	0	2	0	2	4	15	34	45	68	94	123	185	298	216	226	196	105	27	5	0
	結腸 *2	C18 D010	1,181	0	0	0	2	0	2	2	11	17	26	34	67	82	128	219	160	170	154	82	20	5	0
	直腸 *2	C19-C20 D011-D012	464	0	0	0	0	0	0	2	4	17	19	34	27	41	57	79	56	56	42	23	7	0	0
	肺	C33-C34 D021-D022	781	0	0	0	0	1	0	0	2	8	12	21	18	55	92	153	130	109	95	59	25	1	0
	皮膚	C43-C44 D030-D049	277	0	0	0	0	0	1	0	4	4	5	10	11	8	15	27	41	36	43	50	17	5	0
	乳房	C50 D05	2,106	0	0	0	0	0	3	17	56	150	249	211	202	226	252	290	176	135	83	46	9	1	0
	子宮	C53-C55 D06	859	0	0	0	1	3	15	62	82	114	105	101	66	76	53	68	38	33	25	12	4	1	0
	子宮頸部	C53 D06	470	0	0	0	1	3	15	54	73	94	65	40	21	24	13	25	15	14	6	6	1	0	0
	膀胱	C67 D090	178	0	0	0	0	0	1	0	1	1	5	2	8	11	14	27	20	30	33	17	8	0	0
総数 *3	全部位	C00-C96 D00-D09	20,924	9	5	11	22	32	59	139	246	489	716	877	1,112	1,654	2,604	4,055	3,013	2,760	1,913	916	272	20	0
	食道	C15 D001	587	0	0	0	0	0	0	0	1	5	6	13	34	50	80	143	98	95	40	18	4	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	3,795	0	0	0	4	0	3	11	27	64	96	168	235	335	487	760	549	482	362	161	43	8	0
	結腸 *2	C18 D010	2,594	0	0	0	3	0	2	4	17	32	48	87	146	209	321	529	391	366	278	122	31	8	0
	直腸 *2	C19-C20 D011-D012	1,201	0	0	0	1	0	1	7	10	32	48	81	89	126	166	231	158	116	84	39	12	0	0
	肺	C33-C34 D021-D022	2,353	0	0	0	0	1	0	1	4	13	21	55	76	167	303	523	410	367	232	133	45	2	0
	皮膚	C43-C44 D030-D049	587	0	0	0	0	0	2	1	4	11	15	17	19	25	42	79	78	101	87	75	26	5	0
	乳房	C50 D05	2,121	0	0	0	0	0	3	17	56	151	249	214	202	229	254	293	178	136	83	46	9	1	0
	子宮	C53-C55 D06	859	0	0	0	1	3	15	62	82	114	105	101	66	76	53	68	38	33	25	12	4	1	0
	子宮頸部	C53 D06	470	0	0	0	1	3	15	54	73	94	65	40	21	24	13	25	15	14	6	6	1	0	0
	膀胱	C67 D090	754	0	0	0	0	0	1	1	1	4	17	9	36	57	79	153	112	139	89	42	14	0	0

*1 総数は年齢不詳を含む
*2 粘膜がんを含む
*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	959.5	13.5	6.5	10.2	25.0	18.8	30.0	41.7	66.7	111.7	167.8	326.8	677.5	1,152.1	2,036.5	2,885.7	3,364.2	3,897.5	3,871.1	・
	口腔・咽頭	C00-C14	25.7	0.0	0.0	0.0	0.0	0.0	1.7	1.7	10.1	6.5	10.3	12.2	33.8	36.6	75.7	64.3	73.6	97.5	39.5	・
	食道	C15	39.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	5.7	14.6	38.0	52.1	79.7	128.6	135.8	177.5	110.5	・
	胃	C16	157.8	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.9	3.9	8.0	23.2	78.9	169.0	351.4	507.1	598.1	717.5	673.7	・
	大腸（結腸・直腸）	C18-C20	139.7	0.0	0.0	0.0	3.8	0.0	0.0	6.7	13.0	28.6	42.5	79.3	131.0	211.3	277.0	391.7	462.3	462.5	547.4	・
	結腸	C18	88.8	0.0	0.0	0.0	1.9	0.0	0.0	1.7	5.8	15.6	17.2	37.8	66.2	112.7	170.3	257.1	305.7	345.0	407.9	・
	直腸	C19-C20	50.9	0.0	0.0	0.0	1.9	0.0	0.0	5.0	7.2	13.0	25.3	41.5	64.8	98.6	106.8	134.5	156.6	117.5	139.5	・
	肝および肝内胆管	C22	34.9	2.7	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.3	4.6	11.0	26.8	53.5	64.9	108.3	115.1	137.5	157.9	・
	胆のう・胆管	C23-C24	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.4	0.0	4.2	15.5	32.4	44.0	84.9	135.0	147.4	・
	膵臓	C25	40.5	0.0	0.0	0.0	1.9	0.0	1.7	0.0	2.9	2.6	4.6	23.2	32.4	39.4	87.8	122.6	135.8	175.0	157.9	・
	喉頭	C32	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.1	4.2	14.1	5.4	22.6	28.3	32.5	23.7	・
	肺	C33-C34	140.7	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.9	6.5	10.3	40.2	80.3	157.7	283.8	438.1	524.5	645.0	610.5	・
	皮膚	C43-C44	23.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	5.2	10.3	8.5	9.9	19.7	31.1	54.8	56.6	127.5	173.7	・
	乳房	C50	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	4.2	2.7	3.6	1.9	2.5	0.0	・
	前立腺	C61	166.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	4.6	25.6	77.5	173.2	437.8	595.2	656.6	632.5	597.4	・
	膀胱	C67	24.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.6	2.4	14.1	28.2	41.9	79.8	75.5	125.0	128.9	・
	腎・尿路（膀胱除く）	C64-C66 C68	36.2	0.0	0.0	0.0	0.0	0.0	1.7	1.7	7.2	3.9	6.9	22.0	42.3	40.8	93.2	79.8	128.3	117.5	155.3	・
	脳・中枢神経系	C70-C72	4.3	0.0	0.0	2.0	1.9	3.1	0.0	0.0	0.0	3.9	5.7	3.7	4.2	5.6	8.1	7.1	11.3	5.0	15.8	・
	甲状腺	C73	5.7	0.0	0.0	0.0	0.0	3.1	0.0	0.0	1.4	11.7	2.3	4.9	7.0	12.7	8.1	13.1	7.5	10.0	15.8	・
	悪性リンパ腫	C81-C85 C96	32.5	2.7	0.0	0.0	5.8	3.1	6.7	1.7	1.4	2.6	9.2	15.9	25.4	46.5	66.2	92.9	88.7	132.5	126.3	・
	多発性骨髄腫	C88-C90	5.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.2	8.5	11.3	5.4	16.7	30.2	17.5	18.4	・
	白血病	C91-C95	12.3	5.4	4.3	8.2	1.9	0.0	0.0	1.7	4.3	5.2	10.3	11.0	16.9	8.5	16.2	22.6	43.4	32.5	44.7	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	693.2	11.1	4.7	12.8	16.0	28.8	42.9	96.6	179.4	366.7	523.8	613.9	685.9	902.8	1,070.5	1,394.5	1,511.1	1,757.1	1,804.9	・
	口腔・咽頭	C00-C14	10.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.5	8.0	7.1	7.6	7.0	15.3	16.7	11.0	22.2	41.1	30.5	・
	食道	C15	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	1.2	0.0	8.5	15.3	17.9	23.1	30.2	33.9	20.7	・
	胃	C16	63.4	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.4	5.3	17.9	19.0	28.2	69.4	97.4	154.9	185.7	200.0	224.4	・
	大腸（結腸・直腸）	C18-C20	114.1	0.0	0.0	0.0	4.0	0.0	3.6	5.2	10.3	33.3	40.5	72.2	94.4	122.2	182.1	260.4	276.2	355.4	361.0	・
	結腸	C18	81.3	0.0	0.0	0.0	4.0	0.0	3.6	1.7	5.9	14.7	21.4	34.2	66.2	80.6	120.5	187.9	204.8	266.1	289.0	・
	直腸	C19-C20	32.8	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.4	18.7	19.0	38.0	28.2	41.7	61.5	72.5	71.4	89.3	72.0	・
	肝および肝内胆管	C22	14.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	2.4	3.8	2.8	9.7	19.2	29.7	36.5	35.7	74.4	・
	胆のう・胆管	C23-C24	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	8.3	6.4	25.3	33.3	62.5	104.9	・
	膵臓	C25	35.7	0.0	0.0	2.1	0.0	1.7	1.8	0.0	1.5	1.3	8.3	6.3	16.9	27.8	44.9	91.2	100.0	151.8	124.4	・
	喉頭	C32	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	2.2	1.6	1.8	0.0	・
	肺	C33-C34	65.2	0.0	0.0	0.0	0.0	1.7	0.0	0.0	2.9	9.3	11.9	24.1	25.4	73.6	112.8	162.6	200.0	194.6	219.5	・
	皮膚	C43-C44	18.8	0.0	0.0	0.0	0.0	0.0	1.8	0.0	5.9	5.3	4.8	10.1	14.1	6.9	14.1	25.3	49.2	46.4	112.2	・
	乳房	C50	157.6	0.0	0.0	0.0	0.0	0.0	5.4	27.6	66.2	162.7	256.0	225.3	252.1	272.2	278.2	283.5	242.9	223.2	163.4	・
	子宮	C53-C55	46.5	0.0	0.0	0.0	0.0	0.0	0.0	17.2	41.2	57.3	64.3	97.5	77.5	97.2	60.3	63.7	50.8	50.0	50.0	・
	子宮頸部	C53	13.2	0.0	0.0	0.0	0.0	0.0	0.0	3.4	27.9	30.7	16.7	20.3	14.1	25.0	9.0	16.5	14.3	16.1	14.6	・
	子宮体部	C54	32.8	0.0	0.0	0.0	0.0	0.0	0.0	13.8	13.2	26.7	47.6	77.2	62.0	72.2	51.3	47.3	36.5	32.1	30.5	・
	卵巣	C56	21.4	0.0	2.3	2.1	2.0	10.2	5.4	8.6	1.5	18.7	34.5	41.8	38.0	37.5	33.3	34.1	25.4	30.4	14.6	・
	膀胱	C67	9.5	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.3	0.0	1.3	2.8	4.2	10.3	18.7	14.3	41.1	56.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	16.9	0.0	0.0	0.0	0.0	0.0	1.8	3.4	0.0	1.3	4.8	8.9	15.5	12.5	33.3	40.7	36.5	42.9	63.4	・
	脳・中枢神経系	C70-C72	4.1	2.8	2.3	2.1	4.0	3.4	0.0	1.7	5.9	4.0	1.2	5.1	1.4	8.3	5.1	2.2	11.1	8.9	3.7	・
	甲状腺	C73	15.8	0.0	0.0	0.0	2.0	5.1	8.9	6.9	10.3	22.7	27.4	16.5	25.4	29.2	24.4	19.8	20.6	16.1	17.1	・
	悪性リンパ腫	C81-C85 C96	28.5	0.0	0.0	0.0	2.0	0.0	3.6	6.9	1.5	6.7	16.7	19.0	31.0	37.5	42.3	65.9	84.1	96.4	51.2	・
	多発性骨髄腫	C88-C90	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.7	0.0	1.3	1.4	2.8	9.0	12.1	12.7	26.8	17.1	・
	白血病	C91-C95	9.2	0.0	0.0	6.4	0.0	1.7	5.4	3.4	5.9	10.7	4.8	5.1	2.8	6.9	14.1	20.9	17.5	23.2	22.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	823.1	12.3	5.6	11.5	20.6	23.6	36.2	68.6	122.6	237.5	342.7	467.7	681.7	1,026.6	1,540.8	2,110.3	2,357.8	2,649.0	2,459.2	・
	口腔・咽頭	C00-C14	17.9	0.0	0.0	0.0	0.0	0.0	0.9	1.7	5.8	7.2	8.8	9.9	20.4	25.9	45.4	36.6	45.7	64.6	33.3	・
	食道	C15	23.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	3.5	7.5	23.2	33.6	48.0	73.7	78.4	93.8	49.2	・
	胃	C16	109.5	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.1	4.6	12.9	21.1	53.5	118.9	221.1	324.0	374.1	415.6	366.7	・
	大腸（結腸・直腸）	C18-C20	126.6	0.0	0.0	0.0	3.9	0.0	1.7	5.9	11.7	30.9	41.5	75.8	112.7	166.4	228.3	323.4	361.2	400.0	420.0	・
	結腸	C18	85.0	0.0	0.0	0.0	2.9	0.0	1.7	1.7	5.8	15.1	19.3	36.0	66.2	96.5	144.7	221.1	250.9	299.0	326.7	・
	直腸	C19-C20	41.6	0.0	0.0	0.0	1.0	0.0	0.0	4.2	5.8	15.8	22.2	39.8	46.5	69.9	83.6	102.3	110.3	101.0	93.3	・
	肝および肝内胆管	C22	24.2	2.7	0.0	0.0	0.0	0.0	0.0	0.8	1.5	0.7	3.5	7.5	14.8	31.5	41.4	67.4	72.4	78.1	100.8	・
	胆のう・胆管	C23-C24	18.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.8	0.6	3.5	11.9	19.1	34.3	56.9	92.7	118.3	・
	脾臓	C25	38.0	0.0	0.0	1.0	1.0	0.8	1.7	0.0	2.2	2.0	6.4	14.9	24.6	33.6	65.8	106.3	116.4	161.5	135.0	・
	喉頭	C32	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	2.1	7.0	2.6	12.0	13.8	14.6	7.5	・
	肺	C33-C34	102.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	2.9	7.9	11.1	32.3	52.8	115.4	196.1	294.9	348.3	382.3	343.3	・
	皮膚	C43-C44	20.9	0.0	0.0	0.0	0.0	0.0	0.9	0.8	2.9	5.3	7.6	9.3	12.0	13.3	22.4	39.4	52.6	80.2	131.7	・
	乳房	C50	81.3	0.0	0.0	0.0	0.0	0.0	2.6	13.6	32.8	80.3	125.7	111.8	126.1	139.2	144.1	149.1	132.8	131.3	111.7	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	16.9	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	1.3	2.3	1.9	8.5	16.1	25.7	48.0	42.2	76.0	79.2	・
	腎・尿路（膀胱除く）	C64-C66 C68	26.3	0.0	0.0	0.0	0.0	0.0	1.7	2.5	3.6	2.6	5.8	15.5	28.9	26.6	62.5	59.4	78.4	74.0	92.5	・
	脳・中枢神経系	C70-C72	4.2	1.4	1.1	2.1	2.9	3.3	0.0	0.8	2.9	3.9	3.5	4.3	2.8	7.0	6.6	4.6	11.2	7.3	7.5	・
	甲状腺	C73	10.9	0.0	0.0	0.0	1.0	4.1	4.3	3.4	5.8	17.1	14.6	10.6	16.2	21.0	16.4	16.6	14.7	13.5	16.7	・
	悪性リンパ腫	C81-C85 C96	30.4	1.4	0.0	0.0	3.9	1.6	5.2	4.2	1.5	4.6	12.9	17.4	28.2	42.0	53.9	78.9	86.2	111.5	75.0	・
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.3	1.2	1.2	4.9	7.0	7.2	14.3	20.7	22.9	17.5	・
	白血病	C91-C95	10.7	2.7	2.2	7.3	1.0	0.8	2.6	2.5	5.1	7.9	7.6	8.1	9.9	7.7	15.1	21.7	29.3	27.1	29.2	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	1,055.5	13.5	6.5	10.2	25.0	18.8	33.3	48.3	72.5	133.8	197.7	382.9	780.3	1,285.9	2,243.2	3,159.5	3,690.6	4,285.0	4,105.3	・
	食道	C15 D001	42.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.6	5.7	14.6	39.4	54.9	85.1	142.9	147.2	190.0	118.4	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	193.3	0.0	0.0	0.0	3.8	0.0	1.7	11.7	17.4	39.0	58.6	122.0	198.6	298.6	408.1	550.0	628.3	640.0	634.2	・
	結腸 *2	C18 D010	127.1	0.0	0.0	0.0	1.9	0.0	0.0	3.3	8.7	19.5	25.3	64.6	111.3	178.9	260.8	369.0	435.8	490.0	468.4	・
	直腸 *2	C19-C20 D011-D012	66.3	0.0	0.0	0.0	1.9	0.0	1.7	8.3	8.7	19.5	33.3	57.3	87.3	119.7	147.3	181.0	192.5	150.0	165.8	・
	肺	C33-C34 D021-D022	141.4	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.9	6.5	10.3	41.5	81.7	157.7	285.1	440.5	528.3	645.0	610.5	・
	皮膚	C43-C44 D030-D049	27.9	0.0	0.0	0.0	0.0	0.0	1.7	1.7	0.0	9.1	11.5	8.5	11.3	23.9	36.5	61.9	69.8	162.5	205.3	・
	乳房	C50 D05	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	3.7	0.0	4.2	2.7	3.6	3.8	2.5	0.0	・
	膀胱	C67 D090	51.8	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	3.9	13.8	8.5	39.4	64.8	87.8	150.0	173.6	272.5	228.9	・
女	全部位	C00-C96 D00-D09	786.6	11.1	4.7	12.8	18.0	33.9	69.6	189.7	288.2	514.7	647.6	712.7	785.9	1,029.2	1,210.3	1,539.6	1,677.8	1,867.9	1,903.7	・
	食道	C15 D001	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	1.2	1.3	8.5	15.3	21.8	25.3	31.7	33.9	20.7	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	140.8	0.0	0.0	0.0	4.0	0.0	3.6	6.9	22.1	45.3	53.6	86.1	132.4	170.8	237.2	327.5	342.9	403.6	406.1	・
	結腸 *2	C18 D010	101.1	0.0	0.0	0.0	4.0	0.0	3.6	3.4	16.2	22.7	31.0	43.0	94.4	113.9	164.1	240.7	254.0	303.6	318.3	・
	直腸 *2	C19-C20 D011-D012	39.7	0.0	0.0	0.0	0.0	0.0	0.0	3.4	5.9	22.7	22.6	43.0	38.0	56.9	73.1	86.8	88.9	100.0	87.8	・
	肺	C33-C34 D021-D022	66.9	0.0	0.0	0.0	0.0	1.7	0.0	0.0	2.9	10.7	14.3	26.6	25.4	76.4	117.9	168.1	206.3	194.6	219.5	・
	皮膚	C43-C44 D030-D049	23.7	0.0	0.0	0.0	0.0	0.0	1.8	0.0	5.9	5.3	6.0	12.7	15.5	11.1	19.2	29.7	65.1	64.3	140.2	・
	乳房	C50 D05	180.3	0.0	0.0	0.0	0.0	0.0	5.4	29.3	82.4	200.0	296.4	267.1	284.5	313.9	323.1	318.7	279.4	241.1	169.5	・
	子宮	C53-C55 D06	73.5	0.0	0.0	0.0	2.0	5.1	26.8	106.9	120.6	152.0	125.0	127.8	93.0	105.6	67.9	74.7	60.3	58.9	51.2	・
総数 *3	子宮頸部	C53 D06	40.2	0.0	0.0	0.0	2.0	5.1	26.8	93.1	107.4	125.3	77.4	50.6	29.6	33.3	16.7	27.5	23.8	25.0	15.9	・
	膀胱	C67 D090	15.2	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.5	1.3	6.0	2.5	11.3	15.3	17.9	29.7	31.7	53.6	70.7	・
	全部位	C00-C96 D00-D09	917.7	12.3	5.6	11.5	21.6	26.0	50.9	117.8	179.6	321.7	418.7	544.7	783.1	1,156.6	1,713.2	2,317.1	2,597.4	2,875.0	2,600.8	・
	食道	C15 D001	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.3	3.5	8.1	23.9	35.0	52.6	81.7	84.5	99.0	51.7	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	166.4	0.0	0.0	0.0	3.9	0.0	2.6	9.3	19.7	42.1	56.1	104.3	165.5	234.3	320.4	434.3	473.3	502.1	478.3	・
	結腸 *2	C18 D010	113.8	0.0	0.0	0.0	2.9	0.0	1.7	3.4	12.4	21.1	28.1	54.0	102.8	146.2	211.2	302.3	337.1	381.3	365.8	・
	直腸 *2	C19-C20 D011-D012	52.7	0.0	0.0	0.0	1.0	0.0	0.9	5.9	7.3	21.1	28.1	50.3	62.7	88.1	109.2	132.0	136.2	120.8	112.5	・
	肺	C33-C34 D021-D022	103.2	0.0	0.0	0.0	0.0	0.8	0.0	0.8	2.9	8.6	12.3	34.2	53.5	116.8	199.3	298.9	353.4	382.3	343.3	・
	皮膚	C43-C44 D030-D049	25.7	0.0	0.0	0.0	0.0	0.0	1.7	0.8	2.9	7.2	8.8	10.6	13.4	17.5	27.6	45.1	67.2	105.2	160.8	・
	乳房	C50 D05	93.0	0.0	0.0	0.0	0.0	0.0	2.6	14.4	40.9	99.3	145.6	132.9	142.3	160.1	167.1	167.4	153.4	141.7	115.8	・
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67 D090	33.1	0.0	0.0	0.0	0.0	0.0	0.9	0.8	0.7	2.6	9.9	5.6	25.4	39.9	52.0	87.4	96.6	144.8	120.8	・

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯（％）： 部位別

A. 上皮内がんを除く

宮城県

2022年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	18,513	18.0	33.8	0.0	45.8	2.3
口腔・咽頭	C00-C14	406	3.0	26.8	0.0	69.5	0.7
食道	C15	541	20.5	34.2	0.0	44.2	1.1
胃	C16	2,482	25.3	40.6	0.0	32.7	1.4
大腸（結腸・直腸）	C18-C20	2,844	22.7	26.9	0.0	48.9	1.4
結腸	C18	1,901	22.6	29.7	0.0	46.6	1.2
直腸	C19-C20	943	23.0	21.4	0.0	53.7	1.9
肝および肝内胆管	C22	536	3.4	60.6	0.4	32.3	3.4
胆のう・胆管	C23-C24	400	3.8	33.5	0.0	61.5	1.3
膵臓	C25	845	5.3	38.3	0.0	54.7	1.7
喉頭	C32	83	6.0	25.3	0.0	67.5	1.2
肺	C33-C34	2,274	19.2	44.2	0.1	35.0	1.5
皮膚	C43-C44	475	0.4	14.7	0.0	82.9	1.9
乳房	C50	1,843	27.6	16.1	0.0	53.1	3.3
乳房（女性のみ）	C50	1,831	27.7	16.2	0.0	52.8	3.3
子宮	C53-C55	536	13.2	21.8	0.0	63.2	1.7
子宮頸部	C53	154	15.6	16.2	0.0	66.2	1.9
子宮体部	C54	378	12.4	24.3	0.0	61.9	1.3
卵巣	C56	244	12.3	25.0	0.0	61.1	1.6
前立腺	C61	1,841	30.4	40.2	0.1	23.8	5.5
膀胱	C67	377	3.7	24.1	0.0	69.2	2.9
腎・尿路（膀胱除く）	C64-C66 C68	590	8.3	51.5	0.0	37.3	2.9
脳・中枢神経系	C70-C72	96	1.0	16.7	0.0	77.1	5.2
甲状腺	C73	247	21.1	35.2	0.4	36.4	6.9
悪性リンパ腫	C81-C85 C96	686	5.4	27.7	0.1	65.2	1.6
多発性骨髄腫	C88-C90	124	5.6	51.6	0.0	37.9	4.8
白血病	C91-C95	241	10.4	41.9	0.0	44.4	3.3

*1 DC0を除く総数

表4. 発見経緯（％）： 部位別

B. 上皮内がんを含む

宮城県

2022年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	20,671	19.4	34.5	0.0	43.9	2.2
食道	C15 D001	582	20.6	35.9	0.0	42.4	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,752	26.8	30.8	0.0	41.2	1.2
結腸 *2	C18 D010	2,557	26.7	33.2	0.0	39.0	1.0
直腸 *2	C19-C20 D011-D012	1,195	26.9	25.7	0.0	45.9	1.6
肺	C33-C34 D021-D022	2,301	19.3	44.5	0.1	34.6	1.5
皮膚	C43-C44 D030-D049	585	0.3	15.4	0.0	82.4	1.9
乳房	C50 D05	2,111	30.2	17.3	0.0	49.5	3.0
乳房（女性のみ）	C50 D05	2,096	30.4	17.4	0.0	49.2	3.0
子宮	C53-C55 D06	852	21.8	33.8	0.0	43.0	1.4
子宮頸部	C53 D06	470	29.6	41.7	0.0	27.4	1.3
膀胱	C67 D090	746	6.6	29.0	0.0	62.7	1.7

*1 DC0を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合（％）： 部位別

A. 上皮内がんを除く

宮城県2022年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	18,154	51.2	8.8	13.6	18.2	8.2	22.4
口腔・咽頭	C00-C14	406	42.1	13.3	35.5	3.9	5.2	48.8
食道	C15	541	49.9	8.1	21.4	16.8	3.7	29.6
胃	C16	2,482	67.8	7.8	5.8	13.5	5.2	13.5
大腸（結腸・直腸）	C18-C20	2,844	49.0	18.2	8.8	18.6	5.3	27.1
結腸	C18	1,901	49.8	16.8	9.4	18.9	5.1	26.2
直腸	C19-C20	943	47.4	21.1	7.7	17.9	5.8	28.8
肝および肝内胆管	C22	536	63.2	3.0	8.4	11.6	13.8	11.4
胆のう・胆管	C23-C24	400	20.3	2.8	37.8	20.5	18.8	40.5
膵臓	C25	845	24.6	5.4	17.5	44.7	7.7	23.0
喉頭	C32	83	69.9	4.8	18.1	2.4	4.8	22.9
肺	C33-C34	2,274	36.0	8.8	8.8	38.0	8.4	17.6
皮膚	C43-C44	475	80.8	0.8	10.5	0.6	7.2	11.4
乳房	C50	1,843	63.3	19.4	4.0	6.9	6.3	23.4
乳房（女性のみ）	C50	1,831	63.2	19.5	4.0	6.8	6.4	23.5
子宮	C53-C55	536	58.6	3.5	25.2	7.1	5.6	28.7
子宮頸部	C53	154	36.4	4.5	46.1	8.4	4.5	50.6
子宮体部	C54	378	68.0	3.2	16.9	6.6	5.3	20.1
卵巣	C56	244	25.4	1.2	51.2	15.2	7.0	52.5
前立腺	C61	1,841	60.8	0.9	17.9	12.9	7.6	18.8
膀胱	C67	377	66.6	2.4	13.3	5.0	12.5	15.6
腎・尿路（膀胱除く）	C64-C66 C68	590	57.8	1.2	16.8	14.4	9.8	18.0
脳・中枢神経系	C70-C72	96	49.0	0.0	19.8	9.4	21.9	19.8
甲状腺	C73	247	31.6	28.7	15.8	9.7	14.2	44.5
悪性リンパ腫	C81-C85 C96	678	26.8	0.4	20.6	42.0	10.0	21.1
多発性骨髄腫	C88-C90	－	－	－	－	－	－	－
白血病	C91-C95	－	－	－	－	－	－	－

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）： 部位別

B. 上皮内がんを含む

宮城県2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	20,312	10.4	45.8	7.9	12.1	16.2	7.5	20.0
食道	C15 D001	582	7.0	46.4	7.6	19.9	15.6	3.4	27.5
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,752	24.2	37.1	13.8	6.7	14.1	4.1	20.5
結腸 *3	C18 D010	2,557	25.7	37.0	12.5	7.0	14.1	3.8	19.5
直腸 *3	C19-C20 D011-D012	1,195	21.1	37.4	16.7	6.1	14.1	4.6	22.8
肺	C33-C34 D021-D022	2,301	1.1	35.6	8.7	8.7	37.5	8.3	17.4
皮膚	C43-C44 D030-D049	585	17.4	65.6	0.7	8.5	0.5	7.2	9.2
乳房	C50 D05	2,111	12.3	55.2	17.0	3.5	6.1	6.0	20.5
乳房（女性のみ）	C50 D05	2,096	12.2	55.2	17.0	3.5	6.0	6.0	20.6
子宮	C53-C55 D06	852	36.5	36.9	2.2	15.8	4.5	4.1	18.1
子宮頸部	C53 D06	470	66.2	11.9	1.5	15.1	2.8	2.6	16.6
膀胱	C67 D090	746	48.1	33.6	1.2	6.7	2.5	7.8	7.9

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前（%）： 部位別

A. 上皮内がんを除く

宮城県

2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	18,154	1.0	50.1	6.9	11.6	17.7	12.6	18.5
口腔・咽頭	C00-C14	406	1.0	35.7	13.5	35.5	3.9	10.3	49.0
食道	C15	541	3.9	46.6	6.5	21.6	16.8	4.6	28.1
胃	C16	2,482	0.0	69.0	6.5	4.5	12.0	8.0	11.0
大腸（結腸・直腸）	C18-C20	2,844	1.5	42.8	15.9	9.1	17.5	13.1	25.1
結腸	C18	1,901	1.7	42.0	15.5	9.5	17.8	13.5	25.0
直腸	C19-C20	943	1.0	44.5	16.8	8.5	17.0	12.3	25.2
肝および肝内胆管	C22	536	0.0	62.5	2.6	8.2	11.4	15.3	10.8
胆のう・胆管	C23-C24	400	0.0	19.8	1.8	29.8	19.8	29.0	31.5
膵臓	C25	845	0.2	25.2	3.9	16.2	44.4	10.1	20.1
喉頭	C32	83	2.4	63.9	2.4	18.1	2.4	10.8	20.5
肺	C33-C34	2,274	0.8	35.4	7.9	8.8	37.7	9.4	16.7
皮膚	C43-C44	475	1.1	72.8	1.1	7.8	0.6	16.6	8.8
乳房	C50	1,843	4.1	66.3	11.3	4.2	7.1	7.1	15.5
乳房（女性のみ）	C50	1,831	4.2	66.2	11.3	4.2	7.0	7.1	15.5
子宮	C53-C55	536	0.7	60.4	3.4	17.9	6.0	11.6	21.3
子宮頸部	C53	154	2.6	38.3	3.9	40.3	8.4	6.5	44.2
子宮体部	C54	378	0.0	69.8	3.2	9.0	5.0	13.0	12.2
卵巣	C56	244	0.0	24.2	0.4	26.6	13.9	34.8	27.0
前立腺	C61	1,841	0.0	64.7	0.8	13.5	12.9	8.2	14.2
膀胱	C67	377	3.7	59.7	1.6	14.3	5.0	15.6	15.9
腎・尿路（膀胱除く）	C64-C66 C68	590	0.2	59.2	1.2	12.0	14.4	13.1	13.2
脳・中枢神経系	C70-C72	96	0.0	47.9	0.0	20.8	9.4	21.9	20.8
甲状腺	C73	247	0.0	36.4	14.2	6.9	10.1	32.4	21.1
悪性リンパ腫	C81-C85 C96	678	0.0	24.8	0.4	20.5	42.0	12.2	20.9
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前（%）： 部位別

B. 上皮内がんを含む

宮城県2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	20,312	6.9	46.0	6.2	10.4	15.8	14.7	16.6
食道	C15 D001	582	9.6	44.0	6.0	20.1	15.6	4.6	26.1
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,752	8.0	34.9	12.1	6.9	13.3	24.7	19.0
結腸 *3	C18 D010	2,557	9.2	33.5	11.6	7.0	13.3	25.4	18.6
直腸 *3	C19-C20 D011-D012	1,195	5.5	38.0	13.2	6.7	13.4	23.2	19.9
肺	C33-C34 D021-D022	2,301	1.2	35.5	7.8	8.6	37.3	9.5	16.5
皮膚	C43-C44 D030-D049	585	17.8	59.5	0.9	6.3	0.5	15.0	7.2
乳房	C50 D05	2,111	13.8	59.5	9.9	3.6	6.2	7.0	13.5
乳房（女性のみ）	C50 D05	2,096	13.7	59.5	9.9	3.7	6.1	7.0	13.6
子宮	C53-C55 D06	852	34.9	38.1	2.1	11.3	3.8	9.9	13.4
子宮頸部	C53 D06	470	63.2	12.8	1.3	13.2	2.8	6.8	14.5
膀胱	C67 D090	746	36.9	38.7	1.1	7.5	2.5	13.3	8.6

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後（%）： 部位別

A. 上皮内がんを除く

宮城県2022年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	10,651	61.4	10.3	10.3	3.4	14.6	20.6
口腔・咽頭	C00-C14	283	51.6	9.5	26.1	1.1	11.7	35.7
食道	C15	269	73.2	3.7	4.5	0.7	17.8	8.2
胃	C16	1,947	76.1	7.9	4.8	2.4	8.8	12.7
大腸（結腸・直腸）	C18-C20	2,203	56.7	20.4	8.2	8.4	6.3	28.6
結腸	C18	1,526	56.0	19.5	9.3	9.1	6.2	28.8
直腸	C19-C20	677	58.3	22.5	5.8	6.8	6.6	28.2
肝および肝内胆管	C22	163	57.1	1.2	3.1	0.6	38.0	4.3
胆のう・胆管	C23-C24	184	19.6	2.7	40.2	3.3	34.2	42.9
膵臓	C25	174	25.3	10.3	13.2	2.9	48.3	23.6
喉頭	C32	45	55.6	4.4	15.6	0.0	24.4	20.0
肺	C33-C34	1,044	59.4	8.7	5.6	2.4	23.9	14.3
皮膚	C43-C44	442	81.2	0.7	8.1	0.2	9.7	8.8
乳房	C50	1,245	71.4	17.7	1.4	0.6	9.0	19.0
乳房（女性のみ）	C50	1,237	71.4	17.7	1.4	0.5	9.1	19.1
子宮	C53-C55	406	69.7	3.4	15.5	3.0	8.4	19.0
子宮頸部	C53	74	59.5	4.1	21.6	0.0	14.9	25.7
子宮体部	C54	329	72.6	3.3	14.3	3.6	6.1	17.6
卵巣	C56	195	30.8	1.5	53.3	5.1	9.2	54.9
前立腺	C61	505	51.3	1.0	20.0	0.4	27.3	21.0
膀胱	C67	273	56.4	2.6	2.9	1.8	36.3	5.5
腎・尿路（膀胱除く）	C64-C66 C68	362	64.6	0.8	13.8	3.9	16.9	14.6
脳・中枢神経系	C70-C72	76	48.7	0.0	18.4	7.9	25.0	18.4
甲状腺	C73	220	30.5	32.3	15.5	5.9	15.9	47.7
悪性リンパ腫	C81-C85 C96	108	24.1	0.0	8.3	3.7	63.9	8.3
多発性骨髄腫	C88-C90	－	－	－	－	－	－	－
白血病	C91-C95	－	－	－	－	－	－	－

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後（%）： 部位別

B. 上皮内がんを含む

宮城県2022年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	12,703	15.7	51.5	8.6	8.6	2.8	12.7	17.2
食道	C15 D001	301	10.0	65.4	3.3	4.0	0.7	16.6	7.3
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,111	29.2	40.1	14.4	5.8	5.9	4.5	20.3
結腸 *3	C18 D010	2,182	30.0	39.1	13.6	6.5	6.4	4.4	20.1
直腸 *3	C19-C20 D011-D012	929	27.1	42.5	16.4	4.2	5.0	4.8	20.6
肺	C33-C34 D021-D022	1,070	2.3	57.9	8.5	5.4	2.3	23.5	13.9
皮膚	C43-C44 D030-D049	536	16.4	67.0	0.6	6.7	0.2	9.1	7.3
乳房	C50 D05	1,496	16.2	59.4	14.7	1.1	0.5	8.1	15.8
乳房（女性のみ）	C50 D05	1,485	16.1	59.5	14.7	1.1	0.4	8.1	15.9
子宮	C53-C55 D06	674	38.1	42.0	2.1	9.3	1.8	6.7	11.4
子宮頸部	C53 D06	342	75.1	12.9	0.9	4.7	0.0	6.4	5.6
膀胱	C67 D090	631	53.6	24.4	1.1	1.3	0.8	18.9	2.4

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合（％）： 部位別

A. 上皮内がんを除く

宮城県2022年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・ 不明
全部位	C00-C96	18,513	23.3	21.0	11.4	13.4	29.1	12.8	1.5	21.6
口腔・咽頭	C00-C14	406	52.7	0.5	10.3	33.3	21.7	0.0	0.0	14.0
食道	C15	541	1.1	19.2	32.9	25.7	34.6	0.0	1.1	18.9
胃	C16	2,482	10.2	18.5	46.3	1.0	15.1	0.0	0.3	20.5
大腸（結腸・直腸）	C18-C20	2,844	15.2	50.6	14.8	3.0	31.6	0.0	0.0	16.9
結腸	C18	1,901	17.3	50.1	13.2	0.6	28.9	0.0	0.1	17.7
直腸	C19-C20	943	10.9	51.4	18.0	7.8	37.2	0.0	0.0	15.3
肝および肝内胆管	C22	536	10.6	9.5	0.2	5.0	37.3	0.4	29.7	34.0
胆のう・胆管	C23-C24	400	25.8	6.3	0.5	1.5	24.5	0.3	0.5	52.3
膵臓	C25	845	18.7	3.9	0.1	2.7	52.9	0.5	0.0	39.5
喉頭	C32	83	22.9	1.2	18.1	42.2	12.0	0.0	4.8	18.1
肺	C33-C34	2,274	1.9	33.3	0.0	18.6	35.8	0.1	0.1	29.9
皮膚	C43-C44	475	85.9	0.4	0.6	3.8	4.2	0.0	0.4	9.9
乳房	C50	1,843	82.3	0.1	0.1	37.7	34.1	67.3	0.1	7.4
乳房（女性のみ）	C50	1,831	82.3	0.1	0.1	37.8	34.1	67.2	0.1	7.4
子宮	C53-C55	536	47.8	24.1	1.5	18.8	37.3	1.1	0.0	11.9
子宮頸部	C53	154	37.0	8.4	0.6	57.8	42.9	0.0	0.0	10.4
子宮体部	C54	378	52.6	30.7	1.9	3.2	35.4	1.6	0.0	11.6
卵巣	C56	244	71.7	11.1	0.0	0.4	57.4	0.4	0.0	13.1
前立腺	C61	1,841	0.7	20.5	0.3	23.1	3.8	55.5	0.2	16.7
膀胱	C67	377	5.8	11.9	64.5	6.1	52.5	0.8	16.2	20.7
腎・尿路（膀胱除く）	C64-C66 C68	590	9.7	47.5	0.8	4.9	21.9	0.2	1.9	28.1
脳・中枢神経系	C70-C72	96	59.4	1.0	1.0	55.2	50.0	2.1	2.1	30.2
甲状腺	C73	247	73.7	2.0	1.2	14.6	1.6	25.5	0.0	22.3
悪性リンパ腫	C81-C85 C96	686	4.2	2.2	0.4	12.8	59.3	2.3	1.2	29.7
多発性骨髄腫	C88-C90	124	0.0	0.0	0.0	12.1	63.7	1.6	0.8	31.5
白血病	C91-C95	241	0.0	0.0	0.0	3.7	71.0	0.0	2.9	28.6

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合（％）： 部位別

B. 上皮内がんを含む

宮城県2022年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・ 不明
全部位	C00-C96 D00-D09	20,671	23.9	19.5	16.4	12.5	27.4	11.7	1.6	19.9
食道	C15 D001	582	1.0	17.9	35.7	24.1	32.3	0.0	1.9	18.7
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,752	11.7	39.5	34.1	2.3	24.0	0.0	0.1	12.8
結腸 *2	C18 D010	2,557	13.1	38.5	34.0	0.5	21.5	0.0	0.1	13.2
直腸 *2	C19-C20 D011-D012	1,195	8.7	41.5	34.4	6.2	29.4	0.0	0.0	12.1
肺	C33-C34 D021-D022	2,301	1.9	33.9	0.0	18.4	35.3	0.1	0.1	29.6
皮膚	C43-C44 D030-D049	585	85.0	0.3	0.5	3.1	4.3	0.0	1.0	10.1
乳房	C50 D05	2,111	83.5	0.1	0.0	37.7	29.8	61.4	0.1	7.2
乳房（女性のみ）	C50 D05	2,096	83.4	0.1	0.0	37.9	29.9	61.4	0.1	7.3
子宮	C53-C55 D06	852	56.3	19.1	0.9	12.0	23.5	0.7	0.0	14.4
子宮頸部	C53 D06	470	59.8	10.0	0.2	19.1	14.0	0.0	0.0	16.0
膀胱	C67 D090	746	3.1	7.0	79.2	3.2	61.4	0.5	13.7	11.8

*1 DC0を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

A. 上皮内がんを除く

宮城県

2022年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	10,050	89.2	9.0	1.8
口腔・咽頭	C00-C14	253	83.0	16.6	0.4
食道	C15	282	91.8	6.7	1.4
胃	C16	1,795	95.2	4.0	0.8
大腸（結腸・直腸）	C18-C20	2,167	91.2	7.5	1.3
結腸	C18	1,452	91.2	7.4	1.4
直腸	C19-C20	715	91.2	7.7	1.1
肝および肝内胆管	C22	109	91.7	5.5	2.8
胆のう・胆管	C23-C24	125	80.0	16.8	3.2
膵臓	C25	191	90.1	9.4	0.5
喉頭	C32	35	71.4	25.7	2.9
肺	C33-C34	799	93.5	6.1	0.4
皮膚	C43-C44	409	95.1	4.4	0.5
乳房	C50	1,519	93.2	4.1	2.6
乳房（女性のみ）	C50	1,508	93.4	4.0	2.7
子宮	C53-C55	382	93.7	4.7	1.6
子宮頸部	C53	67	92.5	7.5	0.0
子宮体部	C54	315	94.0	4.1	1.9
卵巣	C56	192	75.5	18.8	5.7
前立腺	C61	395	69.4	29.6	1.0
膀胱	C67	280	43.9	46.1	10.0
腎・尿路（膀胱除く）	C64-C66 C68	340	93.5	5.0	1.5
脳・中枢神経系	C70-C72	59	45.8	52.5	1.7
甲状腺	C73	189	87.3	11.1	1.6
悪性リンパ腫	C81-C85 C96	47	66.0	19.1	14.9
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

B. 上皮内がんを含む

宮城県2022年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	12,072	89.9	7.9	2.2
食道	C15 D001	312	91.0	7.7	1.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,075	92.7	5.5	1.8
結腸 *2	C18 D010	2,108	92.9	5.2	1.9
直腸 *2	C19-C20 D011-D012	967	92.1	6.3	1.6
肺	C33-C34 D021-D022	824	93.7	5.9	0.4
皮膚	C43-C44 D030-D049	498	95.4	4.0	0.6
乳房	C50 D05	1,765	93.7	3.9	2.4
乳房（女性のみ）	C50 D05	1,751	93.8	3.7	2.5
子宮	C53-C55 D06	639	92.6	5.5	1.9
子宮頸部	C53 D06	324	91.4	6.8	1.9
膀胱	C67 D090	634	65.6	22.7	11.7

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

宮城県

2022年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.39	0.38	0.38	1.6	2.6	2.0	1.1	1.7	1.3	86.2	87.3	86.6	83.6	84.9	84.2
口腔・咽頭	C00-C14	0.37	0.31	0.36	1.4	0.0	1.0	0.3	0.0	0.2	98.6	96.7	98.0	96.9	92.6	95.6
食道	C15	0.34	0.48	0.37	1.1	3.6	1.6	0.9	0.9	0.9	97.7	96.4	97.4	97.5	96.4	97.3
胃	C16	0.28	0.36	0.30	0.5	1.2	0.7	0.4	0.9	0.6	97.3	94.3	96.4	97.3	94.3	96.4
大腸（結腸・直腸）	C18-C20	0.33	0.36	0.35	1.3	2.6	1.9	1.0	2.0	1.5	94.1	89.6	92.1	94.0	89.6	92.0
結腸	C18	0.32	0.39	0.36	1.5	3.2	2.3	1.4	2.4	1.9	93.7	87.6	90.7	93.5	87.6	90.6
直腸	C19-C20	0.35	0.31	0.33	0.9	1.3	1.1	0.4	1.0	0.6	94.9	94.8	94.8	94.9	94.8	94.8
肝および肝内胆管	C22	0.70	0.71	0.70	2.1	8.6	4.0	1.0	6.7	2.7	37.1	23.9	33.2	36.3	21.5	31.9
胆のう・胆管	C23-C24	0.88	1.09	0.98	3.4	8.4	5.6	2.1	4.5	3.1	74.8	58.7	67.8	63.7	53.1	59.1
膵臓	C25	0.83	0.89	0.86	3.3	5.3	4.3	2.2	2.9	2.5	70.0	62.1	66.2	65.1	57.6	61.5
喉頭	C32	0.12	0.40	0.13	0.0	0.0	0.0	0.0	0.0	0.0	94.9	100.0	95.2	94.9	100.0	95.2
肺	C33-C34	0.67	0.56	0.63	2.7	4.1	3.1	1.9	2.9	2.2	76.2	75.3	75.9	68.9	69.9	69.2
皮膚	C43-C44	0.05	0.09	0.06	0.0	0.9	0.4	0.0	0.9	0.4	96.9	97.3	97.1	96.5	97.3	96.9
乳房	C50	0.17	0.15	0.15	0.0	0.5	0.5	0.0	0.5	0.5	100.0	97.6	97.6	100.0	97.4	97.5
子宮	C53-C55	-	0.27	0.27	-	1.7	1.7	-	1.3	1.3	-	95.2	95.2	-	94.1	94.1
子宮頸部	C53	-	0.37	0.37	-	0.0	0.0	-	0.0	0.0	-	97.4	97.4	-	95.5	95.5
子宮体部	C54	-	0.15	0.15	-	1.8	1.8	-	1.3	1.3	-	95.6	95.6	-	95.0	95.0
卵巣	C56	-	0.46	0.46	-	4.4	4.4	-	2.4	2.4	-	90.8	90.8	-	88.8	88.8
前立腺	C61	0.13	-	0.13	1.1	-	1.1	0.8	-	0.8	86.2	-	86.2	86.2	-	86.2
膀胱	C67	0.41	0.69	0.49	3.6	3.6	3.6	1.8	2.7	2.1	87.2	73.9	83.4	82.5	68.5	78.4
腎・尿路（膀胱除く）	C64-C66 C68	0.30	0.32	0.31	0.7	4.6	2.0	0.5	4.1	1.7	76.7	68.5	74.0	69.2	61.4	66.7
脳・中枢神経系	C70-C72	0.56	0.54	0.55	0.0	2.1	1.0	0.0	0.0	0.0	68.8	68.8	68.8	68.8	68.8	68.8
甲状腺	C73	0.21	0.12	0.15	1.6	0.0	0.4	1.6	0.0	0.4	88.9	95.7	94.0	82.5	87.0	85.9
悪性リンパ腫	C81-C85 C96	0.35	0.32	0.34	2.2	1.5	1.9	1.4	0.9	1.2	94.7	93.4	94.1	92.0	90.4	91.2
多発性骨髄腫	C88-C90	0.71	0.53	0.62	3.1	4.8	3.9	1.5	3.2	2.4	92.3	95.2	93.7	78.5	87.1	82.7
白血病	C91-C95	0.70	0.70	0.70	2.2	7.4	4.5	1.5	1.9	1.6	97.8	99.1	98.4	79.6	69.4	75.1

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

宮城県 2022年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.33	0.34	1.5	2.3	1.8	1.0	1.5	1.2	87.4	88.8	88.0	85.0	86.7	85.8
食道	C15 D001	0.32	0.45	0.34	1.1	3.4	1.5	0.9	0.8	0.9	97.9	96.6	97.6	97.7	96.6	97.4
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.24	0.30	0.26	0.9	2.1	1.4	0.7	1.6	1.1	95.8	91.6	94.0	95.7	91.6	93.9
結腸 *2	C18 D010	0.23	0.31	0.27	1.1	2.5	1.7	1.0	1.9	1.4	95.6	90.0	93.1	95.5	90.0	93.0
直腸 *2	C19-C20 D011-D012	0.27	0.25	0.26	0.7	1.1	0.8	0.3	0.9	0.5	96.1	95.7	95.9	96.1	95.7	95.9
肺	C33-C34 D021-D022	0.67	0.54	0.63	2.7	4.0	3.1	1.9	2.8	2.2	76.3	75.9	76.2	69.0	70.7	69.6
皮膚	C43-C44 D030-D049	0.04	0.07	0.05	0.0	0.7	0.3	0.0	0.7	0.3	97.4	97.8	97.6	97.1	97.8	97.4
乳房	C50 D05	0.13	0.13	0.13	0.0	0.5	0.5	0.0	0.5	0.5	100.0	97.9	97.9	100.0	97.7	97.7
子宮	C53-C55 D06	-	0.17	0.17	-	1.0	1.0	-	0.8	0.8	-	97.0	97.0	-	95.9	95.9
子宮頸部	C53 D06	-	0.12	0.12	-	0.0	0.0	-	0.0	0.0	-	99.1	99.1	-	97.9	97.9
膀胱	C67 D090	0.20	0.43	0.25	1.7	2.2	1.9	0.9	1.7	1.1	93.9	83.7	91.5	91.1	80.3	88.6

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

宮城県

2022年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	4,158	3,037	7,195	100.0	100.0	100.0	378.0	262.7	318.9	146.1	86.3	112.3	98.4	60.7	77.0	10.3	6.2	8.1
口腔・咽頭	C00-C14	107	38	145	2.6	1.3	2.0	9.7	3.3	6.4	3.9	1.0	2.3	2.6	0.7	1.5	0.3	0.0	0.1
食道	C15	149	53	202	3.6	1.7	2.8	13.5	4.6	9.0	5.5	1.5	3.3	3.7	1.0	2.2	0.4	0.1	0.2
胃	C16	487	267	754	11.7	8.8	10.5	44.3	23.1	33.4	16.6	6.0	10.7	11.0	4.0	7.2	1.2	0.4	0.8
大腸（結腸・直腸）	C18-C20	518	486	1,004	12.5	16.0	14.0	47.1	42.0	44.5	20.0	12.0	15.8	13.8	8.2	10.9	1.5	0.8	1.1
結腸	C18	321	368	689	7.7	12.1	9.6	29.2	31.8	30.5	12.3	8.7	10.4	8.5	6.0	7.2	0.9	0.6	0.7
直腸	C19-C20	197	118	315	4.7	3.9	4.4	17.9	10.2	14.0	7.8	3.3	5.4	5.3	2.2	3.7	0.6	0.2	0.4
肝および肝内胆管	C22	272	116	388	6.5	3.8	5.4	24.7	10.0	17.2	10.3	2.4	6.1	7.1	1.7	4.2	0.9	0.2	0.5
胆のう・胆管	C23-C24	207	196	403	5.0	6.5	5.6	18.8	17.0	17.9	6.4	3.9	5.0	4.1	2.6	3.2	0.3	0.2	0.3
膵臓	C25	375	370	745	9.0	12.2	10.4	34.1	32.0	33.0	13.8	10.2	11.8	9.2	6.8	7.9	1.0	0.7	0.9
喉頭	C32	9	2	11	0.2	0.1	0.2	0.8	0.2	0.5	0.2	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
肺	C33-C34	1,048	424	1,472	25.2	14.0	20.5	95.3	36.7	65.2	35.7	10.5	21.8	23.4	7.2	14.5	2.6	0.8	1.6
皮膚	C43-C44	12	19	31	0.3	0.6	0.4	1.1	1.6	1.4	0.4	0.5	0.4	0.3	0.4	0.3	0.0	0.0	0.0
乳房	C50	2	271	273	0.0	8.9	3.8	0.2	23.4	12.1	0.2	11.9	6.2	0.2	8.8	4.6	0.0	1.0	0.5
子宮	C53-C55	-	145	145	-	4.8	2.0	-	12.5	-	-	6.3	-	-	4.7	-	-	0.5	-
子宮頸部	C53	-	57	57	-	1.9	0.8	-	4.9	-	-	2.6	-	-	1.9	-	-	0.2	-
子宮体部	C54	-	58	58	-	1.9	0.8	-	5.0	-	-	2.1	-	-	1.6	-	-	0.2	-
卵巣	C56	-	114	114	-	3.8	1.6	-	9.9	-	-	5.0	-	-	3.7	-	-	0.4	-
前立腺	C61	246	-	246	5.9	-	3.4	22.4	-	-	6.6	-	-	4.1	-	-	0.2	-	-
膀胱	C67	113	77	190	2.7	2.5	2.6	10.3	6.7	8.4	3.2	1.3	2.1	2.0	0.9	1.3	0.2	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	121	63	184	2.9	2.1	2.6	11.0	5.4	8.2	4.0	1.3	2.5	2.7	0.9	1.7	0.3	0.1	0.2
脳・中枢神経系	C70-C72	27	26	53	0.6	0.9	0.7	2.5	2.2	2.3	1.8	1.4	1.6	1.6	1.1	1.4	0.2	0.1	0.1
甲状腺	C73	13	23	36	0.3	0.8	0.5	1.2	2.0	1.6	0.3	0.6	0.5	0.2	0.4	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	128	105	233	3.1	3.5	3.2	11.6	9.1	10.3	4.5	2.6	3.4	3.0	1.6	2.3	0.3	0.1	0.2
多発性骨髄腫	C88-C90	46	33	79	1.1	1.1	1.1	4.2	2.9	3.5	1.4	0.6	1.0	0.9	0.4	0.6	0.1	0.0	0.1
白血病	C91-C95	96	76	172	2.3	2.5	2.4	8.7	6.6	7.6	3.7	2.8	3.2	2.6	2.4	2.4	0.3	0.2	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別			宮城県																			2022年			
性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	4,158	0	1	1	4	1	3	3	4	16	28	66	98	219	391	768	642	773	694	356	85	5	0
	口腔・咽頭	C00-C14	107	0	0	0	0	0	0	0	0	0	3	3	2	6	11	15	18	19	23	5	2	0	0
	食道	C15	149	0	0	0	0	0	0	0	0	0	1	2	7	9	17	23	29	26	18	14	3	0	0
	胃	C16	487	0	0	0	0	0	0	0	0	1	3	4	8	29	44	94	75	94	84	42	9	0	0
	大腸（結腸・直腸）	C18-C20	518	0	0	0	0	0	0	2	0	2	11	15	22	32	54	102	83	77	64	45	7	2	0
	結腸	C18	321	0	0	0	0	0	0	1	0	2	5	8	15	21	35	53	53	46	46	29	5	2	0
	直腸	C19-C20	197	0	0	0	0	0	0	1	0	0	6	7	7	11	19	49	30	31	18	16	2	0	0
	肝および肝内胆管	C22	272	0	0	0	0	0	0	0	0	1	1	3	9	20	44	54	43	41	43	11	2	0	0
	胆のう・胆管	C23-C24	207	0	0	0	0	0	0	0	1	2	0	1	2	3	14	29	35	42	44	29	5	0	0
	膵臓	C25	375	0	0	0	0	0	0	0	0	1	0	5	13	31	35	74	70	63	61	16	6	0	0
	喉頭	C32	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	1	4	0	0	0	0
	肺	C33-C34	1,048	0	0	0	0	0	0	0	1	2	1	17	16	49	92	227	163	213	159	87	20	1	0
	皮膚	C43-C44	12	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	0	4	2	2	0	0	0
	乳房	C50	2	0	0	0	0	0	1	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0
	前立腺	C61	246	0	0	0	0	0	0	0	0	0	0	0	3	2	10	21	35	59	63	42	10	1	0
	膀胱	C67	113	0	0	0	0	0	0	0	0	0	0	0	0	2	7	17	14	29	22	16	5	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	121	0	0	0	0	0	0	0	0	0	0	1	1	10	11	17	18	21	22	15	5	0	0
	脳・中枢神経系	C70-C72	27	0	1	0	2	0	0	0	0	3	1	5	1	2	3	5	1	0	2	1	0	0	0
	甲状腺	C73	13	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	3	2	4	1	2	0	0
	悪性リンパ腫	C81-C85 C96	128	0	0	0	0	0	0	0	1	0	0	2	4	7	14	24	10	32	21	12	1	0	0
	多発性骨髄腫	C88-C90	46	0	0	0	0	0	0	0	0	0	0	0	0	1	6	8	9	5	11	6	0	0	0
	白血病	C91-C95	96	0	0	1	0	0	1	0	0	0	1	2	3	4	9	19	17	19	17	2	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	3,037	1	1	1	1	3	1	7	10	24	45	88	104	149	186	361	355	497	583	415	184	21	0
	口腔・咽頭	C00-C14	38	0	0	0	0	1	0	0	0	0	0	1	1	1	1	1	5	13	5	8	1	0	0
	食道	C15	53	0	0	0	0	0	0	0	0	2	0	0	2	1	4	9	10	9	7	7	2	0	0
	胃	C16	267	0	0	0	0	0	0	1	0	1	1	4	5	5	12	39	31	36	61	41	30	0	0
	大腸（結腸・直腸）	C18-C20	486	0	0	0	0	0	0	2	0	7	3	7	13	18	28	44	52	84	93	94	36	5	0
	結腸	C18	368	0	0	0	0	0	0	1	0	5	2	5	9	14	18	39	34	58	76	74	28	5	0
	直腸	C19-C20	118	0	0	0	0	0	0	1	0	2	1	2	4	4	10	5	18	26	17	20	8	0	0
	肝および肝内胆管	C22	116	0	0	0	0	0	0	0	0	0	1	2	1	4	5	14	9	17	38	15	8	2	0
	胆のう・胆管	C23-C24	196	0	0	0	0	0	1	0	0	0	0	0	2	7	7	18	19	42	40	39	18	3	0
	膵臓	C25	370	0	0	0	0	0	0	1	0	1	4	5	9	14	31	52	64	71	70	37	11	0	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0	0
	肺	C33-C34	424	0	0	0	0	0	0	0	1	0	2	6	7	24	28	57	43	83	90	52	26	5	0
	皮膚	C43-C44	19	0	0	0	0	0	0	0	0	0	0	2	1	0	2	0	2	1	1	6	3	1	0
	乳房	C50	271	0	0	0	0	0	0	0	3	9	11	23	28	23	23	31	34	23	27	25	9	2	0
	子宮	C53-C55	145	0	0	0	0	0	0	1	3	1	10	13	9	13	12	20	11	18	23	9	1	1	0
	子宮頸部	C53	57	0	0	0	0	0	0	1	3	0	3	6	3	5	3	9	4	8	10	1	0	1	0
	子宮体部	C54	58	0	0	0	0	0	0	0	0	0	4	3	2	4	9	8	4	7	9	7	1	0	0
	卵巣	C56	114	0	0	0	0	0	0	0	1	1	6	12	9	11	7	24	11	15	10	4	3	0	0
	膀胱	C67	77	0	0	0	0	0	0	0	0	0	0	1	1	1	3	3	5	13	18	20	12	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	63	0	0	0	0	0	0	0	0	0	0	1	1	5	1	5	6	6	16	16	6	0	0
	脳・中枢神経系	C70-C72	26	0	0	0	1	0	0	0	1	2	0	3	0	3	3	4	6	0	2	1	0	0	0
	甲状腺	C73	23	0	0	0	0	0	0	0	0	0	0	0	1	2	1	4	3	0	4	4	4	0	0
	悪性リンパ腫	C81-C85 C96	105	0	0	0	0	0	0	1	1	0	1	0	2	3	3	9	20	23	26	8	7	1	0
	多発性骨髄腫	C88-C90	33	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	1	8	12	5	1	0	0
	白血病	C91-C95	76	1	1	1	0	1	0	0	0	0	3	3	3	4	4	7	8	15	18	5	1	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2 全部位		C00-C97	7,195	1	2	2	5	4	4	10	14	40	73	154	202	368	577	1,129	997	1,270	1,277	771	269	26	0
	口腔・咽頭	C00-C14	145	0	0	0	0	1	0	0	0	0	3	4	3	7	12	16	23	32	28	13	3	0	0
	食道	C15	202	0	0	0	0	0	0	0	0	2	1	2	9	10	21	32	39	35	25	21	5	0	0
	胃	C16	754	0	0	0	0	0	0	1	0	2	4	8	13	34	56	133	106	130	145	83	39	0	0
	大腸（結腸・直腸）	C18-C20	1,004	0	0	0	0	0	0	4	0	9	14	22	35	50	82	146	135	161	157	139	43	7	0
	結腸	C18	689	0	0	0	0	0	0	2	0	7	7	13	24	35	53	92	87	104	122	103	33	7	0
	直腸	C19-C20	315	0	0	0	0	0	0	2	0	2	7	9	11	15	29	54	48	57	35	36	10	0	0
	肝および肝内胆管	C22	388	0	0	0	0	0	0	0	0	1	2	5	10	24	49	68	52	58	81	26	10	2	0
	胆のう・胆管	C23-C24	403	0	0	0	0	0	1	0	1	2	0	1	4	10	21	47	54	84	84	68	23	3	0
	膵臓	C25	745	0	0	0	0	0	0	1	0	2	4	10	22	45	66	126	134	134	131	53	17	0	0
	喉頭	C32	11	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	2	4	0	0	0	0
	肺	C33-C34	1,472	0	0	0	0	0	0	0	2	2	3	23	23	73	120	284	206	296	249	139	46	6	0
	皮膚	C43-C44	31	0	0	0	0	0	0	0	0	1	0	2	1	0	2	3	2	5	3	8	3	1	0
	乳房	C50	273	0	0	0	0	0	1	0	3	9	11	23	28	23	23	32	34	23	27	25	9	2	0
	子宮	C53-C55	145	0	0	0	0	0	0	1	3	1	10	13	9	13	12	20	11	18	23	9	1	1	0
	子宮頸部	C53	57	0	0	0	0	0	0	1	3	0	3	6	3	5	3	9	4	8	10	1	0	1	0
	子宮体部	C54	58	0	0	0	0	0	0	0	0	0	4	3	2	4	9	8	4	7	9	7	1	0	0
	卵巣	C56	114	0	0	0	0	0	0	0	1	1	6	12	9	11	7	24	11	15	10	4	3	0	0
	前立腺	C61	246	0	0	0	0	0	0	0	0	0	0	0	3	2	10	21	35	59	63	42	10	1	0
	膀胱	C67	190	0	0	0	0	0	0	0	0	0	0	1	1	3	10	20	19	42	40	36	17	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	184	0	0	0	0	0	0	0	0	0	0	2	2	15	12	22	24	27	38	31	11	0	0
	脳・中枢神経系	C70-C72	53	0	1	0	3	0	0	0	1	5	1	8	1	5	6	9	7	0	4	2	0	0	0
	甲状腺	C73	36	0	0	0	0	0	0	0	0	0	0	0	1	2	2	4	6	2	8	5	6	0	0
	悪性リンパ腫	C81-C85 C96	233	0	0	0	0	0	0	1	2	0	1	2	6	10	17	33	30	55	47	20	8	1	0
	多発性骨髄腫	C88-C90	79	0	0	0	0	0	0	0	0	0	0	0	0	2	7	12	10	13	23	11	1	0	0
	白血病	C91-C95	172	1	1	2	0	1	1	0	0	0	4	5	6	8	13	26	25	34	35	7	2	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）：

部位別、性別

宮城県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	378.0	0.0	2.2	2.0	7.7	1.6	5.3	5.2	5.9	21.1	32.6	81.5	138.0	308.5	528.4	914.3	1,211.3	1,932.5	3,000.0	・
	口腔・咽頭	C00-C14	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.7	2.8	8.5	14.9	17.9	34.0	47.5	78.9	・
	食道	C15	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.5	9.9	12.7	23.0	27.4	54.7	65.0	92.1	・
	胃	C16	44.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	3.5	4.9	11.3	40.8	59.5	111.9	141.5	235.0	355.3	・
	大腸（結腸・直腸）	C18-C20	47.1	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	2.6	12.8	18.5	31.0	45.1	73.0	121.4	156.6	192.5	310.5	・
	結腸	C18	29.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	2.6	5.8	9.9	21.1	29.6	47.3	63.1	100.0	115.0	215.8	・
	直腸	C19-C20	17.9	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	7.0	8.6	9.9	15.5	25.7	58.3	56.6	77.5	94.7	・
	肝および肝内胆管	C22	24.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	3.7	12.7	28.2	59.5	64.3	81.1	102.5	147.4	・
	胆のう・胆管	C23-C24	18.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	0.0	1.2	2.8	4.2	18.9	34.5	66.0	105.0	205.3	・
	膵臓	C25	34.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	6.2	18.3	43.7	47.3	88.1	132.1	157.5	218.4	・
	喉頭	C32	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	3.8	2.5	10.5	・
	肺	C33-C34	95.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.6	1.2	21.0	22.5	69.0	124.3	270.2	307.5	532.5	702.6	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	3.6	0.0	10.0	10.5	・
	乳房	C50	0.2	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	・
	前立腺	C61	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	2.8	13.5	25.0	66.0	147.5	305.3	・
	膀胱	C67	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	9.5	20.2	26.4	72.5	115.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.4	14.1	14.9	20.2	34.0	52.5	110.5	・
	脳・中枢神経系	C70-C72	2.5	0.0	2.2	0.0	3.8	0.0	0.0	0.0	0.0	3.9	1.2	6.2	1.4	2.8	4.1	6.0	1.9	0.0	7.9	・
	甲状腺	C73	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	5.7	5.0	18.4	・
	悪性リンパ腫	C81-C85 C96	11.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	2.5	5.6	9.9	18.9	28.6	18.9	80.0	89.5	・
	多発性骨髄腫	C88-C90	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	8.1	9.5	17.0	12.5	44.7	・
	白血病	C91-C95	8.7	0.0	0.0	2.0	0.0	0.0	1.8	0.0	0.0	0.0	1.2	2.5	4.2	5.6	12.2	22.6	32.1	47.5	52.6	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）：

部位別、性別

宮城県

2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	262.7	2.8	2.3	2.1	2.0	5.3	1.9	12.3	14.9	32.4	54.2	112.8	148.6	206.9	238.5	396.7	563.5	887.5	1,467.1	・
	口腔・咽頭	C00-C14	3.3	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.3	1.4	1.4	1.3	1.1	7.9	23.2	17.1	・
	食道	C15	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.0	2.9	1.4	5.1	9.9	15.9	16.1	19.5	・
	胃	C16	23.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.4	1.2	5.1	7.1	6.9	15.4	42.9	49.2	64.3	161.0	・
	大腸（結腸・直腸）	C18-C20	42.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	9.5	3.6	9.0	18.6	25.0	35.9	48.4	82.5	150.0	278.0	・
	結腸	C18	31.8	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	6.8	2.4	6.4	12.9	19.4	23.1	42.9	54.0	103.6	223.2	・
	直腸	C19-C20	10.2	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.7	1.2	2.6	5.7	5.6	12.8	5.5	28.6	46.4	54.9	・
	肝および肝内胆管	C22	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.6	1.4	5.6	6.4	15.4	14.3	30.4	76.8	・
	胆のう・胆管	C23-C24	17.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	2.9	9.7	9.0	19.8	30.2	75.0	122.0	・
	膵臓	C25	32.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	1.4	4.8	6.4	12.9	19.4	39.7	57.1	101.6	126.8	143.9	・
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	1.8	0.0	・
	肺	C33-C34	36.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	2.4	7.7	10.0	33.3	35.9	62.6	68.3	148.2	211.0	・
	皮膚	C43-C44	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	1.4	0.0	2.6	0.0	3.2	1.8	13.4	・
	乳房	C50	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	12.2	13.3	29.5	40.0	31.9	29.5	34.1	54.0	41.1	76.8	・
	子宮	C53-C55	12.5	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.5	1.4	12.0	16.7	12.9	18.1	15.4	22.0	17.5	32.1	41.5	・
	子宮頸部	C53	4.9	0.0	0.0	0.0	0.0	0.0	0.0	1.8	4.5	0.0	3.6	7.7	4.3	6.9	3.8	9.9	6.3	14.3	14.6	・
	子宮体部	C54	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.8	2.9	5.6	11.5	8.8	6.3	12.5	20.7	・
	卵巣	C56	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.4	7.2	15.4	12.9	15.3	9.0	26.4	17.5	26.8	20.7	・
	膀胱	C67	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	1.4	3.8	3.3	7.9	23.2	61.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	6.9	1.3	5.5	9.5	10.7	46.3	・
	脳・中枢神経系	C70-C72	2.2	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.5	2.7	0.0	3.8	0.0	4.2	3.8	4.4	9.5	0.0	3.7	・
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.8	1.3	4.4	4.8	0.0	14.6	・
	悪性リンパ腫	C81-C85 C96	9.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.5	0.0	1.2	0.0	2.9	4.2	3.8	9.9	31.7	41.1	51.2	・
	多発性骨髄腫	C88-C90	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	4.4	1.6	14.3	22.0	・
	白血病	C91-C95	6.6	2.8	2.3	2.1	0.0	1.8	0.0	0.0	0.0	0.0	3.6	3.8	4.3	5.6	5.1	7.7	12.7	26.8	30.5	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県2022年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	318.9	1.4	2.2	2.1	5.0	3.4	3.6	8.7	10.4	26.7	43.2	96.9	143.3	257.3	379.6	645.1	859.5	1,322.9	1,952.5	・
	口腔・咽頭	C00-C14	6.4	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.8	2.5	2.1	4.9	7.9	9.1	19.8	33.3	36.7	・
	食道	C15	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	1.3	6.4	7.0	13.8	18.3	33.6	36.5	42.5	・
	胃	C16	33.4	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.3	2.4	5.0	9.2	23.8	36.8	76.0	91.4	135.4	222.5	・
	大腸（結腸・直腸）	C18-C20	44.5	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	6.0	8.3	13.8	24.8	35.0	53.9	83.4	116.4	167.7	288.3	・
	結腸	C18	30.5	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	4.7	4.1	8.2	17.0	24.5	34.9	52.6	75.0	108.3	220.8	・
	直腸	C19-C20	14.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.3	4.1	5.7	7.8	10.5	19.1	30.9	41.4	59.4	67.5	・
	肝および肝内胆管	C22	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.2	3.1	7.1	16.8	32.2	38.9	44.8	60.4	99.2	・
	胆のう・胆管	C23-C24	17.9	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.7	1.3	0.0	0.6	2.8	7.0	13.8	26.9	46.6	87.5	148.3	・
	膵臓	C25	33.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.3	2.4	6.3	15.6	31.5	43.4	72.0	115.5	139.6	167.5	・
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.1	1.7	2.1	3.3	・
	肺	C33-C34	65.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	1.8	14.5	16.3	51.0	78.9	162.3	177.6	308.3	366.7	・
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.3	0.7	0.0	1.3	1.7	1.7	5.2	12.5	・
	乳房	C50	12.1	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.2	6.0	6.5	14.5	19.9	16.1	15.1	18.3	29.3	24.0	52.5	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	2.1	6.6	11.4	16.4	43.8	78.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	10.5	7.9	12.6	20.7	28.1	66.7	・
	脳・中枢神経系	C70-C72	2.3	0.0	1.1	0.0	3.0	0.0	0.0	0.0	0.7	3.3	0.6	5.0	0.7	3.5	3.9	5.1	6.0	0.0	5.0	・
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	1.3	2.3	5.2	2.1	15.8	・
	悪性リンパ腫	C81-C85 C96	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.5	0.0	0.6	1.3	4.3	7.0	11.2	18.9	25.9	57.3	63.3	・
	多発性骨髄腫	C88-C90	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.6	6.9	8.6	13.5	29.2	・
	白血病	C91-C95	7.6	1.4	1.1	2.1	0.0	0.8	0.9	0.0	0.0	0.0	2.4	3.1	4.3	5.6	8.6	14.9	21.6	35.4	37.5	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計