

付 表 Detailed Statistics

付表1-1 各部位の年齢階級別罹患数 | 平成25-29年(2013-2017年)

A. 上皮内がんを含まない・男性

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	総計
口腔	C00	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	2	0	7
舌	C01-C02	0	0	0	1	0	4	3	10	15	20	14	28	48	64	49	42	31	13	0	342
口腔	C03-C06	0	0	0	0	1	0	0	1	1	9	15	22	35	40	36	36	22	21	0	239
唾液腺	C07-C08	0	0	0	0	1	1	2	3	3	7	6	9	7	9	10	4	9	14	0	85
中咽頭	C09-C10	0	0	0	0	0	0	0	1	6	5	8	20	31	41	35	27	14	8	0	196
鼻咽頭	C11	0	0	0	1	0	0	1	0	2	3	1	3	11	7	3	10	2	4	0	48
下咽頭	C12-C13	0	0	0	0	0	0	0	1	1	5	12	29	62	69	78	50	26	15	0	348
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	5	2	0	10
食道	C15	0	0	0	0	0	0	0	0	10	17	66	123	279	447	396	381	285	175	0	2,179
胃	C16	0	0	0	0	1	4	10	28	55	135	230	528	1,126	1,724	1,728	1,768	1,375	1,007	0	9,719
小腸	C17	0	0	0	0	0	0	1	0	3	5	6	17	25	27	32	14	23	20	0	178
結腸	C18	0	0	0	1	3	4	13	28	55	89	131	288	533	766	766	744	655	556	0	4,632
直腸	C19-C20	0	0	0	1	1	1	5	28	62	94	158	298	452	523	463	391	248	201	0	2,926
肛門・肛門管	C21	0	0	0	0	0	0	0	0	0	2	2	7	4	2	5	8	8	5	0	43
肝・肝内胆管	C22	1	1	0	1	1	1	4	4	17	26	62	136	265	350	362	349	307	244	0	2,130
胆のう・肝外胆管	C23-C24	0	0	0	0	0	1	1	4	4	6	19	34	113	162	155	204	238	239	0	1,180
膵	C25	0	0	0	0	0	1	1	5	9	33	50	122	208	335	320	305	257	224	0	1,870
鼻腔・中耳・副鼻腔	C30-C31	0	0	0	1	1	0	3	4	4	4	2	15	20	29	16	9	12	10	0	130
喉頭	C32	0	0	0	0	0	0	0	3	2	3	4	29	62	86	63	71	48	30	0	401
肺	C33-C34	0	0	0	0	2	0	1	21	36	85	164	346	738	1,236	1,294	1,235	1,207	1,105	0	7,470
胸腺・胸腔内臓器	C37-C38	1	0	2	1	1	0	1	4	7	7	6	6	5	19	16	14	10	3	0	103
骨	C40-C41	1	1	0	5	5	1	3	5	2	3	2	4	7	8	5	7	6	2	0	67
皮膚の黒色腫	C43	0	0	0	0	0	2	2	5	2	8	1	2	8	13	13	10	14	7	0	87
皮膚その他	C44	0	0	0	1	1	3	2	4	11	14	17	31	63	79	100	128	162	220	0	836
中皮腫	C45	0	0	0	0	0	0	0	0	2	1	0	3	14	23	17	19	14	10	0	103
結合組織・軟部組織	C47・C49	1	0	3	4	4	7	12	15	24	18	27	36	44	57	40	24	18	21	0	355
乳房	C50	0	0	0	1	0	0	0	0	1	1	2	2	6	6	8	12	12	6	0	57
陰茎	C60	0	0	0	0	0	0	0	0	0	3	0	1	4	5	8	6	8	7	0	42
前立腺	C61	0	0	0	0	1	0	0	1	0	13	80	262	714	1,294	1,454	1,360	890	693	1	6,763
精巣	C62	2	0	0	1	13	30	25	35	37	16	18	12	4	2	1	1	2	0	0	199
その他男性生殖器	C63	0	0	0	0	0	1	0	1	0	0	0	4	2	2	8	9	4	4	0	35
腎・尿管	C64-C66・C68	0	0	0	1	0	3	6	20	41	57	99	158	220	258	236	260	203	113	0	1,675
膀胱	C67	0	0	0	0	0	1	0	1	8	9	27	73	124	166	179	229	250	237	0	1,304
眼	C69	2	0	0	0	0	0	0	1	0	0	1	1	1	1	1	3	1	0	0	12
脳・中枢神経系	C70-C72	3	4	6	6	4	7	11	11	20	11	19	24	39	35	29	22	24	24	0	286
甲状腺	C73	0	0	1	5	2	7	15	17	20	27	45	41	61	65	34	30	26	21	0	417
副腎・その他内分泌腺	C74-C75	4	3	2	4	3	2	2	0	2	1	1	0	5	4	1	1	1	1	0	37
ホジキン病	C81	0	0	1	2	5	3	4	6	3	4	5	3	8	9	6	6	5	4	0	74
非ホジキンリンパ腫	C82-C85・C96	0	6	2	4	7	10	17	14	24	40	67	99	169	192	197	199	198	141	0	1,386
多発性骨髄腫	C88・C90	0	0	0	0	0	0	0	0	5	7	12	20	32	57	57	66	51	34	0	341
リンパ性白血病	C91	16	10	4	6	4	2	5	3	6	9	10	12	14	17	31	19	17	11	0	196
骨髄性白血病	C92	3	1	1	1	2	13	8	15	15	20	23	22	38	50	46	51	35	32	0	376
単球性白血病	C93	1	0	1	0	1	0	0	1	1	2	0	3	1	2	1	3	3	0	0	20
その他の白血病	C94	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
細胞形態不明の白血病	C95	0	0	0	0	1	0	1	0	0	0	2	1	2	3	2	1	8	6	0	27
他および部位不明	上記以外	0	0	0	0	1	2	1	2	8	6	15	25	32	62	51	85	71	101	0	462
全部位	C00-C96	36	26	23	48	66	112	159	305	526	825	1,421	2,894	5,622	8,352	8,359	8,221	6,806	5,593	1	49,395

付表1-1 各部位の年齢階級別罹患数 | 平成25-29年(2013-2017年)

B. 上皮内がんを含む・男性

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	総計
口腔	C00	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	3	2	0	7
舌	C01-C02	0	0	0	1	0	4	3	10	15	20	14	28	48	64	49	42	31	13	0	342
口腔	C03-C06	0	0	0	0	1	0	0	1	1	9	15	22	35	40	36	36	22	21	0	239
唾液腺	C07-C08	0	0	0	0	1	1	2	3	3	7	6	9	7	9	10	4	9	14	0	85
中咽頭	C09-C10	0	0	0	0	0	0	0	1	6	5	8	20	31	41	35	27	14	8	0	196
鼻咽頭	C11	0	0	0	1	0	0	1	0	2	3	11	3	11	7	3	10	2	4	0	48
下咽頭	C12-C13	0	0	0	0	0	0	0	1	1	5	12	29	62	69	78	50	26	15	0	348
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	5	2	0	10
食道	C15-D001	0	0	0	0	0	0	0	1	11	19	69	132	306	473	427	410	314	188	0	2,350
胃	C16	0	0	0	0	1	4	10	28	55	135	230	528	1,126	1,724	1,728	1,768	1,375	1,007	0	9,719
小腸	C17	0	0	0	0	0	1	0	3	5	5	6	17	25	27	32	14	23	20	0	178
結腸	C18-D010	0	0	0	0	1	3	4	13	41	92	139	437	820	1,097	1,062	1,003	815	612	0	6,384
直腸	C19-C20 D011-D012	0	0	0	1	1	1	9	38	79	120	209	378	593	674	589	505	311	224	0	3,732
肛門・肛門管	C21	0	0	0	0	0	0	0	0	0	0	2	7	4	2	5	8	8	5	0	43
肝・肝内胆管	C22	1	1	0	1	1	0	4	4	17	26	62	136	265	350	362	349	307	244	0	2,130
胆のう・肝外胆管	C23-C24	0	0	0	0	0	1	1	4	4	6	19	34	113	162	155	204	238	239	0	1,180
膵	C25	0	0	0	0	1	1	5	9	33	33	50	122	208	335	320	305	257	224	0	1,870
鼻腔・中耳・副鼻腔	C30-C31	0	0	0	1	1	0	3	4	4	4	2	15	20	29	16	9	12	10	0	130
喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
肺	C33-C34 D021-D022	0	0	0	0	2	0	1	21	36	85	164	347	740	1,239	1,298	1,238	1,208	1,108	0	7,487
胸腺・胸腺内臓器	C37-C38	1	0	2	1	1	0	1	4	7	7	6	6	5	19	16	14	10	3	0	103
骨	C40-C41	1	1	0	5	5	1	3	5	2	3	2	4	4	7	8	5	7	6	2	67
皮膚の黒色腫	C43-D03	0	0	0	0	1	3	2	6	2	4	8	2	12	14	14	12	14	9	0	103
皮膚その他	C44-D04	0	0	0	1	2	3	2	4	15	17	17	37	68	93	135	174	207	259	0	1,034
中皮腫	C45	0	0	0	0	0	0	0	0	0	0	0	3	14	23	17	19	14	10	0	103
C47・C49	C47・C49	1	0	3	4	4	7	12	15	24	18	27	36	44	57	40	24	18	21	0	355
乳房	C50-D05	0	0	0	0	1	0	0	1	1	1	2	2	6	6	8	13	12	6	0	59
陰茎	C60	0	0	0	0	0	0	0	0	0	3	0	1	4	5	8	6	8	7	0	42
前立腺	C61	0	0	0	0	1	13	30	25	37	16	18	12	4	2	1	1	2	0	0	199
精巣	C62	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
その他男性生殖腺	C63	0	0	0	0	0	1	0	1	0	0	0	4	2	2	8	9	4	4	0	35
腎・尿路	C64-C66・C68	0	0	0	1	0	3	6	20	41	57	99	158	220	258	236	260	203	113	0	1,675
膀胱	C67-D090	0	0	0	0	0	5	3	7	23	34	71	148	274	335	395	423	405	378	0	2,501
眼	C69	2	0	0	0	0	0	0	1	0	0	1	1	1	1	1	3	1	0	0	12
脳・中枢神経系	C70-C72	3	4	6	6	4	7	11	11	20	11	19	24	39	35	29	22	24	24	0	286
甲状腺	C73	0	0	1	5	2	7	15	17	20	27	45	41	61	65	34	30	26	21	0	417
副腎・その他内分泌腺	C74-C75	4	3	2	4	3	2	2	0	2	1	1	0	5	4	1	1	1	1	0	37
ホジキン病	C81	0	0	1	2	5	3	4	6	3	4	5	3	8	9	6	6	5	4	0	74
非ホジキンリンパ腫	C82-C85・C96	0	6	2	4	7	10	17	14	24	40	67	99	169	192	197	199	198	141	0	1,386
多発性骨髄腫	C88・C90	0	0	0	0	0	0	0	0	5	7	12	20	32	57	57	66	51	34	0	341
リンパ性白血病	C91	16	10	4	6	4	2	5	3	6	9	10	12	14	17	31	19	17	11	0	196
骨髄性白血病	C92	3	1	1	1	13	8	15	15	15	20	23	22	38	50	46	51	35	32	0	376
単球性白血病	C93	1	0	1	0	1	0	0	1	1	2	0	3	1	2	1	3	3	0	0	20
その他の白血病	C94	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
細胞形態不明の白血病	C95	0	0	0	0	1	0	1	0	0	0	2	1	2	3	2	1	8	6	0	27
他および部位不明	上記以外	0	0	0	0	1	2	5	7	16	20	43	65	97	141	132	149	112	116	0	906
全部位	C00-C96 D00-D09	36	26	23	48	68	117	170	342	608	945	1,662	3,256	6,303	9,126	9,149	8,933	7,300	5,885	1	53,998

付表1-1 各部位の年齢階級別罹患数 | 平成25-29年(2013-2017年)

A. 上皮内がんを含まない・女性

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	総計
口腔	C00	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	2	1	3	0	8
舌	C01-C02	0	0	0	0	0	3	3	8	14	14	10	13	21	19	22	33	30	31	0	221
口腔	C03-C06	0	0	0	0	0	2	1	1	2	4	8	10	14	14	28	28	38	53	0	203
唾液腺	C07-C08	0	0	1	0	0	0	2	1	6	3	3	6	12	10	7	9	1	7	0	59
中咽頭	C09-C10	0	0	0	0	1	0	0	0	1	3	7	8	6	10	6	3	4	5	0	54
鼻咽頭	C11	0	0	0	0	0	1	1	1	3	1	0	0	4	1	0	2	2	3	0	19
下咽頭	C12-C13	0	0	0	0	0	0	0	1	2	2	2	1	3	8	5	6	3	1	0	34
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	0	0	3
食道	C15	0	0	0	0	0	0	2	2	12	2	12	21	38	74	64	74	69	72	0	429
胃	C16	0	0	0	2	5	17	28	66	73	82	82	202	352	531	566	723	747	880	0	4,274
小腸	C17	0	0	0	1	0	1	0	0	0	1	4	5	5	8	17	3	15	23	0	84
結腸	C18	0	0	0	0	5	1	9	29	58	87	128	194	394	457	525	668	781	1,118	0	4,454
直腸	C19-C20	0	0	0	1	0	1	9	23	43	59	103	151	187	224	194	226	230	266	0	1,717
肛門・肛門管	C21	0	0	0	0	0	0	0	0	2	2	0	3	5	2	4	5	8	11	0	41
肝・肝内胆管	C22	2	0	0	0	0	0	2	2	8	12	32	50	99	139	178	238	299	0	1,063	
胆のう・肝外胆管	C23-C24	0	0	0	1	0	0	0	0	4	4	12	27	47	83	104	174	193	379	0	1,028
脾	C25	0	0	0	1	3	1	3	18	30	67	130	187	220	288	309	472	0	1,746		
鼻・中耳・副鼻腔	C30-C31	0	0	0	0	1	1	1	3	1	4	3	4	5	10	8	7	9	20	0	77
喉頭	C32	0	0	0	0	0	0	1	0	2	0	1	2	4	5	3	6	5	3	0	32
肺	C33-C34	0	1	0	0	0	0	4	16	37	49	94	164	300	513	532	534	539	659	0	3,442
胸腺・胸腔内臓器	C37-C38	1	0	1	0	1	1	2	1	6	3	6	2	11	17	14	11	2	6	0	85
骨	C40-C41	0	1	4	4	0	2	3	2	3	6	3	0	2	6	8	6	4	4	0	58
皮膚の悪性腫	C43	0	0	1	2	2	2	5	3	7	4	1	2	4	9	9	5	10	21	0	85
皮膚その他	C44	0	0	0	0	2	5	1	13	9	6	23	18	38	53	59	105	132	365	0	830
中皮腫	C45	0	0	0	0	0	0	0	0	0	2	0	1	0	3	4	1	4	4	0	19
結合組織・軟部組織	C47・C49	1	0	1	1	3	7	10	19	25	22	27	28	42	55	32	24	26	9	0	332
乳房	C50	0	0	0	0	5	28	119	267	617	883	799	840	1,020	1,018	775	635	530	512	0	8,048
外陰・膣・その他女性生殖器	C51-C52・C57・C53	0	0	0	0	1	0	2	1	3	1	6	14	16	12	13	9	16	35	0	129
子宮頸部	C54	0	0	0	1	1	19	52	84	88	92	64	66	76	57	45	49	37	41	0	772
子宮体部	C55	0	0	0	0	0	7	21	45	85	117	175	198	195	158	111	97	76	69	0	1,354
子宮部位不明	C56	0	0	0	0	1	1	0	1	1	1	3	1	2	7	9	5	9	27	0	68
卵巣	C57	0	1	3	4	15	20	30	52	80	97	120	128	125	119	107	81	57	91	0	1,130
胎盤	C58	0	0	0	0	0	1	1	1	0	0	2	0	0	0	0	0	0	0	0	5
腎・尿管	C64-C66・C68	0	0	0	0	2	2	5	5	13	18	25	45	65	102	113	126	127	156	0	804
膀胱	C67	0	0	0	0	1	1	2	2	1	7	8	14	24	29	42	77	87	203	0	498
眼	C69	3	0	0	0	0	0	2	0	1	0	2	0	1	0	1	1	0	0	0	11
脳・中枢神経系	C70-C72	7	7	3	7	7	3	6	8	11	14	10	9	22	27	23	21	22	33	0	240
甲状腺	C73	0	0	1	8	20	31	78	101	134	117	121	117	144	130	105	85	54	53	0	1,299
副腎・その他内分泌腺	C74-C75	2	0	0	0	0	0	2	1	1	1	3	1	1	2	4	4	0	1	0	23
ホシキク病	C81	0	0	1	1	3	4	1	2	1	2	2	3	1	6	3	4	1	3	0	38
非ホジキンリンパ腫	C82-C85・C96	1	1	5	4	2	10	11	17	28	40	61	82	139	166	165	169	174	161	0	1,236
多発性骨髄腫	C88・C90	0	0	0	0	0	0	0	2	1	6	8	17	29	40	30	67	58	50	0	308
リンパ性白血病	C91	14	5	10	6	1	0	3	4	7	4	9	8	5	23	18	21	11	15	0	164
骨髄性白血病	C92	3	2	3	6	4	2	10	10	6	6	17	19	27	29	14	35	33	34	0	260
単球性白血病	C93	1	0	0	0	0	0	0	1	0	2	1	1	0	0	0	3	1	0	0	10
その他の白血病	C94	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	7
細胞形態不明の白血病	C95	0	0	0	0	0	0	0	0	0	0	2	0	0	0	3	0	2	5	17	29
上記以外		1	0	0	1	0	1	0	7	3	8	12	16	35	49	44	53	90	159	0	479
全部位	C00-C96	41	18	34	48	81	165	419	768	1,385	1,793	2,022	2,538	3,597	4,378	4,192	4,666	4,789	6,375	0	37,309

付表1-1 各部位の年齢階級別罹患数 | 平成25-29年(2013-2017年)

ICD-10	部位	年齢階級																	不詳	合計			
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84			85+		
C00	口唇	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	3	0	8	
C01-C02	舌	0	0	0	0	0	0	0	0	0	3	3	8	14	14	19	22	33	30	31	0	221	
C03-C06	口腔	0	0	0	0	0	2	1	2	1	2	1	1	2	1	14	28	28	38	53	0	203	
C07-C08	唾液腺	0	0	1	0	0	0	2	1	1	6	3	3	6	12	7	9	9	7	0	0	59	
C09-C10	中咽頭	0	0	0	0	1	0	0	1	3	7	8	6	10	6	3	4	5	0	5	0	54	
C11	鼻咽喉頭	0	0	0	0	1	1	1	3	1	1	0	4	1	0	2	2	3	0	3	0	19	
C12-C13	下咽頭	0	0	0	0	0	0	1	2	2	2	1	3	8	5	6	3	1	0	3	0	34	
C14	その他・不明の口腔・咽頭	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	0	0	0	0	3	
C15-D001	食道	0	0	0	0	0	0	0	1	3	14	23	40	85	74	88	79	75	0	485	0	485	
C16	胃	0	0	0	0	2	5	17	28	66	73	82	202	352	531	566	723	747	880	0	4,274		
C17	小腸	0	0	0	1	0	1	0	0	1	4	5	5	5	8	17	3	15	23	0	84	84	
C18-D010	結腸	0	0	0	0	5	3	13	42	81	121	179	265	496	605	679	824	906	1,167	0	5,386		
C19-C20-D011-D012	直腸	0	0	0	1	1	1	10	28	51	72	138	186	231	275	272	285	280	291	0	2,122		
C21	肛門・肛門管	0	0	0	0	0	0	1	0	2	0	0	3	5	2	4	5	8	11	0	41	41	
C22	肝・胆内臓管	2	0	0	0	0	0	2	2	2	8	12	32	50	99	139	178	238	299	0	1,063		
C23-C24	胆のう・肝外胆管	0	0	0	1	0	0	0	4	4	12	27	47	83	104	174	193	379	0	1,028	0	1,028	
C25	脾	0	0	0	1	3	1	6	13	18	30	67	130	187	220	288	309	472	0	1,746	0	1,746	
C30-C31	鼻腔・中耳・副鼻腔	0	0	0	0	1	1	3	1	4	3	4	5	10	10	8	7	9	20	0	77	77	
C32	喉頭	0	0	0	0	0	0	1	0	2	0	1	2	4	5	3	6	5	3	0	32	32	
C33-C34-D021-D022	肺	0	1	0	0	0	0	4	16	37	50	95	165	300	517	532	534	540	659	0	3,450	3,450	
C37-C38	胸腺・胸腺内臓器	1	0	1	0	1	2	1	6	3	6	2	11	17	14	11	2	6	0	6	0	85	85
C40-C41	骨	0	1	4	4	0	2	3	2	3	6	3	0	2	6	8	6	4	4	0	58	58	
C43-D03	皮膚の黒色腫	0	0	1	3	4	6	5	7	4	1	3	7	14	11	6	16	22	0	110	0	110	
C44-D04	皮膚その他	0	1	0	2	5	1	13	10	6	25	21	50	64	98	141	186	464	0	1,087	0	1,087	
C45	中皮腫	0	0	0	0	0	0	0	0	2	0	1	0	3	4	1	4	4	0	19	0	19	
C47-C49	結合組織・軟部組織	1	0	1	1	3	7	10	19	25	22	27	42	55	32	24	26	9	0	332	0	332	
C50-D05	乳房	0	0	0	0	6	33	143	327	755	1,065	954	1,169	1,148	883	707	581	531	0	9,253	0	9,253	
C51-C52-C57	外陰・膣・その他女性生殖器	0	0	0	0	1	0	2	1	3	6	14	16	12	13	9	16	35	0	129	0	129	
C53-D06	子宮頸部	0	0	0	4	38	216	442	493	413	269	151	126	130	100	70	78	50	44	0	2,624	2,624	
C54	子宮体部	0	0	0	0	7	21	45	85	117	175	198	195	158	111	97	76	69	0	1,354	0	1,354	
C55	子宮部位不明	0	0	0	0	1	0	1	1	1	3	1	2	7	9	5	9	27	0	68	0	68	
C56	卵巣	0	1	3	4	15	20	30	52	80	97	120	128	125	119	107	81	57	91	0	1,130	1,130	
C58	胎盤	0	0	0	0	0	0	1	1	0	0	2	0	0	0	0	0	0	0	0	0	5	5
C64-C66-C68	腎・尿管	0	0	0	0	2	2	5	5	13	18	25	45	65	102	113	126	127	156	0	804	804	
C67-D090	膀胱	0	0	1	0	3	1	5	5	6	14	20	37	54	58	84	121	125	241	0	775	775	
C69	眼	3	0	0	0	0	0	2	0	1	0	2	0	1	0	1	1	0	0	0	0	11	11
C70-C72	脳・中枢神経系	7	7	3	7	7	3	6	8	11	14	10	9	22	27	23	21	22	33	0	240	240	
C73	中脳	0	0	1	8	20	31	78	101	134	117	121	117	144	130	105	85	54	53	0	1,299	1,299	
C74-C75	副腎・その他内分泌腺	2	0	0	0	0	0	2	1	1	1	3	1	1	2	4	4	0	1	0	23	23	
C81	ホジキン病	0	0	1	1	3	4	1	2	1	2	3	1	6	3	4	1	3	0	38	0	38	
C82-C85-C96	非ホジキンリンパ腫	1	1	5	4	2	10	11	17	28	40	61	82	139	166	165	169	174	161	0	1,236	1,236	
C88-C90	多発性骨髄腫	0	0	0	0	0	0	0	2	1	6	8	17	29	40	30	67	58	50	0	308	308	
C91	リンパ性白血病	14	5	10	6	1	0	3	4	7	4	9	8	5	23	18	21	11	15	0	164	164	
C92	骨髄性白血病	3	2	3	6	4	2	10	10	6	6	17	19	27	29	14	35	33	34	0	260	260	
C93	単球性白血病	1	0	0	0	0	0	0	0	1	0	2	1	1	0	0	3	1	0	0	10	10	
C94	その他の白血病	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	7	7	
C95	細胞形態不明の白血病	0	0	0	0	0	0	0	0	0	0	2	0	0	3	0	2	5	17	0	29	29	
	他および部位不明	1	0	0	1	1	1	1	15	9	16	28	41	72	99	87	93	128	179	0	772	772	
C00-C96-D00-D09	全部位	41	18	35	51	124	371	843	1,268	1,892	2,216	2,380	2,873	4,050	4,860	4,693	5,117	5,175	6,632	0	42,619	42,619	

付表1-2 各部位の年齢階級別罹患数 | 平成20-24年(2008-2012年)

A. 上皮内がんを含まない・男性

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	総計
口唇	C00	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	2	0	6
舌	C01-C02	0	0	0	0	1	5	5	13	9	7	18	25	39	40	36	31	17	13	0	259
口腔	C03-C06	0	0	0	0	0	1	0	1	3	7	14	15	34	28	40	32	27	13	0	215
唾液腺	C07-C08	0	0	1	0	0	0	0	2	3	1	3	7	8	12	8	12	13	6	0	76
中咽頭	C09-C10	0	0	0	0	0	0	0	2	8	8	9	18	32	28	30	28	17	3	0	183
鼻咽頭	C11	0	0	0	0	1	1	1	2	3	10	2	7	8	4	2	3	2	3	0	49
下咽頭	C12-C13	0	0	0	0	0	0	0	0	1	2	15	32	51	54	59	43	29	14	0	300
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	4	1	3	0	13
食道	C15	0	0	0	0	0	0	1	4	10	28	73	173	316	374	416	380	233	141	0	2,149
胃	C16	0	0	0	1	2	3	9	27	62	135	296	736	1,285	1,403	1,785	1,788	1,304	788	0	9,624
小腸	C17	0	0	0	1	0	0	0	2	3	6	12	18	24	18	18	12	15	18	0	132
結腸	C18	0	0	0	0	1	5	17	32	34	77	135	313	540	617	684	717	630	459	0	4,261
直腸	C19-C20	0	0	0	0	0	2	7	30	29	81	141	313	441	387	407	390	254	147	0	2,629
肛門・肛門管	C21	0	0	0	0	0	0	0	2	0	0	1	3	6	2	1	7	2	5	0	29
肝・肝内胆管	C22	1	0	0	2	0	2	4	9	19	29	81	188	287	295	391	380	288	150	0	2,126
胆のう・肝外胆管	C23-C24	0	0	0	0	0	0	0	2	8	10	16	63	109	143	204	231	228	203	0	1,217
膵	C25	0	0	0	0	1	2	4	8	20	57	146	202	226	269	274	226	166	0	0	1,601
鼻腔・中耳・副鼻腔	C30-C31	0	0	0	0	0	1	2	0	1	5	8	14	18	17	25	24	15	14	0	144
喉頭	C32	0	0	0	0	0	0	1	0	2	4	9	44	65	78	59	62	55	23	0	402
肺	C33-C34	0	0	0	0	2	3	3	12	31	81	191	410	827	947	1,164	1,333	1,219	807	0	7,030
胸腺・胸腔内臓器	C37-C38	1	0	0	0	1	3	1	8	3	5	7	8	9	13	3	9	5	7	0	83
骨	C40-C41	0	1	3	3	0	4	2	2	4	2	5	4	2	4	5	8	3	3	0	55
皮膚の黒色腫	C43	0	2	0	0	0	1	1	1	3	2	2	10	14	13	7	8	11	10	0	85
皮膚その他	C44	0	1	0	0	0	1	6	9	6	12	36	24	49	51	89	120	131	123	0	658
中皮腫	C45	0	0	0	0	0	0	0	0	1	2	3	14	14	18	27	18	15	6	0	118
結合組織・軟部組織	C47・C49	1	0	0	2	3	3	8	10	9	10	13	30	32	23	25	18	18	10	0	215
乳房	C50	0	0	0	0	0	0	0	0	1	1	1	2	8	7	12	7	10	0	0	56
陰茎	C60	0	0	0	0	0	0	0	0	1	0	0	2	2	4	8	8	7	9	0	41
前立腺	C61	1	0	0	0	3	12	22	37	27	17	6	11	2	0	2	3	0	0	0	164
精巣	C62	2	0	0	0	0	0	1	2	1	17	93	326	832	1,151	1,445	1,382	834	458	0	6,544
その他男性生殖器	C63	0	0	0	0	0	0	0	0	0	0	1	2	2	6	7	6	4	4	0	32
腎・尿路	C64-C66・C68	2	1	0	0	1	3	10	16	31	53	86	165	188	178	201	200	164	95	0	1,394
膀胱	C67	0	0	0	1	0	2	3	5	15	27	81	124	146	180	229	207	207	209	0	1,229
眼	C69	3	0	0	0	0	0	0	0	0	1	0	1	0	3	2	0	0	0	0	10
脳・中枢神経系	C70-C72	2	4	2	5	5	8	11	20	16	15	19	26	24	27	21	34	18	13	0	270
甲状腺	C73	0	0	0	0	1	4	11	18	19	17	33	39	43	31	51	34	18	8	0	327
副腎・その他内分泌腺	C74-C75	4	3	4	1	1	0	1	1	1	1	0	1	1	3	7	3	5	0	0	37
ホジキン病	C81	1	1	0	5	0	8	2	4	2	3	2	1	6	11	3	2	2	0	0	53
非ホジキンリンパ腫	C82-C85・C96	2	0	7	3	5	9	10	22	30	37	62	104	149	126	156	207	148	94	0	1,171
多発性骨髄腫	C88・C90	0	0	0	0	0	0	1	4	1	4	1	16	13	39	43	45	63	30	0	304
リンパ性白血病	C91	14	13	6	3	2	4	1	5	3	7	9	12	10	11	28	18	15	9	0	170
骨髄性白血病	C92	1	2	2	4	9	8	6	7	11	22	19	37	44	43	46	63	42	28	0	394
単球性白血病	C93	0	0	1	0	0	1	1	1	2	0	1	0	1	1	1	1	1	0	0	12
その他の白血病	C94	1	0	0	0	0	0	0	0	1	1	1	1	1	0	1	0	0	0	0	5
細胞形態不明の白血病	C95	0	0	0	0	0	0	0	0	0	1	0	1	3	1	1	4	6	6	0	23
他および部位不明	上記以外	1	0	0	0	1	0	3	5	8	7	15	42	39	52	56	89	86	69	0	473
全部位	C00-C96	37	26	28	33	49	104	149	316	422	756	1,532	3,478	5,925	6,645	8,030	8,274	6,385	4,179	0	46,368

付表1-2 各部位の年齢階級別罹患数 | 平成20-24年(2008-2012年)

B. 上皮がんを含む・男性

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	総計
口唇	C00	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	0	2	0	6
舌	C01-C02	0	0	0	0	1	5	5	13	9	7	18	25	39	40	36	31	17	13	0	259
口腔	C03-C06	0	0	0	0	0	1	0	1	3	7	14	15	34	28	40	32	27	13	0	215
唾液腺	C07-C08	0	0	1	0	0	0	0	2	3	1	3	7	8	12	8	12	13	6	0	76
中咽頭	C09-C10	0	0	0	0	0	0	0	2	8	8	9	18	32	28	30	28	17	3	0	183
鼻咽頭	C11	0	0	0	0	1	1	1	2	3	10	2	7	8	4	2	3	2	3	0	49
下咽頭	C12-C13	0	0	0	0	0	0	0	0	1	2	15	32	51	54	59	43	29	14	0	300
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	1	1	0	3	4	1	3	0	13
食道	C15-D001	0	0	0	0	0	1	1	4	11	28	78	183	336	416	460	413	247	145	0	2,323
胃	C16	0	0	0	1	2	3	9	27	62	135	296	736	1,285	1,403	1,785	1,788	1,304	788	0	9,624
小腸	C17	0	0	0	1	0	0	0	2	3	3	6	12	18	24	18	12	15	18	0	132
結腸	C18-D010	0	0	0	0	1	6	19	40	61	126	217	465	788	843	964	946	776	495	0	5,747
直腸	C19-C20 D011-D012	0	0	0	0	0	3	7	36	42	101	186	394	559	493	517	474	300	162	0	3,274
肛門・肛門管	C21	0	0	0	0	0	0	0	2	0	0	1	3	6	2	1	7	2	5	0	29
肝・肝内胆管	C22	1	0	0	2	0	2	4	9	19	29	81	188	287	295	391	380	288	150	0	2,126
胆のう・肝外胆管	C23-C24	0	0	0	0	0	0	0	2	8	10	16	63	109	143	204	231	228	203	0	1,217
膵	C25	0	0	0	0	1	2	4	8	20	57	146	202	226	269	274	226	166	166	0	1,601
鼻腔・中耳・副鼻腔	C30-C31	0	0	0	0	0	0	1	2	0	5	8	14	18	17	25	24	15	14	0	144
喉頭	C32	0	0	0	0	0	0	1	2	0	4	9	44	65	78	59	62	55	23	0	402
肺	C33-C34 D021-D022	0	0	0	0	2	3	3	12	31	81	191	410	828	948	1,166	1,382	1,221	807	0	7,041
胸腺・胸腺内臓器	C37-C38	1	0	0	0	1	3	1	8	3	5	7	8	9	13	3	9	5	7	0	83
骨	C40-C41	0	1	3	3	0	4	2	2	4	2	5	4	2	4	5	8	3	3	0	55
皮膚の黒色腫	C43 D03	0	0	3	0	0	2	1	2	3	5	3	11	18	15	11	9	14	10	0	107
皮膚その他	C44 D04	0	1	0	0	0	0	1	6	11	6	12	39	54	70	112	145	152	150	0	789
中皮腫	C45	0	0	0	0	0	0	0	0	1	2	3	14	14	18	27	18	15	6	0	118
C47・C49		1	0	0	2	3	3	8	10	9	10	13	30	32	23	25	18	18	10	0	215
C50 D05		0	0	0	0	0	0	0	0	1	2	1	2	9	7	8	12	7	10	0	59
C60		0	0	0	0	0	0	0	0	1	0	0	2	2	4	8	8	7	9	0	41
C61		1	0	0	0	3	12	22	37	27	17	6	11	2	0	2	3	0	0	0	164
C62		2	0	0	0	0	0	1	2	1	17	93	326	832	1,151	1,445	1,382	834	458	0	6,544
C63		0	0	0	0	0	0	0	0	0	0	1	2	2	6	7	6	4	4	0	32
C64-C66・C68		2	1	0	0	1	3	10	16	31	53	86	165	188	178	201	200	164	95	0	1,394
C67 D090		0	0	0	1	2	5	4	13	19	39	66	159	257	253	321	370	324	272	0	2,105
C69		3	0	0	0	0	0	0	0	0	1	0	1	0	3	2	0	0	0	0	10
C70-C72		2	4	2	5	8	11	20	16	15	15	19	26	24	27	21	34	18	13	0	270
C73		0	0	0	0	1	4	11	18	19	17	33	39	43	31	51	34	18	8	0	327
C74-C75		4	3	4	1	0	1	1	1	1	1	0	1	1	3	7	3	5	0	0	37
ホルモン病	C81	1	1	0	5	0	8	2	4	2	3	2	1	6	11	3	2	2	0	0	53
非ホジキンリンパ腫	C82-C85・C96	2	0	7	3	5	9	10	22	30	37	62	104	149	126	156	207	148	94	0	1,171
多発性骨髄腫	C88・C90	0	0	0	0	0	0	1	4	1	4	1	16	13	39	43	45	63	30	0	304
リンパ性白血病	C91	14	13	6	3	2	4	1	5	3	7	9	12	10	11	28	18	15	9	0	170
骨髄性白血病	C92	1	2	2	4	9	8	6	7	11	22	19	37	44	43	46	63	42	28	0	394
単球性白血病	C93	0	0	1	0	0	1	1	1	2	0	1	0	1	1	1	1	1	0	0	12
その他の白血病	C94	1	0	0	0	0	0	0	0	0	1	1	1	1	0	1	0	0	0	0	5
細胞形態不明の白血病	C95	0	0	0	0	0	0	0	0	0	1	0	1	3	1	1	4	6	6	0	23
他および部位不明	上記以外	1	0	0	0	1	0	4	5	11	13	22	57	77	87	101	134	107	78	0	698
全部位	C00-C96 D00-D09	37	26	29	34	50	113	154	343	480	859	1,714	3,821	6,493	7,183	8,680	8,837	6,755	4,333	0	49,941

付表1-2 各部位の年齢階級別罹患数 | 平成20-24年(2008-2012年)

A. 上皮内がんを含まない・女性

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	合計
口腔	C00	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	3	2	0	0	9
舌	C01-C02	0	0	0	0	0	0	4	8	6	3	7	15	13	19	33	24	20	19	0	172
口腔	C03-C06	0	0	1	0	1	0	2	0	1	2	5	10	10	14	19	40	45	33	0	183
唾液腺	C07-C08	0	0	0	0	0	0	1	7	2	2	3	5	2	7	3	3	6	9	0	50
中咽頭	C09-C10	0	0	0	0	0	0	1	0	1	2	1	6	8	2	1	0	1	3	0	25
鼻咽頭	C11	0	0	0	0	0	0	0	0	0	1	1	2	5	2	3	0	0	1	0	15
下咽頭	C12-C13	0	0	0	0	0	0	0	1	1	2	2	4	4	3	3	6	2	3	0	31
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
食道	C15	0	0	0	0	0	0	0	0	1	7	17	31	47	53	64	62	57	60	0	399
胃	C16	1	0	0	0	1	5	19	25	54	90	143	264	377	439	632	751	747	760	0	4,308
小腸	C17	0	0	0	0	0	0	0	2	1	3	4	13	4	13	5	14	12	17	0	85
結腸	C18	0	0	0	1	2	9	10	25	41	57	145	231	313	383	608	657	715	820	0	4,017
直腸	C19-C20	0	0	0	0	2	1	4	16	31	55	93	153	195	236	216	228	261	0	1,649	
肛門・肛門管	C21	0	0	0	0	0	0	0	0	0	1	1	2	6	4	6	5	4	6	0	36
肝・肝内胆管	C22	2	0	0	2	0	1	1	4	8	9	8	37	88	107	203	272	216	202	0	1,160
胆のう・肝外胆管	C23-C24	0	0	0	0	0	0	0	2	5	3	20	33	63	75	133	190	245	376	0	1,145
脾	C25	0	0	0	0	0	1	1	2	9	21	43	83	134	169	207	253	287	343	0	1,553
鼻	C30-C31	1	0	0	1	0	1	0	1	1	0	0	2	4	3	8	4	13	15	0	54
喉頭	C32	0	0	0	0	0	1	1	0	1	0	1	2	1	6	6	6	1	3	0	29
肺	C33-C34	0	0	0	0	0	2	5	16	25	61	86	215	355	359	473	513	461	560	0	3,131
胸腺・胸腺内臓器	C37-C38	1	0	0	1	0	0	0	1	2	4	7	5	6	3	5	8	1	4	0	48
骨	C40-C41	0	2	4	3	2	1	1	3	0	1	2	4	3	3	4	3	5	5	0	46
皮膚の悪性腫	C43	0	0	1	0	0	1	3	4	3	2	6	6	7	11	10	10	16	13	0	93
皮膚その他	C44	0	0	0	0	2	7	3	6	9	9	13	27	31	39	63	105	124	222	0	660
中皮腫	C45	0	0	0	0	1	0	1	0	0	1	1	2	1	3	3	2	5	5	0	25
結合組織・軟部組織	C47・C49	2	0	2	0	1	10	7	4	9	10	24	24	21	13	16	8	13	7	0	171
乳房	C50	0	0	0	0	3	30	105	247	498	836	702	823	851	637	617	503	377	313	0	6,542
外陰・膣・その他女性生殖器	C51-C52・C57	0	0	0	0	0	0	1	3	0	2	8	13	14	11	18	19	9	28	0	126
子宮頸部	C53	0	0	0	0	2	35	65	86	79	83	68	79	55	44	53	45	40	56	0	790
子宮体部	C54	0	0	0	0	2	6	10	33	50	100	142	215	187	123	101	96	60	34	0	1,159
卵巣	C56	0	2	0	3	13	10	19	30	57	94	113	129	102	92	86	90	50	76	0	966
胎盤	C58	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2
腎・尿管	C64-C66・C68	2	0	0	1	2	4	2	4	8	12	27	48	71	56	111	119	101	94	0	662
膀胱	C67	0	0	0	0	0	1	3	0	0	3	6	10	17	34	63	67	114	150	0	488
眼	C69	3	0	0	0	0	1	0	2	0	0	0	0	0	0	1	1	0	0	0	8
脳・中枢神経系	C70-C72	4	2	5	3	4	12	5	10	6	7	8	12	10	13	23	22	19	21	0	186
甲状腺	C73	0	0	0	5	15	19	44	67	71	91	103	154	145	102	98	80	50	40	0	1,084
副腎・その他内分泌腺	C74-C75	1	0	0	0	0	0	0	1	1	1	0	2	0	1	3	3	2	0	0	16
ホジキン病	C81	0	1	0	4	5	5	2	1	4	2	0	1	3	4	1	5	4	1	0	43
非ホジキンリンパ腫	C82-C85・C96	1	4	4	2	3	5	15	12	15	34	83	103	116	110	146	170	140	150	0	1,113
多発性骨髄腫	C88・C90	0	0	0	0	0	1	0	0	5	1	10	20	33	31	46	71	64	51	0	333
リンパ性白血病	C91	17	6	4	2	4	1	2	1	2	4	10	11	13	9	16	10	12	0	128	
骨髄性白血病	C92	4	0	2	7	1	4	7	9	6	8	13	20	27	27	31	41	30	28	0	265
単球性白血病	C93	1	0	0	0	1	0	0	0	3	0	0	0	1	1	2	1	1	0	0	11
その他白血病	C94	5	0	0	0	1	0	0	1	1	1	0	0	0	0	0	0	0	0	0	8
細胞形態不明の白血病	C95	0	0	1	0	0	1	0	0	0	0	1	1	1	1	1	4	5	15	0	31
他および部位不明	上記以外	0	0	0	1	1	0	5	0	5	5	17	23	33	33	51	79	102	167	0	522
全部位	C00-C96	45	18	24	36	68	177	350	634	1,023	1,631	1,940	2,833	3,386	3,223	4,210	4,597	4,423	5,009	0	33,627

付表1-2 各部位の年齢階級別罹患数 | 平成20-24年(2008-2012年)

部位	ICD-10	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	不詳	合計
口腔	C00	0	0	0	0	0	0	0	0	0	0	1	2	0	0	0	3	2	0	0	9
舌	C01-C02	0	0	0	0	0	1	4	8	6	3	7	15	13	19	33	24	20	19	0	172
口腔	C03-C06	0	0	1	0	1	0	2	0	1	2	5	10	10	14	19	40	45	33	0	183
唾液腺	C07-C08	0	0	0	0	0	0	1	7	2	2	3	5	2	7	3	3	6	9	0	50
中咽頭	C09-C10	0	0	0	0	0	0	1	0	1	2	1	6	8	2	1	0	1	3	0	25
鼻咽喉	C11	0	0	0	0	0	0	0	0	0	1	1	2	5	2	3	0	0	1	0	15
下咽頭	C12-C13	0	0	0	0	0	0	0	1	1	2	2	4	4	3	3	6	2	3	0	31
その他・不明の口腔・咽頭	C14	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1
食道	C15-D001	0	0	0	0	0	0	0	0	1	8	17	37	55	56	72	71	65	63	0	445
胃	C16	1	0	0	0	1	5	19	25	54	90	143	264	377	439	632	751	747	760	0	4,308
小腸	C17	0	0	0	0	0	0	2	1	3	4	3	4	13	13	5	14	12	17	0	85
結腸	C18-D010	0	0	0	1	2	10	12	33	52	71	189	314	412	493	744	782	805	851	0	4,771
直腸	C19-C20-D011-D012	0	0	0	0	2	1	4	20	32	66	118	192	237	192	278	253	260	275	0	1,930
肛門・肛門管	C21	0	0	0	0	0	0	0	0	0	1	2	1	6	4	6	5	4	6	0	36
肝・肝内胆管	C22	2	0	0	2	0	1	1	4	8	9	8	37	88	107	203	272	216	202	0	1,160
胆のう・肝外胆管	C23-C24	0	0	0	0	0	0	0	2	5	3	20	33	63	75	133	190	245	376	0	1,145
脾	C25	0	0	0	0	0	1	1	2	9	21	43	83	134	169	207	253	287	343	0	1,553
鼻腔・中耳・副鼻腔	C30-C31	1	0	0	1	0	1	0	1	1	0	0	2	4	3	8	4	13	15	0	54
喉頭	C32	0	0	0	0	0	1	1	0	1	0	1	2	1	6	6	6	1	3	0	29
肺	C33-C34-D021-D022	0	0	0	0	0	2	5	16	25	62	86	216	355	359	473	513	461	560	0	3,133
胸腺・胸腺内臓器	C37-C38	1	0	0	1	0	0	1	2	4	7	5	6	3	5	8	1	4	0	0	48
骨	C40-C41	0	2	4	3	2	1	1	3	0	1	2	4	3	3	4	3	5	5	0	46
皮膚の黒色腫	C43-D03	0	0	1	0	0	2	3	6	3	5	8	11	7	13	12	13	19	13	0	116
皮膚その他	C44-D04	0	0	0	0	2	7	3	8	10	9	15	31	39	55	87	137	167	275	0	845
中皮腫	C45	0	0	0	0	1	0	1	0	0	1	1	2	1	3	3	2	5	5	0	25
結合組織・軟部組織	C47・C49	2	0	2	0	1	10	7	4	9	10	24	24	21	13	16	8	13	7	0	171
乳房	C50-D05	0	0	0	0	4	39	137	298	634	1,028	837	944	988	721	692	548	404	328	0	7,602
外陰・膣・その他女性生殖器	C51-C52・C57	0	0	0	0	0	0	1	3	0	2	8	13	14	11	18	19	9	28	0	126
子宮頸部	C53-D06	0	0	0	0	37	199	326	356	254	181	121	127	99	77	80	68	45	58	0	2,028
子宮体部	C54	0	0	0	0	2	6	10	33	50	100	142	215	187	123	101	96	60	34	0	1,159
子宮部位不明	C55	0	0	0	0	0	0	0	0	1	2	2	1	2	2	5	10	19	25	0	69
卵巣	C56	0	2	0	3	13	10	19	30	57	94	113	129	102	92	86	90	50	76	0	966
胎盤	C58	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0	0	0	2
腎・尿路	C64-C66・C68	2	0	0	1	2	4	2	4	8	12	27	48	71	56	111	119	101	94	0	662
膀胱	C67-D090	0	0	1	0	0	2	3	2	2	9	18	34	31	60	90	119	147	176	0	694
眼	C69	3	0	0	0	0	1	0	0	2	0	0	0	0	0	1	1	0	0	0	8
脳・中枢神経系	C70-C72	4	2	5	3	4	12	5	10	6	7	8	12	10	13	23	22	19	21	0	186
甲状腺	C73	0	0	0	5	15	19	44	67	71	91	103	154	145	102	98	80	50	40	0	1,084
副腎・その他内分泌腺	C74-C75	1	0	0	0	0	0	0	1	1	1	0	2	0	1	3	3	2	0	0	16
ホジキン病	C81	0	1	0	4	5	5	2	1	4	2	0	1	3	4	1	5	4	1	0	43
非ホジキンリンパ腫	C82-C85・C96	1	4	4	2	3	5	15	12	15	34	83	103	116	110	146	170	140	150	0	1,113
多発性骨髄腫	C88・C90	0	0	0	0	0	1	0	0	5	1	10	20	33	31	46	71	64	51	0	333
リンパ性白血病	C91	17	6	4	2	4	1	2	1	2	4	10	11	11	13	9	16	10	12	0	128
骨髄性白血病	C92	4	0	2	7	1	4	7	9	6	8	13	20	27	27	31	41	30	28	0	265
単球性白血病	C93	1	0	0	0	1	0	0	0	3	0	0	0	1	1	2	1	1	0	0	11
その他の白血病	C94	5	0	0	0	1	0	0	1	1	1	0	0	0	0	0	0	0	0	0	8
細胞形態不明の白血病	C95	0	0	1	0	0	1	0	0	0	0	1	1	1	1	1	4	5	15	0	31
他および部位不明	上記以外	0	0	0	1	1	1	6	1	7	9	26	29	43	49	58	108	112	169	0	620
全部位	C00-C96-D00-D09	45	18	25	36	104	354	646	974	1,351	1,961	2,222	3,170	3,748	3,547	4,558	4,952	4,674	5,155	0	37,540

B. 上肢内がんを含む・女性

付表2-1 各部位の年齢階級別罹患率・粗罹患率・年齢調整罹患率 | 平成25-29年(2013-2017年)

A. 上肢内がんを含まない・男性

部位	ICD-10	年齢階級											粗罹患率 ※1	年齢調整 罹患率 ※2							
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54			55-59	60-64	65-69	70-74	75-79	80-84	85+
口唇	C00	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	-	-	1.7	1.4	0.1	0.0
舌	C01-C02	-	-	-	-	-	-	-	-	-	-	-	-	11.5	15.4	16.4	17.6	17.4	9.3	6.1	2.9
口腔	C03-C06	-	-	-	0.3	-	0.3	0.9	2.5	3.5	5.4	7.6	7.6	6.0	6.0	6.0	6.0	12.1	15.1	12.4	4.3
唾液腺	C07-C08	-	-	-	-	0.3	0.3	0.6	0.8	0.7	1.9	2.4	2.4	1.7	2.2	3.4	3.4	1.7	5.1	10.0	1.5
中咽頭	C09-C10	-	-	-	-	-	-	-	0.3	1.4	1.3	2.2	5.4	7.4	9.8	11.7	11.3	7.9	5.7	3.5	1.5
鼻咽喉	C11	-	-	-	0.3	-	0.3	0.8	0.3	0.8	2.6	1.7	1.0	4.2	1.1	2.9	0.9	0.4	0.4	0.4	0.4
下咽頭	C12-C13	-	-	-	-	-	-	-	0.3	0.2	1.3	3.3	7.9	14.9	16.6	26.1	21.0	14.6	10.8	6.2	2.5
その他・不明の口腔・咽頭	C14	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.3	0.4	2.8	1.4	0.2	0.0
食道	C15	-	-	-	-	-	-	-	-	2.3	4.6	18.4	33.4	67.0	107.3	132.7	159.7	160.0	125.6	38.9	14.2
胃	C16	-	-	-	-	0.3	1.3	2.9	7.1	12.8	36.2	64.1	143.3	270.4	413.8	579.3	740.9	772.0	722.5	173.7	62.3
小腸	C17	-	-	-	-	-	-	-	0.8	1.2	1.3	1.7	4.6	6.0	6.5	10.7	5.9	12.9	14.3	3.2	1.3
結腸	C18	-	-	-	0.3	1.0	1.3	3.8	7.1	12.8	23.8	36.5	78.1	128.0	183.8	256.8	311.8	367.8	398.9	82.8	30.7
直腸	C19-C20	-	-	-	0.3	0.3	0.3	1.4	7.1	14.4	25.2	44.1	80.9	108.5	125.5	155.2	163.9	139.2	144.2	52.3	22.7
C21	-	-	-	-	-	-	-	-	-	-	0.5	0.6	1.9	1.0	0.5	1.7	3.4	4.5	3.6	0.8	0.3
C22	0.4	0.4	-	-	0.3	0.3	-	1.2	1.0	4.0	7.0	17.3	36.9	63.6	84.0	121.4	146.3	172.4	175.1	38.1	14.0
C23-C24	-	-	-	-	-	0.3	0.3	1.0	0.9	1.6	5.3	9.2	27.1	38.9	52.0	85.5	133.6	171.5	171.5	21.1	6.6
C25	-	-	-	-	-	0.3	0.3	1.3	2.1	8.8	13.9	33.1	49.9	80.4	107.3	127.8	144.3	160.7	160.7	33.4	12.2
C30-C31	-	-	-	-	0.3	0.3	-	0.9	1.0	0.9	1.1	0.6	4.1	4.8	7.0	5.4	3.8	6.7	7.2	2.3	1.1
C32	-	-	-	-	-	-	-	0.8	0.5	0.8	1.1	7.9	14.9	20.6	21.1	29.8	27.0	21.5	27.2	7.2	2.7
C33-C34	-	-	-	-	-	0.7	-	5.3	8.4	22.8	45.7	93.9	177.2	296.6	433.8	517.5	677.7	792.8	133.5	45.5	
C37-C38	0.4	-	0.8	0.3	0.3	-	0.3	1.0	1.6	1.9	1.7	1.6	1.2	4.6	5.4	5.9	5.6	2.2	1.8	1.0	1.0
C40-C41	0.4	0.4	-	1.7	1.7	0.3	0.9	1.3	0.5	0.8	0.6	1.1	1.7	1.9	1.7	2.9	3.4	1.4	1.2	0.9	0.9
C43	-	-	-	-	-	0.7	0.6	1.3	0.5	2.1	0.3	0.5	2.1	1.9	3.1	4.4	4.2	7.9	5.0	1.6	0.7
C44	-	-	-	0.3	0.3	1.0	0.6	1.0	2.6	3.7	4.7	8.4	15.1	19.0	33.5	53.6	91.0	157.8	14.9	4.8	4.8
C45	-	-	-	-	-	-	-	-	0.5	0.3	-	0.8	3.4	5.5	5.7	8.0	7.9	7.2	1.8	0.6	0.6
C47・C49	0.4	-	1.1	1.3	1.3	2.3	3.5	3.8	5.6	4.8	7.5	9.8	10.6	13.7	13.4	10.1	10.1	15.1	15.1	6.3	3.7
C50	-	-	-	0.3	-	-	-	-	0.2	0.3	0.6	0.5	1.4	1.4	1.4	2.7	5.0	6.7	4.3	1.0	0.4
C60	-	-	-	-	-	-	-	-	0.8	-	0.8	-	0.3	1.0	1.2	2.7	2.5	4.5	5.0	0.8	0.3
前立腺	C61	-	-	-	0.3	-	-	-	3.5	22.3	71.1	171.4	310.6	487.4	569.9	499.7	497.2	120.9	40.8	0.8	0.3
精巣	C62	0.9	-	-	0.3	4.4	9.9	7.2	8.9	8.6	4.3	5.0	3.3	1.0	0.5	0.3	0.4	1.1	-	3.6	3.5
その他男性生殖器	C63	-	-	-	-	-	-	-	0.3	-	-	-	1.1	0.5	0.5	2.7	3.8	2.2	2.9	0.6	0.2
C64-C66・C68	-	-	-	-	0.3	-	1.0	1.7	5.1	9.5	15.3	27.6	42.9	52.8	61.9	79.1	109.0	114.0	81.1	29.9	12.7
C67	-	-	-	-	-	0.3	-	-	0.3	1.9	2.4	7.5	19.8	29.8	39.8	60.0	96.0	140.4	170.0	23.3	7.6
C69	-	-	-	-	-	-	-	-	-	-	-	-	0.3	0.3	0.2	0.2	0.3	1.3	0.6	-	0.2
C70-C72	1.3	1.6	2.3	2.0	1.3	2.3	3.2	3.2	2.8	4.6	2.9	3.1	5.2	5.8	9.4	11.7	12.2	12.4	17.2	5.1	3.2
C73	-	-	0.4	1.7	0.7	2.3	4.3	4.3	4.3	4.6	7.2	12.5	11.1	14.6	15.6	11.4	12.6	14.6	15.1	7.5	4.3
C74-C75	1.8	1.2	0.8	1.3	1.0	0.7	0.6	-	0.5	0.3	0.3	-	1.2	1.0	1.0	0.3	0.4	0.6	0.7	0.7	0.8
C81	-	-	-	0.4	0.7	1.7	1.0	1.2	1.5	0.7	1.1	1.4	0.8	1.9	2.2	2.0	2.5	2.8	2.9	1.3	0.9
C82-C85・C96	-	-	2.4	0.8	1.3	2.4	3.3	4.9	3.6	5.6	10.7	18.7	26.9	40.6	46.1	66.0	83.4	111.2	101.2	24.8	10.6
C88・C90	-	-	-	-	-	-	-	-	-	1.2	1.9	3.3	5.4	7.7	13.7	19.1	27.7	28.6	24.4	6.1	2.2
C91	7.1	4.1	1.5	2.0	1.3	0.7	1.4	0.8	1.4	2.4	2.8	3.3	3.4	4.1	10.4	8.0	9.5	7.9	3.5	3.0	3.2
C92	1.3	0.4	0.4	0.3	0.7	4.3	2.3	3.8	3.5	5.4	6.4	6.0	9.1	12.0	15.4	21.4	19.7	23.0	6.7	3.6	3.6
C93	0.4	-	0.4	-	0.3	-	-	-	0.3	0.2	0.5	-	0.8	0.2	0.5	0.3	1.3	1.7	-	0.4	0.3
C94	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0.0	0.1
C95	-	-	-	-	-	0.3	-	-	0.3	-	-	-	0.6	0.3	0.5	0.7	0.4	4.5	4.3	0.5	0.2
上記以外	-	-	-	-	0.3	0.7	0.3	0.5	1.9	1.6	4.2	6.8	7.7	14.9	17.1	35.6	39.9	72.5	72.5	8.3	2.8
全部位	C00-C96	16.0	10.5	8.7	16.1	22.2	36.9	45.9	77.3	122.2	221.0	396.2	785.2	1,350.0	2,004.5	2,802.1	3,445.1	3,821.4	4,012.9	882.8	332.9

※1 人口10万対

※2 人口10万対、基準人口は世界人口

付表2-1 各部位の年齢階級別罹患率・粗罹患率・年齢調整罹患率 | 平成25-29年(2013-2017年)

B. 上肢内がんを含む・男性

ICD-10	部位	年齢階級													粗罹患率 ※1	年齢調整 罹患率 ※2											
		0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64			65-69	70-74	75-79	80-84	85+						
C00	口唇	-	-	-	-	-	-	-	-	-	-	-	-	-	0.2	0.2	-	-	-	1.7	1.4	0.1	0.0				
C01-C02	舌	-	-	-	-	-	0.3	-	-	-	1.3	0.9	2.5	5.4	3.9	7.6	11.5	15.4	16.4	17.6	17.4	9.3	6.1	2.9			
C03-C06	口腔	-	-	-	-	0.3	0.3	0.3	-	0.3	-	0.3	0.6	0.8	0.7	1.9	1.7	2.4	2.2	3.4	1.7	5.1	10.0	1.5	0.8		
C07-C08	唾液腺	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C09-C10	中咽頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C11	鼻咽頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C12-C13	下咽頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C14	その他・不明の口腔・咽頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C15 D001	食道	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C16	胃	-	-	-	-	-	-	-	-	-	0.3	1.3	2.9	7.1	12.8	36.2	64.1	143.3	270.4	413.8	579.3	740.9	772.0	722.5	173.7	62.3	
C17	小腸	-	-	-	-	-	-	-	-	-	0.3	-	0.8	1.2	1.3	1.7	4.6	6.0	6.5	10.7	5.9	12.9	14.3	3.2	1.3		
C18 D010	結腸	-	-	-	-	-	0.3	1.0	1.3	3.8	10.4	21.4	37.2	68.3	118.6	196.9	263.3	356.0	420.3	457.6	439.1	114.1	44.3	-	-		
C19-C20 D011-D012	直腸	-	-	-	-	-	0.3	0.3	0.3	0.3	0.3	2.6	9.6	32.1	58.3	102.6	142.4	161.8	197.4	211.6	174.6	160.7	66.7	29.2	-		
C21	肛門・肛門管	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C22	肝・肝内胆管	0.4	0.4	-	0.3	0.3	-	-	-	1.2	1.0	4.0	7.0	17.3	36.9	63.6	84.0	121.4	146.3	172.4	175.1	38.1	14.0	-	-		
C23-C24	胆のう・肝外胆管	-	-	-	-	-	-	-	-	-	0.3	1.0	0.9	1.6	5.3	9.2	27.1	38.9	52.0	85.5	133.6	171.5	21.1	6.6	-		
C25	膵	-	-	-	-	-	-	-	-	-	0.3	0.3	1.3	2.1	8.8	13.9	33.1	49.9	80.4	107.3	127.8	144.3	160.7	33.4	12.2		
C30-C31	鼻腔	-	-	-	-	-	-	-	-	-	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	
C32	喉頭	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C33-C34 D021-D022	肺	-	-	-	-	-	-	-	-	0.7	-	-	-	0.3	5.3	8.4	22.8	45.7	94.2	177.7	297.4	435.1	518.8	678.3	795.0	133.8	45.6
C37-C38	肺腺・胸腔内臓器	0.4	-	0.8	0.3	0.3	-	-	-	-	0.3	1.0	1.6	1.9	1.7	1.6	1.2	4.6	5.4	5.9	5.6	2.2	1.8	1.0	-	-	
C40-C41	骨	0.4	0.4	-	1.7	1.7	0.3	0.9	1.3	0.5	0.8	0.6	1.1	1.7	1.9	1.7	1.9	1.9	1.7	2.9	3.4	1.4	1.2	0.9	-	-	
C43-D03	皮膚の黒色腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C44-D04	皮膚その他	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C45	中皮腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C47・C49	結合組織・軟部組織	0.4	-	1.1	1.3	1.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C50-D05	乳房	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C60	陰茎	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C61	前立腺	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C62	精巣	0.9	-	-	0.3	4.4	9.9	7.2	8.9	8.6	4.3	5.0	3.3	1.0	0.5	0.3	0.4	1.1	-	-	-	-	-	-	-	-	
C63	その他男性生殖器	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C64-C66・C68	腎・尿管	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C67-D090	膀胱	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C69	眼	0.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C70-C72	脳	1.3	1.6	2.3	2.0	1.3	2.3	3.2	2.8	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	4.3	
C73	中脳神経系	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C74-C75	副腎・その他内分泌腺	1.8	1.2	0.8	1.3	1.0	0.7	0.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C81	ホルモン病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C82-C85・C96	非ホドシキリン/リンパ腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C88・C90	多発性骨髄腫	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C91	リンパ性白血病	7.1	4.1	1.5	2.0	1.3	0.7	1.4	0.8	1.4	2.4	3.8	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	3.4	
C92	骨髄性白血病	1.3	0.4	0.4	0.3	0.7	4.3	2.3	3.8	3.5	5.4	6.4	6.0	9.1	12.0	15.4	21.4	19.7	23.0	23.0	23.0	23.0	23.0	23.0	23.0	23.0	
C93	単球性白血病	0.4	-	0.4	-	0.3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C94	その他の白血病	0.4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C95	細胞形態不明の白血病	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
上記以外	他および部位不明	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
C00-C96 D00-D09	全部位	16.0	10.5	8.7	16.1	22.9	38.5	49.0	86.7	141.3	253.1	463.4	883.4	1,513.5	2,190.2	3,066.9	3,743.5	4,098.8	4,222.4	4,965.1	367.1	-	-	-	-		

※1 人口10万対

※2 人口10万対, 基準人口は世界人口

付表2-2 各部位の年齢階級別罹患率・粗罹患率・年齢調整罹患率 | 平成20-24年(2008-2012年)

A. 上肢内がんを含まない・男性

ICD-10	部位	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	粗罹患率 ※1	年齢調整 罹患率 ※2	
C00	口唇	-	-	-	-	-	-	-	-	-	-	0.2	-	-	0.4	0.8	-	2.0	0.1	0.0	
C01-C02	舌	-	-	-	0.3	1.4	1.3	3.0	2.4	1.9	4.8	5.9	8.9	12.3	12.9	13.1	10.4	12.9	4.5	2.4	
C03-C06	口腔	-	-	-	-	0.3	-	0.2	0.8	1.9	3.7	3.5	7.8	8.6	14.3	13.6	16.5	12.9	3.8	1.7	
C07-C08	唾液腺	-	0.4	-	-	-	-	0.5	0.8	0.3	0.8	1.6	1.8	3.7	2.9	5.1	7.9	6.0	1.3	0.6	
C09-C10	中咽頭	-	-	-	-	-	-	0.5	2.1	2.2	2.4	4.2	7.3	8.6	10.8	11.9	10.4	3.0	3.2	1.5	
C11	鼻咽頭	-	-	-	0.3	0.3	0.3	0.5	0.8	2.8	0.5	1.6	1.8	1.2	0.7	1.3	1.2	3.0	0.9	0.6	
C12-C13	下咽頭	-	-	-	-	-	-	-	0.3	0.6	4.0	7.5	11.7	16.6	21.2	18.2	17.7	13.9	5.3	2.3	
C14	その他・不明の口腔・咽頭	-	-	-	-	-	-	-	-	-	-	0.2	0.2	-	1.1	1.7	0.6	3.0	0.2	0.1	
C15	食道	-	-	-	-	-	0.3	0.9	2.7	7.7	19.4	40.5	72.5	114.7	149.1	161.0	142.1	140.2	37.7	15.6	
C16	胃	-	-	0.3	0.6	0.9	2.3	6.3	16.5	37.2	78.7	172.3	294.7	430.5	639.9	757.5	795.5	783.5	168.9	67.7	
C17	小腸	-	-	0.3	-	-	-	-	0.5	0.8	0.8	1.6	2.8	4.1	7.4	6.5	9.2	17.9	2.3	1.0	
C18	結腸	-	-	-	0.3	1.4	4.3	7.5	9.1	21.2	35.9	73.3	123.8	189.3	245.2	303.8	384.3	456.4	74.8	30.2	
C19-C20	直腸	-	-	-	-	0.6	1.8	7.0	7.7	22.3	37.5	73.3	101.1	118.7	145.9	165.2	154.9	146.2	46.1	20.9	
C21	肛門・肛門管	-	-	-	-	-	0.5	-	-	-	0.3	0.7	1.4	0.6	0.4	3.0	1.2	5.0	0.5	0.2	
C22	肝・肝内胆管	0.4	-	0.6	-	0.6	1.0	2.1	5.1	8.0	21.5	44.0	65.8	90.5	140.2	161.0	175.7	149.1	37.3	15.3	
C23-C24	胆のう・肝外胆管	-	-	-	-	-	0.5	2.1	2.8	4.3	14.7	25.0	43.9	73.1	97.9	139.1	201.8	214	21.4	7.6	
C25	膵	-	-	-	0.3	0.5	0.9	2.1	5.5	15.2	34.2	69.3	46.3	69.3	96.4	116.1	137.9	165.1	28.1	11.2	
C30-C31	鼻頭	-	-	-	0.3	0.5	-	-	0.3	1.4	2.1	3.3	4.1	5.2	9.0	10.2	9.2	13.9	2.5	1.1	
C32	鼻頭	-	-	-	-	-	0.3	-	0.5	1.1	2.4	10.3	14.9	23.9	21.2	26.3	33.6	22.9	7.1	2.9	
C33-C34	肺	-	-	-	0.6	0.9	0.8	2.8	8.3	22.3	50.8	96.0	189.7	290.6	417.3	564.7	743.6	802.4	123.4	46.6	
C37-C38	膀胱・膀胱内臓器	0.4	-	0.3	0.9	0.3	1.9	0.8	1.4	1.9	1.9	1.9	2.1	4.0	1.1	3.8	3.1	7.0	1.5	0.9	
C40-C41	骨	-	0.4	1.1	1.0	-	1.1	0.5	1.1	0.6	1.3	0.9	0.5	1.2	1.8	3.4	1.8	3.0	1.0	0.7	
C43	皮膚の黒色腫	-	0.7	-	-	0.3	0.3	0.2	0.8	0.6	0.5	2.3	3.2	4.0	2.5	3.4	6.7	9.9	1.5	0.7	
C44	皮膚その他	-	0.4	-	-	0.3	1.5	2.1	1.6	3.3	9.6	5.6	11.2	15.6	31.9	50.8	79.9	122.3	11.5	4.4	
C45	中皮腫	-	-	-	-	-	-	-	0.3	0.6	0.8	3.3	3.2	5.5	9.7	7.6	9.2	6.0	2.1	0.9	
C47・C49	結合組織・軟部組織	0.4	-	0.6	0.9	0.9	2.0	2.3	2.4	2.8	3.5	7.0	7.3	7.1	9.0	7.6	11.0	9.9	3.8	2.1	
C50	乳房	-	-	-	-	-	-	-	0.3	0.3	0.3	0.5	1.8	2.1	2.5	5.1	4.3	9.9	1.0	0.4	
C60	陰茎	-	-	-	-	-	-	-	0.3	-	-	-	0.5	1.2	2.9	3.4	4.3	8.9	0.7	0.2	
C61	前立腺	0.4	-	-	-	0.3	0.3	0.5	0.3	4.7	24.7	76.3	190.8	353.1	518.0	585.5	508.8	455.4	114.9	44.0	
C62	精巣	0.8	-	1.0	3.5	6.3	5.1	8.6	7.2	4.7	1.6	2.6	0.5	-	0.7	1.3	-	-	2.9	2.7	
C63	その他男性生殖器	-	-	-	-	-	-	-	-	-	0.3	0.5	0.5	1.8	2.5	2.5	2.4	4.0	0.6	0.2	
C64-C66・C68	腎・尿管	0.8	0.4	-	0.3	0.9	2.5	3.7	8.3	14.6	22.9	38.6	43.1	54.6	72.1	84.7	100.0	94.5	24.5	11.3	
C67	膀胱	-	-	-	0.3	-	0.5	0.7	1.3	4.1	7.2	19.0	28.4	44.8	64.5	97.0	126.3	207.8	21.6	8.0	
C69	眼	1.2	-	-	-	-	-	-	-	0.3	-	0.2	-	0.9	0.7	-	-	-	0.2	0.2	
C70-C72	脳・中枢神経系	0.8	1.5	0.7	1.5	2.3	2.8	4.7	4.3	4.1	5.1	6.1	5.5	8.3	7.5	14.4	11.0	12.9	4.7	3.1	
C73	甲状腺	-	-	-	0.3	1.1	2.8	4.2	5.1	4.7	8.8	9.1	9.9	9.5	18.3	14.4	11.0	8.0	5.7	3.2	
C74-C75	副腎・その他内分泌腺	1.6	1.1	1.4	0.3	0.3	-	0.3	0.2	0.3	-	0.2	0.2	0.9	2.5	1.3	3.1	-	0.6	0.7	
C81	ホウキ菌病	0.4	0.4	-	1.6	-	2.3	0.5	0.9	0.5	0.8	0.5	0.2	1.4	3.4	1.1	0.8	1.2	-	0.9	0.8
C82-C85・C96	非ホジキンリンパ腫	0.8	-	2.5	1.0	1.5	2.6	2.5	5.1	8.0	10.2	16.5	24.3	34.2	38.7	55.9	87.7	90.3	93.5	20.6	9.5
C88・C90	多発性骨髄腫	-	-	-	-	-	-	0.2	1.1	0.3	4.3	3.0	8.9	13.2	17.6	19.1	38.4	29.8	5.3	2.1	
C91	リンパ性白血病	5.7	4.9	2.1	1.0	0.6	1.1	0.3	1.2	0.8	1.9	2.4	2.8	3.4	10.0	7.6	9.2	8.9	3.0	2.6	
C92	骨髄性白血病	0.4	0.8	0.7	1.3	2.7	2.3	1.5	1.6	2.9	6.1	5.1	8.7	10.1	13.2	16.5	26.7	25.6	6.9	3.7	
C93	単球性白血病	-	-	0.4	-	0.3	0.3	0.2	0.5	-	-	0.3	-	0.2	0.3	0.4	0.6	-	0.2	0.2	
C94	その他の白血病	0.4	-	-	-	-	-	-	-	-	0.3	0.2	0.2	-	0.4	-	-	-	-	0.1	0.1
C95	細胞形態不明の白血病	-	-	-	-	-	-	-	-	0.3	-	0.2	0.7	0.3	0.4	1.7	3.7	6.0	0.4	0.1	
上記以外	上記以外	0.4	-	-	0.3	-	0.8	1.2	2.1	1.9	4.0	9.8	8.9	16.0	20.1	37.7	52.5	68.6	8.3	3.2	
C00-C96	全部位	15.1	9.8	10.0	10.6	14.4	29.6	73.7	112.6	208.2	407.6	814.3	1,358.8	2,038.8	2,878.6	3,505.3	3,895.1	4,155.1	813.8	335.4	

※1 人口10万対

※2 人口10万対、基準人口は世界人口

付表3 年齢調整罹患率の推移

A. 上皮内がんを含まない・男性

ICD-10	部位	昭34-36 (1959-1961)	昭37-39 (1962-1964)	昭40-42 (1965-1967)	昭43-47 (1968-1972)	昭48-52 (1973-1977)	昭53-57 (1978-1982)	昭58-62 (1983-1987)	昭63-平4 (1988-1992)	平5-9 (1993-1997)	平10-14 (1998-2002)	平15-19 (2003-2007)	平20-24 (2008-2012)	平25-29 (2013-2017)
C00-C96	全部位	193.2	194.2	192.1	192.8	208.9	230.1	261.2	288.8	292.4	303.0	323.6	335.4	332.9
C00-C14	口腔・咽頭	3.3	3.0	2.2	2.7	2.7	4.1	5.0	5.5	6.4	7.1	7.4	9.1	10.0
C15	食道	14.3	14.5	12.7	13.2	13.8	13.7	14.4	14.1	15.1	16.2	15.2	15.6	14.2
C16	胃	95.4	95.3	91.2	86.9	88.0	83.3	86.1	85.4	72.4	69.0	67.9	67.7	62.3
C18-C20	大腸	-	-	-	-	-	21.5	30.7	43.5	45.2	47.7	49.2	51.0	53.4
C18	(再掲) 結腸	3.9	4.1	4.7	5.5	8.3	10.8	17.3	25.9	26.7	27.9	28.7	30.2	30.7
C19-C20	(再掲) 直腸	5.3	4.8	7.0	6.9	9.2	10.7	13.3	17.6	18.6	19.9	20.5	20.9	22.7
C22	肝・肝内胆管	1.0	1.2	1.5	1.9	2.5	11.7	14.0	16.1	19.2	18.1	16.5	15.3	14.0
C23-C24	胆のう・肝外胆管	5.1	5.4	5.1	5.7	5.9	6.3	7.2	8.1	8.3	7.3	7.6	7.6	6.6
C25	膵	5.2	6.7	6.4	7.2	7.4	8.7	10.8	11.1	10.6	10.5	10.7	11.2	12.2
C30-C31	鼻腔・中耳・副鼻腔	3.0	3.4	2.7	2.5	2.1	1.9	1.5	1.5	1.2	1.1	1.0	1.1	1.1
C32	喉頭	2.8	2.4	2.7	2.1	2.2	2.7	3.5	3.7	3.9	3.4	3.2	2.9	2.7
C33-C34	肺	14.9	15.6	17.9	21.5	25.5	30.7	36.9	40.1	43.5	42.5	42.8	46.6	45.5
C43-C44	皮膚	2.4	1.8	1.6	1.8	1.8	2.3	2.4	3.1	3.2	3.7	4.1	5.1	5.5
C50	乳房	0.3	0.2	0.3	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.4	0.4
C53-C55	子宮	-	-	-	-	-	-	-	-	-	-	-	-	-
C53	(再掲) 子宮頸部	-	-	-	-	-	-	-	-	-	-	-	-	-
C54	(再掲) 子宮体部	-	-	-	-	-	-	-	-	-	-	-	-	-
C56	卵巣	-	-	-	-	-	-	-	-	-	-	-	-	-
C61	前立腺	3.7	3.2	3.4	3.4	4.9	7.1	8.3	10.1	14.7	24.3	46.3	44.0	40.8
C62	精巣	0.7	0.4	0.8	0.8	0.8	1.1	1.3	1.6	1.7	2.6	2.3	2.7	3.5
C64-C66・C68	腎・尿路	0.8	1.8	1.2	1.7	2.6	3.4	5.2	6.9	7.6	9.5	10.1	11.3	12.7
C67	膀胱	3.7	5.0	4.8	3.9	5.3	7.0	8.2	9.4	9.2	9.3	8.3	8.0	7.6
C70-C72	脳・中枢神経系	0.4	1.1	1.0	1.1	0.9	2.3	2.4	2.5	3.0	2.8	2.9	3.1	3.2
C73	甲状腺	0.9	0.8	1.0	0.7	1.0	1.1	1.5	1.6	1.7	2.2	2.5	3.2	4.3
C82-C85・C96	悪性リンパ腫	-	-	-	-	-	5.0	6.2	7.2	6.9	8.3	8.4	10.3	11.5
C88・C90	多発性骨髄腫	0.3	0.2	0.6	0.7	1.1	1.6	1.7	1.7	2.1	2.0	2.1	2.1	2.2
C91-C95	白血病	3.7	4.4	4.2	4.6	4.6	5.6	6.0	6.3	6.3	5.9	6.1	6.7	7.1

B. 上皮内がんを含む・男性

ICD-10	部位	昭34-36 (1959-1961)	昭37-39 (1962-1964)	昭40-42 (1965-1967)	昭43-47 (1968-1972)	昭48-52 (1973-1977)	昭53-57 (1978-1982)	昭58-62 (1983-1987)	昭63-平4 (1988-1992)	平5-9 (1993-1997)	平10-14 (1998-2002)	平15-19 (2003-2007)	平20-24 (2008-2012)	平25-29 (2013-2017)
C00-C96 D00-D09	全部位	-	-	-	-	-	230.4	261.9	293.1	307.8	321.3	346.7	363.6	367.1
C15 D001	食道	-	-	-	-	-	13.7	14.4	14.1	15.4	16.6	16.2	16.9	15.4
C18-C20 D010-D020	大腸	-	-	-	-	-	21.5	30.9	45.9	58.6	62.5	65.4	68.3	73.5
C18 D010	(再掲) 結腸	-	-	-	-	-	10.8	17.5	27.6	36.2	38.2	40.0	42.0	44.3
C19-C20 D011-D020	(再掲) 直腸	-	-	-	-	-	10.7	13.4	18.3	22.3	24.3	25.4	26.3	29.2
C33-C34 D021-D022	肺	-	-	-	-	-	30.7	36.9	40.2	43.6	42.5	42.9	46.6	45.6
C43-C44 D030-D049	皮膚	-	-	-	-	-	2.4	2.5	3.4	3.9	4.3	5.1	6.1	6.7
C50 D05	乳房	-	-	-	-	-	0.2	0.2	0.3	0.2	0.2	0.2	0.4	0.4
C53-C55 D06	子宮	-	-	-	-	-	-	-	-	-	-	-	-	-
C53 D06	(再掲) 子宮頸部	-	-	-	-	-	-	-	-	-	-	-	-	-
C67 D090	膀胱	-	-	-	-	-	7.1	8.3	9.6	10.0	11.2	12.3	14.6	15.7

人口10万対、基準人口は世界人口

1) 部位不明の口腔を除く、2) 膀胱性と明示されたもののみ、3) 腎のみ、4) 腎以外のその他の泌尿器を含む

付表3 年齢調整罹患率の推移

A. 上皮内がんを含まない・女性

部位	ICD-10	昭34-36 (1959-1961)	昭37-39 (1962-1964)	昭40-42 (1965-1967)	昭43-47 (1968-1972)	昭48-52 (1973-1977)	昭53-57 (1978-1982)	昭58-62 (1983-1987)	昭63-64 (1988-1992)	平5-9 (1993-1997)	平10-14 (1998-2002)	平15-19 (2003-2007)	平20-24 (2008-2012)	平25-29 (2013-2017)
全部位	C00-C96	153.2	141.2	153.4	131.8	139.0	150.6	167.5	179.4	177.7	193.6	207.8	236.2	256.5
口腔・咽頭	C00-C14	1.5	1.7	1.4	1.2	1.2 ¹⁾	1.6	1.9	2.1	2.3	2.3	2.1	3.1	4.1
食道	C15	5.7	4.9	4.0	4.3	3.2	3.1	2.4	2.2	2.3	2.3	2.3	2.3	2.2
胃	C16	47.2	44.7	43.9	40.9	42.0	36.6	36.6	33.6	27.8	25.1	23.3	23.7	21.5
大腸	C18-C20	-	-	-	-	-	17.7	22.2	25.8	26.0	28.6	30.1	31.8	33.1
(再掲) 結腸	C18	4.1	4.0	4.9	5.6	7.3	9.9	13.5	16.5	17.0	18.7	20.3	21.2	21.9
(再掲) 直腸	C19-C20	4.9	5.0	5.0	5.3	6.5	7.8	8.8	9.3	9.0	9.9	9.7	10.6	11.1
肝・肝内胆管	C22	0.3 ²⁾	0.8 ²⁾	0.4 ²⁾	0.7 ²⁾	0.9 ²⁾	4.2	4.5	5.8	6.1	6.1	5.6	5.6	4.2
胆のう・肝外胆管	C23-C24	4.8	5.3	5.3	4.8	5.5	5.6	7.0	6.9	6.2	5.5	4.9	4.5	3.7
膵	C25	3.9	3.8	4.5	4.5	4.2	5.1	6.1	5.7	5.6	6.4	6.2	7.8	7.8
鼻腔・中耳・副鼻腔	C30-C31	2.1	1.9	1.6	1.3	0.8	0.8	0.8	0.7	0.5	0.5	0.5	0.3	0.5
喉頭	C32	0.5	0.3	0.5	0.2	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
肺	C33-C34	5.4	5.9	6.7	7.2	7.2	8.9	11.2	10.8	12.0	13.2	13.9	17.6	17.8
皮膚	C43-C44	1.2	1.6	2.0	1.5	1.3	1.4	1.8	2.0	2.0	2.8	3.0	3.7	4.1
乳房	C50	12.6	11.0	13.9	13.9	17.5	22.6	28.8	32.7	35.1	44.9	55.5	64.3	74.9
子宮	C53-C55	34.2	27.1	32.1	17.2	17.0	12.9	10.7	12.2	11.2	13.2	14.5	20.1	22.1
(再掲) 子宮頸部	C53	24.5	20.6	25.4	12.9	12.1	9.1	6.4	7.1	6.1	6.2	7.0	8.9	8.7
(再掲) 子宮体部	C54	2.0	1.3	1.2	1.2	2.0	2.9	3.3	4.3	4.5	6.2	7.0	10.9	13.0
卵巣	C56	2.3 ³⁾	1.9 ³⁾	2.9 ³⁾	2.9 ³⁾	3.4 ³⁾	4.4	5.5	6.5	7.3	7.4	8.0	9.3	11.4
前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-
精巣	C62	-	-	-	-	-	-	-	-	-	-	-	-	-
腎・尿路	C64-C66・C68	0.7 ⁴⁾	0.7 ⁴⁾	0.8 ⁴⁾	1.1	1.1	1.8	2.2	2.5	3.2	3.5	4.1	4.0	4.4
膀胱	C67	1.9 ⁵⁾	1.7 ⁵⁾	2.2 ⁵⁾	1.3	2.4	2.1	2.4	2.7	2.4	2.3	2.1	1.8	1.9
脳・中枢神経系	C70-C72	0.6	0.8	1.0	1.0	0.8	1.8	1.6	1.9	2.0	1.9	1.6	2.0	2.8
甲状腺	C73	2.9	2.0	3.2	2.3	2.7	4.4	6.0	9.4	9.7	9.6	10.9	11.2	14.6
悪性リンパ腫	C82-C85・C96	-	-	-	-	-	2.8	3.7	4.6	4.2	5.8	6.6	8.4	8.9
多発性骨髄腫	C88・C90	0.2	0.4	0.3	0.5	0.7	1.3	1.4	1.4	1.4	1.5	1.4	1.7	1.5
白血病	C91-C95	2.7	2.7	3.7	3.6	3.9	4.3	3.9	3.6	4.1	4.1	4.9	5.0	5.4

B. 上皮内がんを含む・女性

部位	ICD-10	昭34-36 (1959-1961)	昭37-39 (1962-1964)	昭40-42 (1965-1967)	昭43-47 (1968-1972)	昭48-52 (1973-1977)	昭53-57 (1978-1982)	昭58-62 (1983-1987)	昭63-64 (1988-1992)	平5-9 (1993-1997)	平10-14 (1998-2002)	平15-19 (2003-2007)	平20-24 (2008-2012)	平25-29 (2013-2017)
全部位	C00-C96 D00-D09	-	-	-	-	-	154.4	173.6	190.6	195.0	214.2	235.9	278.1	313.7
食道	C15 D001	-	-	-	-	-	3.1	2.4	2.2	2.3	2.3	2.4	2.6	2.5
大腸	C18-C20 D010-D020	-	-	-	-	-	17.7	22.5	26.6	30.7	34.6	36.9	39.1	42.2
(再掲) 結腸	C18 D010	-	-	-	-	-	9.9	13.6	17.0	20.3	22.8	25.2	26.4	28.3
(再掲) 直腸	C19-C20 D011-D020	-	-	-	-	-	7.8	8.9	9.6	10.4	11.7	11.7	12.6	14.0
肺	C33-C34 D021-D022	-	-	-	-	-	8.9	11.2	10.8	12.0	13.2	13.9	17.6	17.9
皮膚	C43-C44 D030-D049	-	-	-	-	-	1.5	2.0	2.1	2.4	3.5	3.7	4.7	5.1
乳房	C50 D05	-	-	-	-	-	23.2	30.6	34.8	37.6	48.8	64.3	76.6	87.9
子宮	C53-C55 D06	-	-	-	-	-	16.1	14.5	18.4	20.3	22.2	25.0	39.0	51.8
(再掲) 子宮頸部	C53 D06	-	-	-	-	-	12.2	10.2	13.3	15.2	15.2	17.5	27.8	38.5
膀胱	C67 D090	-	-	-	-	-	2.1	2.5	2.7	2.6	2.8	2.9	3.2	3.7

人口10万対、基準人口は世界人口

1) 部位不明の口腔を除く、2) 膀胱性と明示されたもののみ、3) その他の女性生殖器を含む、4) 腎のみ、5) 腎以外のその他の泌尿器を含む

付表4-1 市区町村別・主要部位別がん標準化罹患比 | 平成25-29年(2013-2017年)

	全部位 C00-C96 D00-D09				口腔・咽頭 C00-C14				食道 C15 D001			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県 (合計)	96,619	100.0			1,876	100.0			2,836	100.0		
仙台市	39,645	100.3	99.3 - 101.3		858	110.7	103.3 - 118.2	+	1,227	107.2	101.2 - 113.2	+
青葉区	10,824	96.7	94.9 - 98.5	-	283	129.6	114.5 - 144.7	+	357	111.1	99.6 - 122.6	
宮城野区	6,899	104.6	102.1 - 107.1	+	148	114.3	95.9 - 132.7		213	112.7	97.5 - 127.8	
若林区	5,076	105.6	102.7 - 108.5	+	74	78.4	60.5 - 96.3	-	173	124.5	106.0 - 143.1	+
太白区	8,854	101.2	99.1 - 103.3		178	104.3	89.0 - 119.6		246	96.7	84.6 - 108.8	
泉区	7,992	97.7	95.6 - 99.9	-	175	108.2	92.2 - 124.2		238	98.6	86.1 - 111.2	
石巻市	7,705	110.3	107.9 - 112.8	+	125	93.0	76.7 - 109.3		208	99.7	86.2 - 113.3	
塩竈市	2,760	104.6	100.7 - 108.5	+	62	121.7	91.4 - 152.0		99	124.5	100.0 - 149.0	
気仙沼市	3,232	93.1	89.9 - 96.3	-	65	97.6	73.9 - 121.3		95	90.2	72.1 - 108.3	
白石市	1,762	99.8	95.2 - 104.5		23	68.2	40.3 - 96.1	-	51	97.2	70.5 - 123.8	
名取市	2,912	105.1	101.3 - 108.9	+	44	80.8	56.9 - 104.6		88	110.6	87.5 - 133.7	
角田市	1,367	91.4	86.5 - 96.2	-	27	94.6	58.9 - 130.3		33	74.3	49.0 - 99.7	-
多賀城市	2,343	101.1	97.0 - 105.2		55	120.4	88.6 - 152.3		59	87.5	65.2 - 109.8	
岩沼市	1,689	96.7	92.1 - 101.3		31	90.6	58.7 - 122.5		44	86.3	60.8 - 111.8	
登米市	3,838	93.8	90.8 - 96.7	-	63	80.8	60.9 - 100.8		89	73.5	58.2 - 88.7	-
栗原市	3,864	99.3	96.1 - 102.4		73	99.8	76.9 - 122.7		110	94.5	76.9 - 112.2	
東松島市	1,718	102.2	97.3 - 107.0		40	121.8	84.1 - 159.6		54	108.2	79.3 - 137.0	
大崎市	5,823	98.5	96.0 - 101.1		95	83.5	66.7 - 100.3		160	92.3	78.0 - 106.6	
富谷市	1,588	96.1	91.3 - 100.8		28	84.0	52.9 - 115.2		51	108.5	78.7 - 138.3	
蔵王町	573	89.5	82.2 - 96.8	-	16	131.3	67.0 - 195.6		23	120.3	71.1 - 169.5	
七ヶ宿町	104	105.0	84.8 - 125.2		2	113.0	-43.6 - 269.5		0	0.0	0.0 - 0.0	-
大河原町	904	92.0	86.0 - 98.0	-	13	68.2	31.1 - 105.3		33	115.0	75.7 - 154.2	
村田町	484	85.5	77.9 - 93.1	-	4	36.9	0.7 - 73.2	-	12	71.7	31.1 - 112.3	
柴田町	1,619	99.0	94.1 - 103.8		23	71.9	42.5 - 101.3		47	96.2	68.7 - 123.7	
川崎町	444	91.1	82.6 - 99.6	-	6	64.5	12.9 - 116.1		10	69.0	26.2 - 111.8	
丸森町	730	90.6	84.0 - 97.1	-	14	92.7	44.2 - 141.3		27	112.6	70.1 - 155.1	
亶理町	1,572	104.6	99.4 - 109.8		34	116.0	77.0 - 155.0		31	69.1	44.8 - 93.5	-
山元町	655	96.4	89.1 - 103.8		18	138.2	74.3 - 202.0		17	82.1	43.1 - 121.2	
松島町	793	102.2	95.1 - 109.3		19	128.5	70.7 - 186.2		26	110.7	68.2 - 153.3	
七ヶ浜町	839	102.4	95.4 - 109.3		13	80.2	36.6 - 123.8		18	72.9	39.2 - 106.6	
利府町	1,208	93.1	87.9 - 98.4	-	19	73.7	40.5 - 106.8		33	88.3	58.2 - 118.5	
大和町	985	94.6	88.7 - 100.5		16	79.4	40.5 - 118.4		22	74.6	43.4 - 105.8	
大郷町	426	97.8	88.5 - 107.1		7	84.8	22.0 - 147.6		13	100.6	45.9 - 155.3	
大衡村	222	91.0	79.0 - 103.0		6	128.3	25.6 - 230.9		7	97.7	25.3 - 170.0	
色麻町	318	90.4	80.5 - 100.4		5	75.0	9.3 - 140.7		13	125.7	57.4 - 194.0	
加美町	1,241	100.2	94.7 - 105.8		14	59.5	28.3 - 90.7	-	41	110.9	77.0 - 144.9	
涌谷町	903	105.9	99.0 - 112.8		16	97.7	49.8 - 145.5		25	97.2	59.1 - 135.4	
美里町	1,305	104.9	99.2 - 110.5		20	83.9	47.1 - 120.7		34	91.4	60.7 - 122.1	
女川町	412	126.1	113.9 - 138.3	+	5	79.7	9.8 - 149.5		15	152.2	75.2 - 229.2	
南三陸町	630	96.2	88.7 - 103.7		17	136.7	71.7 - 201.7		21	108.6	62.1 - 155.0	

※1 性別不詳を含む

※2 宮城県 (合計) を100とする

※3 +危険率5%で有意に高い, -危険率5%で有意に低い

付表4-1（続き）

	胃 C16				大腸 C18-20 D010-D012				肝・肝内胆管 C22			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	13,993	100.0			17,624	100.0			3,194	100.0		
仙台市	5,534	98.5	96.0 - 101.1		7,050	98.6	96.3 - 100.9		1,276	100.4	94.9 - 106.0	
青葉区	1,475	93.0	88.3 - 97.8	-	1,880	93.1	88.9 - 97.3	-	351	97.4	87.2 - 107.6	
宮城野区	1,011	109.0	102.3 - 115.7	+	1,246	105.0	99.2 - 110.8		235	112.2	97.9 - 126.6	
若林区	711	104.5	96.8 - 112.2		948	109.1	102.2 - 116.1	+	174	113.2	96.4 - 130.0	
太白区	1,243	99.3	93.8 - 104.8		1,554	98.1	93.2 - 102.9		275	96.8	85.4 - 108.3	
泉区	1,094	93.5	88.0 - 99.1	-	1,422	95.6	90.6 - 100.5		241	91.7	80.1 - 103.3	
石巻市	999	96.8	90.8 - 102.8		1,369	106.7	101.1 - 112.4	+	265	112.0	98.5 - 125.4	
塩竈市	453	115.7	105.0 - 126.4	+	463	95.4	86.7 - 104.1		103	115.2	92.9 - 137.4	
気仙沼市	421	80.8	73.1 - 88.6	-	730	113.8	105.5 - 122.0	+	96	80.3	64.3 - 96.4	-
白石市	268	102.3	90.1 - 114.6		364	111.9	100.4 - 123.4	+	53	87.4	63.8 - 110.9	
名取市	410	105.1	94.9 - 115.2		506	101.1	92.3 - 109.9		80	90.7	70.8 - 110.6	
角田市	258	116.3	102.1 - 130.5	+	244	88.5	77.4 - 99.6	-	42	81.6	56.9 - 106.3	
多賀城市	358	108.9	97.6 - 120.2		417	99.5	90.0 - 109.1		82	110.8	86.8 - 134.8	
岩沼市	243	97.2	85.0 - 109.4		348	109.7	98.2 - 121.2		60	105.9	79.1 - 132.7	
登米市	556	91.6	83.9 - 99.2	-	818	108.3	100.9 - 115.7	+	159	112.6	95.1 - 130.1	
栗原市	610	103.8	95.6 - 112.0		652	90.4	83.5 - 97.3	-	140	101.7	84.8 - 118.5	
東松島市	236	96.6	84.2 - 108.9		273	88.8	78.3 - 99.3	-	52	93.7	68.3 - 119.2	
大崎市	860	99.8	93.1 - 106.5		1,143	105.6	99.5 - 111.8		195	98.3	84.5 - 112.1	
富谷市	227	100.3	87.3 - 113.4		273	92.0	81.1 - 102.9		37	73.8	50.0 - 97.6	-
蔵王町	89	93.0	73.7 - 112.4		115	97.1	79.4 - 114.9		16	72.0	36.7 - 107.2	
七ヶ宿町	19	124.7	68.6 - 180.7		16	87.2	44.5 - 129.9		5	135.1	16.7 - 253.6	
大河原町	143	100.7	84.2 - 117.2		174	97.3	82.8 - 111.7		28	86.3	54.4 - 118.3	
村田町	93	111.1	88.5 - 133.7		80	76.7	59.9 - 93.5	-	15	77.2	38.1 - 116.3	
柴田町	240	100.8	88.0 - 113.5		326	109.1	97.2 - 120.9		56	103.9	76.7 - 131.1	
川崎町	84	115.7	91.0 - 140.5		89	98.6	78.1 - 119.1		20	118.4	66.5 - 170.4	
丸森町	126	103.4	85.4 - 121.5		125	83.6	69.0 - 98.3	-	23	80.2	47.4 - 113.0	
亘理町	235	106.9	93.3 - 120.6		272	98.6	86.8 - 110.3		87	173.8	137.2 - 210.3	+
山元町	107	104.6	84.8 - 124.5		122	97.0	79.8 - 114.2		30	127.6	81.9 - 173.2	
松島町	141	120.7	100.8 - 140.7	+	135	94.2	78.3 - 110.1		24	89.2	53.5 - 124.9	
七ヶ浜町	131	109.7	90.9 - 128.5		130	86.2	71.4 - 101.0		29	108.0	68.7 - 147.3	
利府町	178	98.0	83.6 - 112.4		221	93.7	81.3 - 106.0		38	92.6	63.2 - 122.1	
大和町	152	103.2	86.8 - 119.6		180	95.7	81.7 - 109.6		23	67.9	40.2 - 95.7	-
大郷町	70	107.7	82.4 - 132.9		76	94.3	73.1 - 115.6		14	92.0	43.8 - 140.2	
大衡村	41	114.7	79.6 - 149.8		41	91.6	63.5 - 119.6		6	72.5	14.5 - 130.6	
色麻町	51	97.9	71.0 - 124.8		62	95.6	71.8 - 119.4		8	65.7	20.2 - 111.3	
加美町	186	100.5	86.1 - 115.0		232	101.4	88.3 - 114.4		33	76.7	50.5 - 102.9	
涌谷町	128	100.6	83.2 - 118.1		147	93.1	78.1 - 108.2		38	129.7	88.4 - 170.9	
美里町	210	113.5	98.1 - 128.8		253	110.2	96.6 - 123.8		44	103.0	72.6 - 133.5	
女川町	65	133.3	100.9 - 165.7	+	69	114.7	87.7 - 141.8		8	71.6	22.0 - 121.2	
南三陸町	70	71.9	55.1 - 88.8	-	107	88.4	71.6 - 105.1		9	39.6	13.7 - 65.5	-

※1 性別不詳を含む

※2 宮城県（合計）を100とする

※3 +危険率5%で有意に高い，-危険率5%で有意に低い

付表4-1（続き）

	胆のう・肝外胆管 C23-C24				膵 C25				肺 C33-C34 D021-D022			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	2,208	100.0			3,616	100.0			10,937	100.0		
仙台市	802	93.7	87.2 - 100.2		1,439	100.2	95.0 - 105.4		4,254	97.4	94.5 - 100.4	
青葉区	226	91.8	79.9 - 103.8		398	97.5	87.9 - 107.1		1,100	89.0	83.7 - 94.3	-
宮城野区	136	97.1	80.8 - 113.5		243	102.8	89.9 - 115.7		791	110.0	102.3 - 117.7	+
若林区	103	100.0	80.6 - 119.3		179	103.1	88.0 - 118.2		565	107.0	98.1 - 115.8	
太白区	182	94.1	80.4 - 107.8		317	98.7	87.8 - 109.5		986	101.1	94.8 - 107.4	
泉区	155	89.4	75.3 - 103.5		302	101.9	90.4 - 113.4		812	89.5	83.4 - 95.7	-
石巻市	163	98.2	83.1 - 113.2		296	110.4	97.9 - 123.0		1,029	127.1	119.3 - 134.8	+
塩竈市	56	90.2	66.6 - 113.8		97	96.0	76.9 - 115.1		340	110.9	99.2 - 122.7	
気仙沼市	86	102.1	80.6 - 123.7		120	88.7	72.8 - 104.6		370	90.4	81.2 - 99.6	-
白石市	49	112.4	81.0 - 143.9		59	85.6	63.8 - 107.4		192	92.8	79.7 - 105.9	
名取市	58	98.2	72.9 - 123.4		103	103.4	83.4 - 123.4		300	99.2	87.9 - 110.4	
角田市	37	99.4	67.4 - 131.5		45	76.8	54.4 - 99.3	-	178	101.5	86.6 - 116.4	
多賀城市	59	120.2	89.5 - 150.9		95	113.8	90.9 - 136.7		280	109.9	97.1 - 122.8	
岩沼市	33	85.8	56.5 - 115.1		68	106.1	80.9 - 131.3		169	86.9	73.8 - 100.0	-
登米市	111	108.4	88.2 - 128.6		158	98.5	83.2 - 113.9		409	85.4	77.1 - 93.7	-
栗原市	102	100.1	80.6 - 119.5		180	115.0	98.2 - 131.8		453	97.1	88.2 - 106.1	
東松島市	42	111.0	77.4 - 144.6		62	98.8	74.2 - 123.4		212	111.3	96.3 - 126.3	
大崎市	144	102.7	86.0 - 119.5		211	93.8	81.2 - 106.5		643	95.1	87.7 - 102.4	
富谷市	34	107.0	71.0 - 143.0		51	90.1	65.4 - 114.8		178	102.5	87.4 - 117.5	
蔵王町	13	80.4	36.7 - 124.0		16	63.2	32.2 - 94.2	-	73	96.5	74.3 - 118.6	
七ヶ宿町	0	0.0	0.0 - 0.0	-	3	70.4	-9.3 - 150.1		19	153.1	84.3 - 222.0	
大河原町	23	102.4	60.6 - 144.3		30	81.6	52.4 - 110.9		80	72.1	56.3 - 87.9	-
村田町	16	114.1	58.2 - 170.1		19	86.0	47.3 - 124.6		53	80.2	58.6 - 101.8	
柴田町	43	117.6	82.4 - 152.7		58	95.1	70.7 - 119.6		187	100.8	86.3 - 115.2	
川崎町	10	81.1	30.8 - 131.3		21	108.9	62.3 - 155.5		50	87.0	62.9 - 111.1	
丸森町	23	106.9	63.2 - 150.5		40	122.2	84.3 - 160.1		82	84.5	66.2 - 102.7	
亶理町	40	116.1	80.1 - 152.0		48	84.6	60.7 - 108.5		172	100.1	85.1 - 115.0	
山元町	20	119.3	67.0 - 171.6		17	63.6	33.3 - 93.8	-	75	93.0	72.0 - 114.1	
松島町	24	124.9	74.9 - 174.8		33	108.2	71.3 - 145.1		92	100.1	79.7 - 120.6	
七ヶ浜町	27	152.3	94.9 - 209.8		42	139.0	97.0 - 181.0		126	136.4	112.6 - 160.2	+
利府町	21	77.5	44.3 - 110.6		29	62.5	39.8 - 85.3	-	148	105.1	88.1 - 122.0	
大和町	23	96.7	57.2 - 136.3		49	127.4	91.8 - 163.1		104	90.2	72.9 - 107.6	
大郷町	17	151.6	79.6 - 223.7		18	103.9	55.9 - 151.9		67	129.8	98.8 - 160.9	
大衡村	5	84.2	10.4 - 158.0		7	74.4	19.3 - 129.5		29	103.0	65.5 - 140.5	
色麻町	6	67.0	13.4 - 120.6		12	86.5	37.6 - 135.5		41	99.4	69.0 - 129.8	
加美町	29	93.0	59.1 - 126.8		49	100.4	72.3 - 128.5		156	106.8	90.0 - 123.5	
涌谷町	18	86.8	46.7 - 126.9		41	123.7	85.8 - 161.6		111	111.2	90.5 - 131.9	
美里町	32	104.8	68.5 - 141.1		49	101.0	72.7 - 129.3		136	93.4	77.7 - 109.1	
女川町	19	242.2	133.3 - 351.2	+	16	126.5	64.5 - 188.5		42	109.7	76.5 - 142.9	
南三陸町	22	132.2	76.9 - 187.4		35	135.2	90.4 - 179.9		86	111.4	87.9 - 135.0	

※1 性別不詳を含む
 ※2 宮城県（合計）を100とする
 ※3 + 危険率5%で有意に高い，-危険率5%で有意に低い

付表4-1 (続き)

	女性乳房 C50 D05				子宮頸部 C53 D06				子宮体部 C54			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県 (合計)	9,253	100.0			2,624	100.0			1,354	100.0		
仙台市	4,495	111.1	107.9 - 114.4	+	1,063	84.1	79.0 - 89.1	-	610	103.6	95.4 - 111.8	
青葉区	1,314	114.2	108.0 - 120.3	+	261	70.9	62.3 - 79.5	-	144	85.9	71.9 - 99.9	-
宮城野区	699	101.8	94.3 - 109.4		243	107.1	93.6 - 120.5		111	111.2	90.5 - 131.9	
若林区	553	114.1	104.6 - 123.6	+	145	94.6	79.2 - 109.9		81	114.8	89.8 - 139.8	
太白区	955	108.4	101.6 - 115.3	+	234	87.0	75.8 - 98.1	-	132	103.3	85.6 - 120.9	
泉区	974	115.7	108.5 - 123.0	+	180	72.8	62.2 - 83.4	-	142	115.4	96.4 - 134.3	
石巻市	695	110.4	102.2 - 118.6	+	266	169.0	148.7 - 189.3	+	96	104.4	83.5 - 125.3	
塩竈市	255	105.5	92.5 - 118.4		47	79.7	56.9 - 102.5		47	133.0	95.0 - 171.0	
気仙沼市	294	97.6	86.4 - 108.7		59	89.7	66.8 - 112.6		43	97.7	68.5 - 126.9	
白石市	137	88.5	73.7 - 103.3		40	107.4	74.1 - 140.6		23	101.1	59.8 - 142.4	
名取市	290	101.4	89.7 - 113.0		130	141.4	117.1 - 165.6	+	56	133.6	98.6 - 168.6	
角田市	95	74.1	59.2 - 89.0	-	35	112.0	74.9 - 149.1		14	74.1	35.3 - 112.9	
多賀城市	205	87.4	75.5 - 99.4	-	54	74.2	54.4 - 94.0	-	33	96.6	63.7 - 129.6	
岩沼市	151	88.0	74.0 - 102.1		44	84.8	59.7 - 109.8		26	103.6	63.8 - 143.4	
登米市	276	77.6	68.5 - 86.8	-	111	129.6	105.5 - 153.7	+	45	85.3	60.4 - 110.2	
栗原市	298	93.5	82.9 - 104.1		79	114.6	89.3 - 139.9		43	91.4	64.1 - 118.7	
東松島市	156	97.7	82.4 - 113.0		64	145.7	110.0 - 181.4	+	25	106.8	64.9 - 148.6	
大崎市	438	80.2	72.7 - 87.7	-	184	124.6	106.6 - 142.6	+	78	97.0	75.5 - 118.6	
富谷市	181	96.3	82.3 - 110.3		51	81.3	59.0 - 103.6		34	124.2	82.4 - 165.9	
蔵王町	34	63.3	42.0 - 84.6	-	9	72.6	25.2 - 120.1		1	12.7	-12.2 - 37.5	-
七ヶ宿町	6	88.4	17.7 - 159.1		3	249.0	-32.8 - 530.9		1	102.4	-98.3 - 303.1	
大河原町	70	74.6	57.1 - 92.1	-	24	87.3	52.4 - 122.2		10	72.9	27.7 - 118.0	
村田町	33	68.3	45.0 - 91.7	-	9	76.1	26.4 - 125.9		5	70.0	8.6 - 131.4	
柴田町	161	105.3	89.0 - 121.6		42	98.5	68.7 - 128.3		16	71.2	36.3 - 106.1	
川崎町	27	66.0	41.1 - 90.9	-	4	43.0	0.9 - 85.2	-	5	82.5	10.2 - 154.9	
丸森町	37	58.8	39.8 - 77.7	-	13	97.2	44.4 - 150.0		9	97.4	33.8 - 161.0	
亶理町	117	84.0	68.8 - 99.2	-	31	84.2	54.5 - 113.8		15	73.1	36.1 - 110.2	
山元町	39	70.6	48.4 - 92.7	-	18	150.5	81.0 - 220.0		5	61.8	7.6 - 115.9	
松島町	58	87.2	64.8 - 109.6		9	59.7	20.7 - 98.7	-	8	82.2	25.2 - 139.1	
七ヶ浜町	68	86.1	65.7 - 106.6		19	95.5	52.6 - 138.5		13	111.6	50.9 - 172.3	
利府町	138	100.3	83.5 - 117.0		28	66.5	41.9 - 91.1	-	16	78.0	39.8 - 116.2	
大和町	75	76.6	59.3 - 93.9	-	36	112.8	75.9 - 149.6		15	104.2	51.4 - 156.9	
大郷町	27	73.9	46.0 - 101.8		3	34.8	-4.6 - 74.1	-	3	55.2	-7.3 - 117.6	
大衡村	15	69.5	34.3 - 104.7		5	85.7	10.6 - 160.9		3	93.9	-12.4 - 200.1	
色麻町	22	72.5	42.2 - 102.8		6	80.2	16.0 - 144.3		6	133.5	26.7 - 240.4	
加美町	89	85.1	67.4 - 102.7		36	151.2	101.8 - 200.6	+	16	103.7	52.9 - 154.5	
涌谷町	70	93.8	71.8 - 115.7		34	196.2	130.3 - 262.2	+	8	72.2	22.2 - 122.2	
美里町	104	95.0	76.8 - 113.3		33	125.1	82.4 - 167.8		14	87.0	41.4 - 132.5	
女川町	41	162.6	112.8 - 212.4	+	11	197.7	80.9 - 314.6		5	136.6	16.9 - 256.3	
南三陸町	56	101.2	74.7 - 127.7		24	196.2	117.7 - 274.7	+	7	85.9	22.3 - 149.6	

※1 性別不詳を含む

※2 宮城県 (合計) を100とする

※3 + 危険率5%で有意に高い, - 危険率5%で有意に低い

付表4-1（続き）

	前立腺 C61				腎・尿路 C64-C66・C68				膀胱 C67 D090			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	6,763	100.0			2,479	100.0			3,276	100.0		
仙台市	2,519	93.4	89.7 - 97.0	-	1,020	100.8	94.6 - 107.0		1,302	99.9	94.5 - 105.4	
青葉区	666	90.0	83.2 - 96.8	-	258	90.3	79.2 - 101.3		353	95.2	85.3 - 105.1	
宮城野区	410	93.2	84.2 - 102.2		172	101.9	86.7 - 117.2		183	85.1	72.8 - 97.5	-
若林区	330	99.3	88.6 - 110.0		142	115.2	96.3 - 134.2		194	123.1	105.7 - 140.4	+
太白区	563	93.3	85.6 - 101.0		227	101.4	88.2 - 114.6		302	103.7	92.0 - 115.4	
泉区	550	94.6	86.7 - 102.5		221	105.0	91.1 - 118.8		270	100.7	88.7 - 112.7	
石巻市	547	109.7	100.5 - 118.9	+	210	117.0	101.1 - 132.8	+	285	117.6	104.0 - 131.3	+
塩竈市	180	95.3	81.4 - 109.2		66	97.0	73.6 - 120.5		65	71.2	53.9 - 88.5	-
気仙沼市	217	85.1	73.7 - 96.4	-	86	96.0	75.7 - 116.3		122	100.0	82.2 - 117.7	
白石市	171	134.6	114.5 - 154.8	+	30	66.2	42.5 - 90.0	-	70	112.4	86.1 - 138.7	
名取市	234	122.6	106.9 - 138.3	+	82	115.4	90.4 - 140.4		100	110.3	88.7 - 131.9	
角田市	89	81.1	64.2 - 97.9	-	23	60.0	35.5 - 84.6	-	49	92.7	66.7 - 118.6	
多賀城市	172	107.2	91.2 - 123.3		57	95.9	71.0 - 120.9		59	77.9	58.0 - 97.8	-
岩沼市	115	94.7	77.4 - 112.0		34	76.0	50.5 - 101.6		59	101.6	75.7 - 127.5	
登米市	255	89.1	78.2 - 100.1		104	98.8	79.8 - 117.8		118	81.2	66.5 - 95.8	-
栗原市	322	115.8	103.1 - 128.4	+	104	104.1	84.1 - 124.1		154	108.8	91.6 - 126.0	
東松島市	111	92.0	74.9 - 109.1		37	85.6	58.0 - 113.2		70	123.4	94.5 - 152.3	
大崎市	446	109.7	99.5 - 119.9		156	102.8	86.7 - 119.0		233	114.2	99.6 - 128.9	
富谷市	117	103.4	84.6 - 122.1		54	127.5	93.5 - 161.5		45	87.5	62.0 - 113.1	
蔵王町	51	106.9	77.6 - 136.3		12	73.1	31.7 - 114.4		20	87.5	49.2 - 125.9	
七ヶ宿町	12	157.2	68.3 - 246.2		1	40.0	-38.4 - 118.5		4	103.8	2.1 - 205.6	
大河原町	64	91.2	68.9 - 113.5		21	83.5	47.8 - 119.2		38	114.1	77.8 - 150.4	
村田町	30	71.3	45.8 - 96.8	-	18	124.1	66.8 - 181.4		19	95.0	52.3 - 137.8	
柴田町	88	72.8	57.6 - 88.0	-	34	81.0	53.8 - 108.2		61	110.9	83.1 - 138.8	
川崎町	25	70.4	42.8 - 98.0	-	16	128.1	65.3 - 190.9		12	69.0	29.9 - 108.0	
丸森町	57	93.6	69.3 - 117.9		24	116.5	69.9 - 163.1		23	77.8	46.0 - 109.6	
亶理町	157	142.7	120.4 - 165.1	+	37	95.7	64.9 - 126.6		67	130.9	99.6 - 162.3	
山元町	76	144.3	111.8 - 176.7	+	17	97.5	51.1 - 143.8		13	54.1	24.7 - 83.5	-
松島町	57	99.5	73.7 - 125.4		25	125.2	76.1 - 174.3		25	90.8	55.2 - 126.4	
七ヶ浜町	50	83.0	60.0 - 106.0		19	89.1	49.1 - 129.2		18	65.8	35.4 - 96.2	-
利府町	82	93.0	72.9 - 113.1		35	104.6	70.0 - 139.3		37	87.8	59.5 - 116.1	
大和町	62	85.6	64.3 - 106.9		36	135.6	91.3 - 179.9		33	94.2	62.0 - 126.3	
大郷町	35	113.3	75.8 - 150.9		8	71.8	22.1 - 121.6		14	89.4	42.6 - 136.2	
大衡村	12	69.0	30.0 - 108.0		2	32.1	-12.4 - 76.5	-	5	58.7	7.2 - 110.1	
色麻町	27	112.7	70.2 - 155.2		5	55.5	6.9 - 104.1		12	95.5	41.5 - 149.6	
加美町	121	135.5	111.4 - 159.7	+	27	84.8	52.8 - 116.8		37	83.7	56.8 - 110.7	
涌谷町	78	129.6	100.9 - 158.4	+	22	99.8	58.1 - 141.5		34	113.4	75.3 - 151.5	
美里町	110	125.5	102.0 - 148.9	+	28	87.6	55.1 - 120.0		43	98.2	68.8 - 127.5	
女川町	25	101.3	61.6 - 141.0		12	142.7	62.0 - 223.5		17	148.9	78.1 - 219.7	
南三陸町	48	100.1	71.8 - 128.4		17	101.1	53.0 - 149.2		13	55.5	25.3 - 85.7	-

※1 性別不詳を含む
 ※2 宮城県（合計）を100とする
 ※3 +危険率5%で有意に高い，-危険率5%で有意に低い

付表4-1（続き）

	甲状腺 C73				悪性リンパ腫 C81-C85・C96				白血病 C91-C95			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	1,716	100.0			2,734	100.0			1,091	100.0		
仙台市	715	94.4	87.5 - 101.4		1,109	98.7	92.9 - 104.5		442	95.8	86.9 - 104.8	
青葉区	203	94.1	81.1 - 107.0		315	98.7	87.8 - 109.6		112	85.3	69.5 - 101.1	
宮城野区	118	90.1	73.9 - 106.4		206	109.7	94.7 - 124.6		71	90.2	69.2 - 111.2	
若林区	70	75.0	57.5 - 92.6	-	118	86.3	70.8 - 101.9		68	121.2	92.4 - 150.0	
太白区	168	103.1	87.5 - 118.7		249	100.5	88.0 - 112.9		111	109.7	89.3 - 130.2	
泉区	156	101.2	85.3 - 117.1		221	95.2	82.7 - 107.8		80	85.1	66.5 - 103.8	
石巻市	94	82.2	65.6 - 98.8	-	223	113.4	98.6 - 128.3		85	111.9	88.1 - 135.7	
塩竈市	44	102.8	72.4 - 133.1		79	106.4	82.9 - 129.9		30	105.7	67.9 - 143.6	
気仙沼市	31	58.1	37.6 - 78.5	-	94	96.7	77.1 - 116.2		36	98.8	66.5 - 131.1	
白石市	31	111.0	71.9 - 150.1		40	80.7	55.7 - 105.7		28	148.3	93.4 - 203.3	
名取市	97	178.0	142.6 - 213.5	+	68	86.2	65.7 - 106.7		27	81.1	50.5 - 111.7	
角田市	30	126.7	81.4 - 172.1		37	88.1	59.7 - 116.4		14	87.1	41.5 - 132.7	
多賀城市	49	109.2	78.6 - 139.8		75	113.9	88.1 - 139.6		31	113.3	73.4 - 153.1	
岩沼市	41	125.9	87.4 - 164.5		45	90.9	64.4 - 117.5		15	74.1	36.6 - 111.6	
登米市	46	71.2	50.6 - 91.8	-	109	94.5	76.8 - 112.2		47	106.6	76.1 - 137.0	
栗原市	53	93.9	68.6 - 119.1		129	118.2	97.8 - 138.6		48	118.3	84.8 - 151.7	
東松島市	28	94.3	59.4 - 129.2		48	101.0	72.5 - 129.6		20	105.6	59.3 - 151.8	
大崎市	97	95.9	76.8 - 115.0		162	97.0	82.0 - 111.9		66	100.1	75.9 - 124.2	
富谷市	33	92.5	60.9 - 124.1		43	91.2	63.9 - 118.4		23	110.9	65.6 - 156.2	
蔵王町	12	122.7	53.3 - 192.1		21	116.8	66.9 - 166.8		5	73.4	9.1 - 137.8	
七ヶ宿町	4	331.5	6.6 - 656.3		1	36.4	-35.0 - 107.9		1	100.5	-96.5 - 297.4	
大河原町	36	205.0	138.1 - 272.0	+	30	108.0	69.4 - 146.7		7	62.5	16.2 - 108.8	
村田町	16	177.1	90.3 - 263.9		16	100.6	51.3 - 149.8		4	65.7	1.3 - 130.0	
柴田町	34	117.2	77.8 - 156.7		47	101.4	72.4 - 130.4		23	124.6	73.7 - 175.5	
川崎町	9	120.1	41.6 - 198.5		11	80.6	33.0 - 128.3		7	136.7	35.4 - 237.9	
丸森町	13	113.3	51.7 - 174.9		21	93.3	53.4 - 133.1		4	48.0	1.0 - 95.0	-
亶理町	34	131.8	87.5 - 176.1		43	101.4	71.1 - 131.7		13	78.3	35.8 - 120.9	
山元町	10	97.7	37.1 - 158.3		11	58.0	23.7 - 92.3	-	9	128.0	44.4 - 211.7	
松島町	17	144.6	75.9 - 213.3		22	101.2	58.9 - 143.5		14	172.0	81.9 - 262.2	
七ヶ浜町	15	103.3	51.0 - 155.6		35	150.5	100.6 - 200.3	+	11	121.4	49.7 - 193.2	
利府町	26	100.9	62.1 - 139.6		38	102.6	70.0 - 135.2		14	90.6	43.1 - 138.0	
大和町	13	65.6	29.9 - 101.2		32	108.1	70.7 - 145.6		15	120.5	59.5 - 181.5	
大郷町	2	30.1	-11.6 - 71.8	-	10	81.7	31.1 - 132.3		1	21.6	-20.7 - 63.9	-
大衡村	6	147.5	29.5 - 265.5		5	72.6	9.0 - 136.2		3	109.4	-14.4 - 233.3	
色麻町	7	126.4	32.8 - 220.0		7	70.6	18.3 - 122.9		1	26.1	-25.0 - 77.2	-
加美町	18	94.9	51.0 - 138.7		41	117.7	81.7 - 153.7		13	98.8	45.1 - 152.5	
涌谷町	12	89.2	38.7 - 139.7		22	91.4	53.2 - 129.6		8	88.1	27.0 - 149.1	
美里町	25	126.9	77.2 - 176.6		26	74.4	45.8 - 103.0		14	104.9	50.0 - 159.9	
女川町	3	58.0	-7.6 - 123.7		16	174.5	89.0 - 260.0		2	58.0	-22.4 - 138.5	
南三陸町	15	148.6	73.4 - 223.9		18	98.0	52.7 - 143.3		10	144.4	54.9 - 233.9	

※1 性別不詳を含む

※2 宮城県（合計）を100とする

※3 + 危険率5%で有意に高い，-危険率5%で有意に低い

付表4-2 市区町村別・主要部位別がん標準化罹患比 | 平成20-24年(2008-2012年)

	全部位 C00-C96 D00-D09				口腔・咽頭 C00-C14				食道 C15 D001			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県 (合計)	87,483	100.0			1,587	100.0			2,768	100.0		
仙台市	34,782	103.7	102.6 - 104.8	+	681	110.6	102.3 - 118.9	+	1,125	107.0	100.8 - 113.3	+
青葉区	9,664	103.6	101.5 - 105.7	+	195	114.8	98.7 - 130.9		333	114.7	102.3 - 127.0	+
宮城野区	5,963	105.5	102.8 - 108.2	+	108	103.6	84.1 - 123.2		172	98.5	83.8 - 113.2	
若林区	4,563	108.0	104.8 - 111.1	+	97	125.0	100.1 - 149.8	+	170	128.9	109.5 - 148.2	+
太白区	7,877	104.4	102.1 - 106.7	+	143	103.6	86.6 - 120.6		229	96.2	83.7 - 108.6	
泉区	6,715	99.0	96.6 - 101.3		138	109.4	91.1 - 127.6		221	102.3	88.8 - 115.8	
石巻市	7,020	100.9	98.5 - 103.3		137	109.4	91.1 - 127.7		195	87.0	74.8 - 99.2	-
塩竈市	2,600	105.5	101.4 - 109.5	+	44	98.7	69.5 - 127.8		104	130.0	105.0 - 154.9	+
気仙沼市	3,328	94.6	91.4 - 97.8	-	62	98.1	73.7 - 122.5		106	92.6	75.0 - 110.2	
白石市	1,573	93.2	88.6 - 97.8	-	29	96.6	61.4 - 131.7		45	84.2	59.6 - 108.9	
名取市	2,428	100.0	96.0 - 104.0		32	71.9	47.0 - 96.8	-	79	103.6	80.7 - 126.4	
角田市	1,304	93.8	88.7 - 98.9	-	21	84.9	48.6 - 121.2		46	105.1	74.7 - 135.5	
多賀城市	2,151	106.4	101.9 - 110.9	+	43	115.1	80.7 - 149.5		55	85.7	63.1 - 108.4	
岩沼市	1,572	103.5	98.3 - 108.6		25	89.9	54.6 - 125.1		47	98.0	70.0 - 126.0	
登米市	3,649	94.7	91.7 - 97.8	-	64	93.6	70.7 - 116.6		88	72.5	57.3 - 87.6	-
栗原市	3,723	97.4	94.3 - 100.5		54	80.1	58.7 - 101.4		142	116.8	97.6 - 136.0	
東松島市	1,564	94.8	90.1 - 99.5	-	35	116.8	78.1 - 155.5		42	79.7	55.6 - 103.8	
大崎市	5,201	95.1	92.5 - 97.7	-	84	85.4	67.2 - 103.7		194	112.4	96.6 - 128.3	
富谷市	1,207	95.2	89.8 - 100.6		13	54.3	24.8 - 83.8	-	46	116.7	83.0 - 150.4	
蔵王町	576	96.1	88.2 - 103.9		10	94.0	35.8 - 152.3		12	63.3	27.5 - 99.1	-
七ヶ宿町	97	89.6	71.8 - 107.5		2	108.7	-41.9 - 259.3		6	178.3	35.6 - 320.9	
大河原町	902	103.6	96.9 - 110.4		16	101.3	51.7 - 151.0		18	65.4	35.2 - 95.6	-
村田町	520	97.7	89.3 - 106.1		10	105.4	40.1 - 170.7		16	95.4	48.6 - 142.1	
柴田町	1,374	95.5	90.4 - 100.5		21	79.8	45.7 - 114.0		36	77.9	52.5 - 103.4	
川崎町	447	94.3	85.5 - 103.0		2	23.9	-9.2 - 56.9	-	13	87.7	40.0 - 135.4	
丸森町	747	92.6	86.0 - 99.3	-	11	78.1	31.9 - 124.3		21	83.0	47.5 - 118.5	
亘理町	1,446	105.8	100.3 - 111.2	+	22	88.4	51.5 - 125.3		33	75.3	49.6 - 101.0	
山元町	696	83.9	77.7 - 90.1	-	10	67.7	25.7 - 109.6		27	101.2	63.0 - 139.4	
松島町	753	103.8	96.4 - 111.3		10	77.2	29.3 - 125.0		32	136.4	89.1 - 183.6	
七ヶ浜町	801	106.5	99.1 - 113.9		16	115.6	58.9 - 172.2		16	66.0	33.7 - 98.3	-
利府町	1,008	96.5	90.6 - 102.5		18	93.1	50.1 - 136.0		32	98.7	64.5 - 132.9	
大和町	759	85.6	79.6 - 91.7	-	16	100.5	51.3 - 149.8		23	84.2	49.8 - 118.7	
大郷町	357	85.1	76.3 - 93.9	-	4	54.0	1.1 - 106.9		8	60.9	18.7 - 103.1	
大衡村	226	103.5	90.0 - 117.0		5	127.6	15.8 - 239.4		8	116.3	35.7 - 196.9	
色麻町	312	95.0	84.4 - 105.5		7	120.0	31.1 - 208.8		10	97.0	36.9 - 157.2	
加美町	1,140	95.0	89.5 - 100.5		17	79.8	41.9 - 117.8		36	94.4	63.6 - 125.2	
涌谷町	780	97.6	90.7 - 104.4		12	83.7	36.3 - 131.0		26	101.5	62.5 - 140.5	
美里町	1,284	110.3	104.2 - 116.3	+	30	144.1	92.5 - 195.7		42	113.0	78.8 - 147.1	
女川町	494	97.8	89.1 - 106.4		11	122.3	50.0 - 194.6		18	109.3	58.8 - 159.9	
南三陸町	660	79.6	73.6 - 85.7	-	13	88.5	40.4 - 136.7		21	80.0	45.8 - 114.3	

※1 性別不詳を含む
 ※2 宮城県 (合計) を100とする
 ※3 +危険率5%で有意に高い, -危険率5%で有意に低い

付表4-2（続き）

	胃 C16				大腸 C18-20 D010-D012				肝・肝内胆管 C22			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	13,932	100.0			15,722	100.0			3,286	100.0		
仙台市	5,312	101.6	98.9 - 104.3		6,291	105.6	102.9 - 108.2	+	1,266	103.1	97.4 - 108.8	
青葉区	1,404	96.1	91.1 - 101.1		1,763	106.2	101.3 - 111.2	+	348	101.3	90.6 - 111.9	
宮城野区	952	109.5	102.6 - 116.5	+	1,138	114.4	107.7 - 121.0	+	237	116.1	101.3 - 130.9	+
若林区	672	102.2	94.5 - 109.9		857	114.3	106.7 - 122.0	+	150	97.0	81.5 - 112.6	
太白区	1,242	104.6	98.8 - 110.4		1,359	100.9	95.6 - 106.3		310	111.0	98.6 - 123.4	
泉区	1,042	98.8	92.8 - 104.8		1,174	97.1	91.5 - 102.6		221	89.6	77.8 - 101.4	
石巻市	963	85.2	79.9 - 90.6	-	1,156	91.6	86.4 - 96.9	-	299	111.9	99.2 - 124.6	
塩竈市	428	106.9	96.8 - 117.1		463	103.5	94.1 - 113.0		106	112.0	90.7 - 133.4	
気仙沼市	505	87.6	80.0 - 95.3	-	592	92.4	84.9 - 99.8	-	129	94.5	78.2 - 110.8	
白石市	268	97.7	86.0 - 109.4		300	97.9	86.8 - 108.9		53	81.6	59.6 - 103.6	
名取市	419	110.3	99.7 - 120.8		418	96.6	87.3 - 105.8		69	77.2	59.0 - 95.4	-
角田市	271	120.2	105.9 - 134.5	+	231	91.4	79.6 - 103.2		42	78.8	55.0 - 102.6	
多賀城市	359	113.7	102.0 - 125.5	+	397	110.3	99.5 - 121.2		85	114.7	90.3 - 139.0	
岩沼市	271	113.3	99.8 - 126.8		268	98.5	86.7 - 110.3		52	92.5	67.3 - 117.6	
登米市	566	90.1	82.7 - 97.5	-	775	110.7	102.9 - 118.5	+	127	85.1	70.3 - 99.9	-
栗原市	658	104.3	96.3 - 112.2		649	93.0	85.8 - 100.1		147	97.8	82.0 - 113.6	
東松島市	222	84.1	73.0 - 95.2	-	231	77.6	67.6 - 87.6	-	72	115.7	89.0 - 142.5	
大崎市	948	107.8	100.9 - 114.6	+	928	94.0	87.9 - 100.0		195	93.6	80.5 - 106.8	
富谷市	182	95.4	81.5 - 109.3		192	86.0	73.9 - 98.2	-	41	92.5	64.2 - 120.8	
蔵王町	100	102.1	82.1 - 122.1		115	105.2	86.0 - 124.5		17	73.3	38.4 - 108.1	
七ヶ宿町	20	109.1	61.3 - 157.0		12	60.4	26.2 - 94.6	-	1	22.7	-21.8 - 67.2	-
大河原町	150	108.3	91.0 - 125.7		178	113.9	97.1 - 130.6		19	58.2	32.0 - 84.4	-
村田町	93	107.6	85.8 - 129.5		90	92.9	73.7 - 112.1		16	78.3	39.9 - 116.7	
柴田町	236	102.8	89.7 - 115.9		257	98.9	86.8 - 111.0		53	98.1	71.7 - 124.6	
川崎町	78	101.0	78.6 - 123.4		86	99.3	78.3 - 120.3		18	98.7	53.1 - 144.2	
丸森町	159	119.5	100.9 - 138.0	+	124	84.0	69.3 - 98.8	-	27	85.4	53.2 - 117.6	
亶理町	210	95.8	82.9 - 108.8		239	96.6	84.3 - 108.8		94	182.1	145.3 - 219.0	+
山元町	121	88.8	73.0 - 104.7		88	58.0	45.9 - 70.1	-	19	59.0	32.5 - 85.6	-
松島町	145	121.9	102.0 - 141.7	+	155	117.3	98.8 - 135.7		29	102.8	65.4 - 140.3	
七ヶ浜町	115	96.5	78.8 - 114.1		153	113.0	95.1 - 130.9		35	124.9	83.5 - 166.3	
利府町	157	97.8	82.5 - 113.1		199	107.2	92.3 - 122.1		37	98.6	66.8 - 130.4	
大和町	138	98.4	82.0 - 114.9		159	100.3	84.7 - 115.9		36	108.7	73.2 - 144.2	
大郷町	67	97.9	74.5 - 121.4		58	75.8	56.3 - 95.3	-	21	129.6	74.1 - 185.0	
大衡村	47	133.8	95.5 - 172.0		45	113.6	80.4 - 146.8		7	84.4	21.9 - 146.9	
色麻町	62	116.1	87.2 - 145.0		68	114.0	86.9 - 141.0		14	110.5	52.6 - 168.3	
加美町	199	101.2	87.2 - 115.3		199	91.1	78.4 - 103.7		22	47.1	27.4 - 66.8	-
涌谷町	108	82.9	67.3 - 98.5	-	137	94.2	78.4 - 110.0		55	178.0	131.0 - 225.1	+
美里町	204	107.3	92.6 - 122.0		257	121.1	106.3 - 135.9	+	46	102.1	72.6 - 131.6	
女川町	78	93.3	72.6 - 114.0		81	87.9	68.7 - 107.0		21	105.7	60.5 - 151.0	
南三陸町	72	53.2	40.9 - 65.4	-	130	86.3	71.4 - 101.1		16	49.8	25.4 - 74.2	-

※1 性別不詳を含む
 ※2 宮城県（合計）を100とする
 ※3 + 危険率5%で有意に高い，-危険率5%で有意に低い

付表4-2（続き）

	胆のう・肝外胆管 C23-C24				膵 C25				肺 C33-C34 D021-D022			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	2,362	100.0			3,155	100.0			10,174	100.0		
仙台市	813	95.3	88.7 - 101.8		1,244	106.2	100.3 - 112.1	+	3,781	99.9	96.7 - 103.0	
青葉区	207	84.3	72.8 - 95.7	-	361	109.3	98.0 - 120.6		1,051	98.7	92.8 - 104.7	
宮城野区	144	103.0	86.1 - 119.8		220	113.6	98.6 - 128.6		654	104.4	96.4 - 112.4	
若林区	105	98.0	79.3 - 116.8		162	110.2	93.2 - 127.1		484	101.7	92.7 - 110.8	
太白区	211	107.6	93.0 - 122.1		257	96.4	84.6 - 108.2		901	104.5	97.7 - 111.3	
泉区	146	88.7	74.3 - 103.1		244	104.4	91.3 - 117.5		691	91.2	84.4 - 98.0	-
石巻市	203	104.3	90.0 - 118.7		243	94.7	82.8 - 106.7		955	115.3	108.0 - 122.6	+
塩竈市	69	101.9	77.8 - 125.9		92	101.8	81.0 - 122.6		313	107.0	95.1 - 118.8	
気仙沼市	102	102.6	82.7 - 122.5		117	89.5	73.3 - 105.7		414	97.9	88.5 - 107.3	
白石市	49	99.2	71.4 - 127.0		59	93.1	69.3 - 116.9		207	101.9	88.0 - 115.8	
名取市	42	67.6	47.1 - 88.0	-	82	96.3	75.4 - 117.1		290	105.4	93.3 - 117.5	
角田市	45	109.8	77.7 - 141.9		40	76.4	52.7 - 100.1		131	78.3	64.9 - 91.7	-
多賀城市	46	91.9	65.3 - 118.5		66	94.2	71.5 - 116.9		272	119.7	105.5 - 133.9	+
岩沼市	52	131.3	95.6 - 167.0		53	98.3	71.8 - 124.8		179	103.0	87.9 - 118.1	
登米市	155	136.7	115.2 - 158.2	+	155	106.9	90.1 - 123.7		433	93.1	84.3 - 101.9	
栗原市	130	112.7	93.3 - 132.1		149	102.1	85.7 - 118.5		451	96.2	87.3 - 105.1	
東松島市	41	92.0	63.8 - 120.1		73	122.2	94.2 - 150.2		208	108.0	93.3 - 122.6	
大崎市	136	89.0	74.0 - 103.9		168	83.7	71.1 - 96.4	-	598	92.6	85.2 - 100.0	
富谷市	23	80.8	47.8 - 113.8		42	100.2	69.9 - 130.5		113	83.4	68.0 - 98.8	-
蔵王町	19	106.3	58.5 - 154.1		19	83.6	46.0 - 121.2		72	99.1	76.2 - 121.9	
七ヶ宿町	2	54.6	-21.1 - 130.2		6	137.9	27.6 - 248.2		15	107.5	53.1 - 162.0	
大河原町	28	118.8	74.8 - 162.8		36	114.6	77.2 - 152.1		103	101.8	82.2 - 121.5	
村田町	10	64.1	24.4 - 103.8		24	119.9	71.9 - 167.9		73	114.1	87.9 - 140.2	
柴田町	37	97.1	65.8 - 128.3		43	83.1	58.2 - 107.9		127	76.0	62.8 - 89.2	-
川崎町	21	145.4	83.2 - 207.7		18	99.2	53.4 - 145.1		38	66.0	45.0 - 86.9	-
丸森町	34	133.7	88.8 - 178.7		30	95.6	61.4 - 129.9		89	89.2	70.7 - 107.7	
亶理町	44	119.5	84.2 - 154.8		71	143.2	109.9 - 176.5	+	168	105.1	89.2 - 120.9	
山元町	20	81.3	45.7 - 116.9		36	114.2	76.9 - 151.5		102	101.0	81.4 - 120.6	
松島町	21	100.2	57.3 - 143.1		21	77.3	44.2 - 110.3		76	86.8	67.3 - 106.3	
七ヶ浜町	31	162.5	105.3 - 219.7	+	21	79.1	45.3 - 112.9		118	137.2	112.4 - 161.9	+
利府町	14	54.8	26.1 - 83.6	-	31	86.3	55.9 - 116.7		129	111.6	92.3 - 130.8	
大和町	19	77.3	42.5 - 112.0		26	81.0	49.8 - 112.1		86	83.5	65.9 - 101.2	
大郷町	9	70.8	24.5 - 117.0		16	99.8	50.9 - 148.7		48	94.2	67.6 - 120.9	
大衡村	3	48.2	-6.3 - 102.8		10	123.4	46.9 - 199.9		27	104.3	65.0 - 143.7	
色麻町	7	72.7	18.8 - 126.6		7	56.8	14.7 - 98.8	-	31	78.4	50.8 - 106.1	
加美町	38	107.3	73.2 - 141.5		37	81.7	55.4 - 108.0		135	92.8	77.1 - 108.4	
涌谷町	26	114.8	70.7 - 158.9		28	94.3	59.4 - 129.2		93	97.2	77.4 - 116.9	
美里町	30	89.0	57.1 - 120.8		42	96.2	67.1 - 125.3		140	99.7	83.2 - 116.2	
女川町	16	108.2	55.2 - 161.2		23	120.6	71.3 - 169.8		66	107.0	81.2 - 132.8	
南三陸町	27	109.9	68.4 - 151.4		27	86.3	53.8 - 118.9		93	92.7	73.8 - 111.5	

※1 性別不詳を含む
 ※2 宮城県（合計）を100とする
 ※3 +危険率5%で有意に高い，-危険率5%で有意に低い

付表4-2（続き）

	女性乳房 C50 D05				子宮頸部 C53 D06				子宮体部 C54			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	7,602	100.0			2,028	100.0			1,159	100.0		
仙台市	3,588	112.9	109.2 - 116.6	+	867	91.5	85.4 - 97.6	-	501	105.2	96.0 - 114.4	
青葉区	1,028	117.4	110.2 - 124.6	+	222	85.3	74.1 - 96.5	-	134	102.3	85.0 - 119.6	
宮城野区	569	104.1	95.5 - 112.6		185	103.7	88.8 - 118.7		88	108.7	86.0 - 131.5	
若林区	459	116.3	105.7 - 127.0	+	147	122.8	103.0 - 142.7	+	56	95.2	70.3 - 120.2	
太白区	761	110.0	102.2 - 117.8	+	175	88.0	75.0 - 101.0		121	116.2	95.5 - 136.9	
泉区	771	115.4	107.2 - 123.5	+	138	72.4	60.4 - 84.5	-	102	100.5	81.0 - 120.0	
石巻市	583	103.0	94.7 - 111.4		220	164.8	143.0 - 186.6	+	97	111.1	89.0 - 133.2	
塩竈市	212	103.8	89.8 - 117.7		32	67.5	44.1 - 90.9	-	33	104.3	68.7 - 139.9	
気仙沼市	260	93.9	82.5 - 105.3		59	98.1	73.1 - 123.2		40	93.3	64.4 - 122.3	
白石市	118	89.9	73.7 - 106.1		35	114.9	76.8 - 153.0		20	98.5	55.3 - 141.7	
名取市	211	93.1	80.5 - 105.6		80	124.1	96.9 - 151.3		27	79.4	49.5 - 109.4	
角田市	97	90.5	72.5 - 108.6		31	122.5	79.4 - 165.6		15	90.0	44.4 - 135.5	
多賀城市	189	100.2	85.9 - 114.5		45	81.9	58.0 - 105.8		34	118.9	78.9 - 158.8	
岩沼市	118	86.2	70.7 - 101.8		43	111.5	78.2 - 144.8		23	109.9	65.0 - 154.8	
登米市	230	77.1	67.1 - 87.1	-	63	93.3	70.2 - 116.3		31	66.8	43.3 - 90.3	-
栗原市	276	98.8	87.1 - 110.4		74	126.1	97.4 - 154.9		29	65.9	41.9 - 89.9	-
東松島市	143	101.8	85.1 - 118.5		32	88.4	57.7 - 119.0		19	87.8	48.3 - 127.3	
大崎市	360	79.6	71.3 - 87.8	-	96	84.8	67.8 - 101.8		52	74.5	54.3 - 94.8	-
富谷市	146	107.2	89.8 - 124.6		43	101.4	71.1 - 131.7		23	113.3	67.0 - 159.6	
蔵王町	38	84.8	57.9 - 111.8		10	99.3	37.8 - 160.9		9	129.2	44.8 - 213.5	
七ヶ宿町	3	47.3	-6.2 - 100.9		1	85.8	-82.4 - 254.0		1	103.2	-99.0 - 305.4	
大河原町	59	79.5	59.2 - 99.8	-	21	103.9	59.5 - 148.4		14	123.4	58.7 - 188.0	
村田町	38	93.6	63.8 - 123.3		11	115.9	47.4 - 184.3		6	94.7	18.9 - 170.5	
柴田町	111	90.3	73.5 - 107.1		43	135.3	94.9 - 175.7		21	109.5	62.7 - 156.4	
川崎町	37	104.2	70.6 - 137.7		9	115.0	39.9 - 190.1		5	90.6	11.2 - 170.0	
丸森町	34	60.8	40.4 - 81.3	-	7	59.4	15.4 - 103.4		7	80.5	20.9 - 140.1	
亶理町	108	93.3	75.7 - 110.9		30	103.6	66.5 - 140.7		18	99.7	53.7 - 145.8	
山元町	48	78.2	56.1 - 100.3		7	52.9	13.7 - 92.1	-	17	176.0	92.3 - 259.7	
松島町	56	99.8	73.6 - 125.9		11	89.4	36.6 - 142.3		1	11.5	-11.0 - 33.9	-
七ヶ浜町	51	74.9	54.4 - 95.5	-	14	82.9	39.5 - 126.3		11	105.7	43.2 - 168.2	
利府町	88	83.5	66.0 - 100.9		18	60.8	32.7 - 88.8	-	24	151.4	90.8 - 212.0	
大和町	53	71.2	52.0 - 90.4	-	17	81.3	42.7 - 120.0		13	116.0	52.9 - 179.0	
大郷町	21	67.0	38.4 - 95.7	-	10	143.2	54.5 - 232.0		4	80.7	1.6 - 159.8	
大衡村	11	62.6	25.6 - 99.6	-	5	115.8	14.3 - 217.2		2	72.9	-28.1 - 173.9	
色麻町	15	58.2	28.7 - 87.6	-	5	84.3	10.4 - 158.2		3	74.8	-9.8 - 159.5	
加美町	84	93.5	73.5 - 113.5		19	96.4	53.0 - 139.7		13	92.7	42.3 - 143.1	
涌谷町	59	93.4	69.6 - 117.2		14	99.9	47.6 - 152.2		12	120.4	52.3 - 188.5	
美里町	83	91.2	71.6 - 110.8		32	156.9	102.5 - 211.2	+	24	167.9	100.7 - 235.1	+
女川町	29	78.9	50.2 - 107.6		9	114.8	39.8 - 189.9		4	69.5	1.4 - 137.7	
南三陸町	45	70.9	50.2 - 91.7	-	15	107.3	53.0 - 161.6		6	61.9	12.4 - 111.4	

※1 性別不詳を含む

※2 宮城県（合計）を100とする

※3 +危険率5%で有意に高い，-危険率5%で有意に低い

付表4-2（続き）

	前立腺 C61				腎・尿路 C64-C66・C68				膀胱 C67 D090			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	6,544	100.0			2,056	100.0			2,799	100.0		
仙台市	2,289	93.3	89.4 - 97.1	-	864	109.7	102.3 - 117.0	+	1,124	108.0	101.7 - 114.3	+
青葉区	622	93.8	86.4 - 101.2		254	116.3	102.0 - 130.6	+	283	96.3	85.1 - 107.6	
宮城野区	360	89.8	80.5 - 99.1	-	141	106.3	88.7 - 123.8		226	130.9	113.8 - 148.0	+
若林区	326	105.5	94.0 - 116.9		112	112.7	91.9 - 133.6		138	105.5	87.9 - 123.1	
太白区	547	96.8	88.7 - 105.0		170	96.1	81.6 - 110.5		292	123.4	109.3 - 137.6	+
泉区	434	84.0	76.1 - 91.9	-	187	116.5	99.8 - 133.2		185	89.5	76.6 - 102.4	
石巻市	559	105.5	96.7 - 114.2		178	109.1	93.1 - 125.1		260	114.5	100.6 - 128.5	+
塩竈市	215	113.0	97.9 - 128.1		69	119.1	91.0 - 147.3		70	87.6	67.1 - 108.2	
気仙沼市	307	110.9	98.5 - 123.3		69	83.6	63.9 - 103.4		123	106.5	87.6 - 125.3	
白石市	102	79.4	64.0 - 94.8	-	29	73.4	46.7 - 100.1		52	92.5	67.4 - 117.7	
名取市	226	125.1	108.8 - 141.4	+	54	94.4	69.2 - 119.6		67	88.6	67.4 - 109.8	
角田市	91	84.8	67.4 - 102.2		25	76.8	46.7 - 106.9		46	99.1	70.5 - 127.7	
多賀城市	159	104.8	88.5 - 121.1		46	96.4	68.6 - 124.3		60	96.6	72.2 - 121.0	
岩沼市	128	113.7	94.0 - 133.4		30	83.7	53.8 - 113.7		49	102.5	73.8 - 131.2	
登米市	267	94.0	82.7 - 105.2		75	82.8	64.1 - 101.6		115	89.2	72.9 - 105.5	
栗原市	296	101.9	90.3 - 113.5		79	88.2	68.7 - 107.6		116	89.5	73.2 - 105.8	
東松島市	142	114.6	95.7 - 133.4		37	95.4	64.6 - 126.1		50	94.6	68.4 - 120.8	
大崎市	373	92.9	83.5 - 102.4		124	96.3	79.4 - 113.3		173	97.0	82.6 - 111.5	
富谷市	103	109.9	88.7 - 131.1		38	126.0	85.9 - 166.1		21	56.6	32.4 - 80.8	-
蔵王町	48	102.9	73.8 - 132.0		13	92.5	42.2 - 142.8		15	74.4	36.8 - 112.1	
七ヶ宿町	7	78.2	20.3 - 136.2		0	0.0	0.0 - 0.0	-	5	128.5	15.9 - 241.2	
大河原町	69	103.3	78.9 - 127.7		29	142.0	90.3 - 193.7		37	132.8	90.0 - 175.7	
村田町	29	69.7	44.3 - 95.1	-	10	80.0	30.4 - 129.6		19	107.0	58.9 - 155.2	
柴田町	115	102.5	83.7 - 121.2		41	120.8	83.8 - 157.7		49	107.1	77.1 - 137.1	
川崎町	32	90.0	58.8 - 121.2		8	72.0	22.1 - 121.9		16	99.5	50.8 - 148.3	
丸森町	67	105.1	79.9 - 130.2		15	79.8	39.4 - 120.2		20	71.8	40.4 - 103.3	
亶理町	153	145.1	122.1 - 168.1	+	26	80.5	49.6 - 111.5		35	79.8	53.4 - 106.3	
山元町	68	102.7	78.3 - 127.1		17	87.6	46.0 - 129.3		19	68.2	37.6 - 98.9	-
松島町	53	92.7	67.8 - 117.7		13	76.6	34.9 - 118.2		19	79.0	43.5 - 114.6	
七ヶ浜町	56	96.9	71.5 - 122.3		22	123.4	71.8 - 174.9		27	115.1	71.7 - 158.5	
利府町	64	86.0	64.9 - 107.1		20	80.5	45.2 - 115.8		28	87.8	55.3 - 120.4	
大和町	40	61.0	42.1 - 79.9	-	12	57.7	25.1 - 90.3	-	15	52.4	25.9 - 78.9	-
大郷町	23	72.9	43.1 - 102.6		12	121.8	52.9 - 190.8		8	56.3	17.3 - 95.2	-
大衡村	18	108.2	58.2 - 158.1		6	116.5	23.3 - 209.8		6	83.6	16.7 - 150.4	
色麻町	30	125.4	80.5 - 170.2		5	64.6	8.0 - 121.3		8	72.9	22.4 - 123.5	
加美町	125	134.2	110.7 - 157.8	+	26	92.3	56.8 - 127.8		36	89.5	60.3 - 118.8	
涌谷町	66	109.8	83.3 - 136.3		18	95.4	51.3 - 139.4		28	106.3	66.9 - 145.7	
美里町	113	129.4	105.6 - 153.3	+	22	80.4	46.8 - 113.9		49	126.6	91.2 - 162.1	
女川町	41	103.0	71.5 - 134.5		12	101.8	44.2 - 159.4		18	106.6	57.4 - 155.9	
南三陸町	70	110.0	84.3 - 135.8		12	61.9	26.9 - 96.9	-	16	57.6	29.4 - 85.9	-

※1 性別不詳を含む

※2 宮城県（合計）を100とする

※3 +危険率5%で有意に高い，-危険率5%で有意に低い

付表4-2（続き）

	甲状腺 C73				悪性リンパ腫 C81-C85・C96				白血病 C91-C95			
	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3	罹患数 ※1	標準化 罹患比 ※2	95%信頼区間	有意差 ※3
宮城県（合計）	1,411	100.0			2,380	100.0			1,047	100.0		
仙台市	617	105.1	96.8 - 113.4		949	103.1	96.5 - 109.7		407	97.6	88.2 - 107.1	
青葉区	181	113.5	97.0 - 130.0		280	109.3	96.5 - 122.1		116	100.4	82.1 - 118.7	
宮城野区	94	90.7	72.4 - 109.0		132	84.5	70.1 - 98.9	-	58	80.1	59.5 - 100.8	
若林区	69	92.5	70.7 - 114.4		111	95.6	77.8 - 113.4		55	104.8	77.1 - 132.5	
太白区	142	111.3	93.0 - 129.5		215	104.5	90.6 - 118.5		94	101.9	81.3 - 122.5	
泉区	131	107.5	89.1 - 125.9		211	113.3	98.0 - 128.6		84	99.8	78.5 - 121.1	
石巻市	95	91.3	72.9 - 109.6		172	91.9	78.2 - 105.7		81	101.1	79.1 - 123.1	
塩竈市	47	126.3	90.2 - 162.4		67	101.2	77.0 - 125.4		32	113.6	74.2 - 152.9	
気仙沼市	50	98.3	71.1 - 125.6		72	76.6	58.9 - 94.3	-	45	114.1	80.8 - 147.5	
白石市	22	89.8	52.3 - 127.4		47	103.4	73.8 - 132.9		24	124.4	74.6 - 174.2	
名取市	46	109.8	78.1 - 141.5		60	90.1	67.3 - 112.9		27	89.5	55.7 - 123.2	
角田市	22	108.5	63.2 - 153.9		41	109.2	75.7 - 142.6		13	81.2	37.1 - 125.4	
多賀城市	34	95.3	63.3 - 127.3		62	111.7	83.9 - 139.5		22	86.8	50.5 - 123.1	
岩沼市	29	112.8	71.7 - 153.8		44	105.9	74.6 - 137.2		22	117.6	68.5 - 166.7	
登米市	36	65.1	43.8 - 86.3	-	109	104.7	85.0 - 124.3		49	111.0	79.9 - 142.1	
栗原市	39	75.0	51.4 - 98.5	-	100	97.4	78.3 - 116.5		42	98.3	68.6 - 128.1	
東松島市	11	42.0	17.2 - 66.8	-	33	73.8	48.6 - 99.0	-	24	122.1	73.3 - 171.0	
大崎市	103	122.1	98.5 - 145.7		138	92.9	77.4 - 108.4		56	86.8	64.1 - 109.6	
富谷市	22	87.4	50.9 - 123.9		35	99.2	66.3 - 132.1		21	123.8	70.9 - 176.8	
蔵王町	6	70.5	14.1 - 126.9		20	123.9	69.6 - 178.2		11	161.3	66.0 - 256.6	
七ヶ宿町	1	82.1	-78.8 - 243.0		2	69.7	-26.9 - 166.3		1	85.9	-82.4 - 254.2	
大河原町	13	92.6	42.2 - 142.9		22	92.9	54.1 - 131.7		10	95.2	36.2 - 154.2	
村田町	5	64.1	7.9 - 120.4		12	83.3	36.2 - 130.4		7	114.3	29.6 - 199.0	
柴田町	16	68.4	34.9 - 101.9		47	120.0	85.7 - 154.4		16	92.7	47.3 - 138.1	
川崎町	7	104.3	27.0 - 181.6		15	117.3	58.0 - 176.7		5	93.3	11.5 - 175.0	
丸森町	5	46.9	5.8 - 88.0	-	30	138.8	89.1 - 188.5		10	111.3	42.3 - 180.3	
亶理町	28	129.0	81.2 - 176.8		48	129.2	92.7 - 165.8		13	80.7	36.8 - 124.6	
山元町	12	103.3	44.9 - 161.8		26	117.3	72.2 - 162.4		5	54.2	6.7 - 101.8	
松島町	22	212.8	123.9 - 301.7	+	23	118.6	70.2 - 167.1		6	73.9	14.8 - 133.1	
七ヶ浜町	13	103.0	47.0 - 159.0		22	107.4	62.5 - 152.3		11	122.0	49.9 - 194.1	
利府町	24	125.1	75.1 - 175.2		33	113.6	74.8 - 152.4		12	90.0	39.1 - 140.9	
大和町	13	90.4	41.3 - 139.6		21	86.4	49.4 - 123.3		7	64.2	16.7 - 111.8	
大郷町	3	50.5	-6.6 - 107.6		8	70.4	21.6 - 119.2		5	104.5	12.9 - 196.2	
大衡村	0	0.0	0.0 - 0.0	-	2	33.6	-13.0 - 80.2	-	5	194.3	24.0 - 364.6	
色麻町	5	104.4	12.9 - 195.9		11	123.4	50.5 - 196.3		5	131.2	16.2 - 246.3	
加美町	20	117.9	66.2 - 169.5		29	89.7	57.1 - 122.4		9	66.0	22.9 - 109.2	
涌谷町	10	84.8	32.3 - 137.4		15	69.4	34.3 - 104.5		10	109.8	41.7 - 177.9	
美里町	14	83.0	39.5 - 126.5		37	118.0	80.0 - 156.0		20	151.4	85.1 - 217.8	
女川町	9	129.7	45.0 - 214.4		11	81.8	33.4 - 130.1		6	106.9	21.4 - 192.4	
南三陸町	12	102.2	44.4 - 160.0		17	76.3	40.1 - 112.6		8	85.2	26.2 - 144.2	

※1 性別不詳を含む
 ※2 宮城県（合計）を100とする
 ※3 + 危険率5%で有意に高い，-危険率5%で有意に低い

付表5-1 市区町村別・主要部位別検診発見割合 | 平成25-29年(2013-2017年)

	胃 C16			大腸 C18-C20 D010-D012			肺 C33-C34 D021-D022		
	集計 対象数 ※1	検診 発見数 ※2	%	集計 対象数 ※1	検診 発見数 ※2	%	集計 対象数 ※1	検診 発見数 ※2	%
宮城県 (合計)	13,371	3,268	24.4	16,870	4,642	27.5	9,973	2,306	23.1
仙台市	5,301	1,265	23.9	6,767	1,631	24.1	3,922	801	20.4
青葉区	1,415	329	23.3	1,805	413	22.9	1,009	199	19.7
宮城野区	986	231	23.4	1,204	293	24.3	747	135	18.1
若林区	689	150	21.8	908	191	21.0	515	98	19.0
太白区	1,182	272	23.0	1,498	362	24.2	899	174	19.4
泉区	1,029	283	27.5	1,352	372	27.5	752	195	25.9
石巻市	959	197	20.5	1,330	281	21.1	951	202	21.2
塩竈市	434	87	20.0	440	108	24.5	325	51	15.7
気仙沼市	412	65	15.8	716	214	29.9	345	63	18.3
白石市	250	57	22.8	352	113	32.1	169	38	22.5
名取市	400	120	30.0	488	166	34.0	285	78	27.4
角田市	250	64	25.6	222	62	27.9	158	68	43.0
多賀城市	347	71	20.5	403	119	29.5	263	52	19.8
岩沼市	231	69	29.9	342	110	32.2	160	49	30.6
登米市	533	182	34.1	786	284	36.1	367	114	31.1
栗原市	586	146	24.9	633	168	26.5	419	117	27.9
東松島市	222	54	24.3	255	67	26.3	196	43	21.9
大崎市	796	213	26.8	1,046	415	39.7	546	145	26.6
富谷市	214	56	26.2	255	72	28.2	169	59	34.9
蔵王町	82	21	25.6	109	37	33.9	63	14	22.2
七ヶ宿町	16	4	25.0	13	5	38.5	18	5	27.8
大河原町	140	43	30.7	170	50	29.4	72	22	30.6
村田町	91	23	25.3	77	17	22.1	48	11	22.9
柴田町	232	61	26.3	311	90	28.9	166	44	26.5
川崎町	79	37	46.8	79	24	30.4	35	11	31.4
丸森町	119	28	23.5	121	37	30.6	73	23	31.5
亶理町	228	59	25.9	264	54	20.5	157	38	24.2
山元町	101	38	37.6	112	51	45.5	63	17	27.0
松島町	135	20	14.8	131	35	26.7	84	11	13.1
七ヶ浜町	124	27	21.8	127	37	29.1	113	20	17.7
利府町	174	46	26.4	217	72	33.2	136	34	25.0
大和町	142	30	21.1	166	61	36.7	86	31	36.0
大郷町	65	19	29.2	71	23	32.4	54	20	37.0
大衡村	39	8	20.5	34	11	32.4	25	11	44.0
色麻町	46	10	21.7	57	21	36.8	36	7	19.4
加美町	178	48	27.0	217	52	24.0	132	42	31.8
涌谷町	125	33	26.4	145	44	30.3	106	24	22.6
美里町	191	45	23.6	240	77	32.1	122	29	23.8
女川町	61	12	19.7	69	13	18.8	35	6	17.1
南三陸町	67	9	13.4	103	20	19.4	73	6	8.2

※1 DCOを除く

※2 がん検診・健康診断・人間ドックにより発見された症例数

付表5-1（続き）

	女性乳房 C50 D05			子宮頸部 C53 D06		
	集計 対象数 ※1	検診 発見数 ※2	%	集計 対象数 ※1	検診 発見数 ※2	%
宮城県（合計）	8,990	2,777	30.9	2,609	1,132	43.4
仙台市	4,368	1,355	31.0	1,057	435	41.2
青葉区	1,273	411	32.3	256	108	42.2
宮城野区	674	228	33.8	243	123	50.6
若林区	539	182	33.8	145	56	38.6
太白区	936	260	27.8	233	80	34.3
泉区	946	274	29.0	180	68	37.8
石巻市	683	174	25.5	266	80	30.1
塩竈市	248	73	29.4	47	27	57.4
気仙沼市	288	75	26.0	59	20	33.9
白石市	135	33	24.4	40	20	50.0
名取市	279	91	32.6	130	64	49.2
角田市	93	25	26.9	35	18	51.4
多賀城市	202	69	34.2	54	26	48.1
岩沼市	147	57	38.8	44	20	45.5
登米市	270	93	34.4	111	46	41.4
栗原市	289	91	31.5	79	43	54.4
東松島市	150	44	29.3	64	20	31.3
大崎市	430	130	30.2	179	77	43.0
富谷市	175	73	41.7	50	32	64.0
蔵王町	33	9	27.3	9	7	77.8
七ヶ宿町	6	4	66.7	3	3	100.0
大河原町	68	21	30.9	24	16	66.7
村田町	32	12	37.5	9	1	11.1
柴田町	155	42	27.1	42	24	57.1
川崎町	26	9	34.6	4	1	25.0
丸森町	36	11	30.6	13	6	46.2
亶理町	110	33	30.0	30	21	70.0
山元町	35	14	40.0	17	10	58.8
松島町	56	11	19.6	9	4	44.4
七ヶ浜町	66	22	33.3	19	10	52.6
利府町	133	43	32.3	28	16	57.1
大和町	69	23	33.3	36	17	47.2
大郷町	25	8	32.0	3	3	100.0
大衡村	14	4	28.6	5	4	80.0
色麻町	21	8	38.1	6	4	66.7
加美町	87	31	35.6	35	19	54.3
涌谷町	69	25	36.2	34	17	50.0
美里町	98	40	40.8	33	11	33.3
女川町	39	9	23.1	11	4	36.4
南三陸町	55	15	27.3	24	6	25.0

※1 DCOを除く

※2 がん検診・健康診断・人間ドックにより発見された症例数

付表5-2 市区町村別・主要部位別検診発見割合 | 平成20-24年(2008-2012年)

	胃 C16			大腸 C18-C20 D010-D012			肺 C33-C34 D021-D022		
	集計 対象数 ※1	検診 発見数 ※2	%	集計 対象数 ※1	検診 発見数 ※2	%	集計 対象数 ※1	検診 発見数 ※2	%
宮城県 (合計)	12,652	3,577	28.3	14,463	3,999	27.6	8,564	2,104	24.6
仙台市	4,910	1,385	28.2	5,877	1,486	25.3	3,236	712	22.0
青葉区	1,295	362	28.0	1,651	408	24.7	883	197	22.3
宮城野区	878	223	25.4	1,061	261	24.6	559	109	19.5
若林区	626	146	23.3	813	194	23.9	415	63	15.2
太白区	1,163	331	28.5	1,283	313	24.4	784	187	23.9
泉区	948	323	34.1	1,069	310	29.0	595	156	26.2
石巻市	828	184	22.2	1,041	228	21.9	826	198	24.0
塩竈市	386	91	23.6	438	98	22.4	273	55	20.1
気仙沼市	486	90	18.5	567	139	24.5	372	69	18.5
白石市	240	61	25.4	280	71	25.4	171	55	32.2
名取市	400	111	27.8	391	126	32.2	254	67	26.4
角田市	249	72	28.9	198	53	26.8	100	33	33.0
多賀城市	334	90	26.9	373	87	23.3	226	36	15.9
岩沼市	259	80	30.9	257	84	32.7	159	51	32.1
登米市	510	178	34.9	718	324	45.1	350	146	41.7
栗原市	590	165	28.0	585	135	23.1	384	122	31.8
東松島市	181	60	33.1	203	45	22.2	171	49	28.7
大崎市	820	240	29.3	797	302	37.9	453	94	20.8
富谷市	168	62	36.9	179	55	30.7	94	30	31.9
蔵王町	86	24	27.9	103	36	35.0	50	6	12.0
七ヶ宿町	20	12	60.0	10	7	70.0	11	5	45.5
大河原町	140	40	28.6	158	31	19.6	87	25	28.7
村田町	88	24	27.3	81	11	13.6	60	13	21.7
柴田町	217	75	34.6	244	74	30.3	112	32	28.6
川崎町	62	22	35.5	76	29	38.2	26	4	15.4
丸森町	151	49	32.5	119	44	37.0	80	19	23.8
亶理町	201	61	30.3	230	61	26.5	144	40	27.8
山元町	106	32	30.2	79	32	40.5	83	20	24.1
松島町	132	39	29.5	142	24	16.9	67	9	13.4
七ヶ浜町	103	31	30.1	135	38	28.1	106	30	28.3
利府町	135	52	38.5	173	55	31.8	104	25	24.0
大和町	124	33	26.6	145	57	39.3	63	11	17.5
大郷町	55	19	34.5	50	10	20.0	39	16	41.0
大衡村	37	13	35.1	35	11	31.4	22	5	22.7
色麻町	55	21	38.2	61	24	39.3	19	8	42.1
加美町	170	49	28.8	173	54	31.2	103	32	31.1
涌谷町	103	32	31.1	130	33	25.4	87	23	26.4
美里町	176	42	23.9	228	81	35.5	106	31	29.2
女川町	69	22	31.9	68	27	39.7	54	16	29.6
南三陸町	60	15	25.0	118	27	22.9	72	17	23.6

※1 DCOを除く

※2 がん検診・健康診断・人間ドックにより発見された症例数

付表5-2（続き）

	女性乳房 C50 D05			子宮頸部 C53 D06		
	集計 対象数 ※1	検診 発見数 ※2	%	集計 対象数 ※1	検診 発見数 ※2	%
宮城県（合計）	7,288	2,401	32.9	2,000	947	47.4
仙台市	3,453	1,155	33.4	848	395	46.6
青葉区	986	334	33.9	215	88	40.9
宮城野区	543	171	31.5	180	90	50.0
若林区	447	141	31.5	145	69	47.6
太白区	734	233	31.7	173	78	45.1
泉区	743	276	37.1	135	70	51.9
石巻市	554	156	28.2	219	90	41.1
塩竈市	207	66	31.9	31	13	41.9
気仙沼市	253	62	24.5	58	29	50.0
白石市	112	42	37.5	35	17	48.6
名取市	204	79	38.7	79	44	55.7
角田市	91	33	36.3	31	19	61.3
多賀城市	185	68	36.8	44	20	45.5
岩沼市	112	44	39.3	43	23	53.5
登米市	218	91	41.7	61	32	52.5
栗原市	267	92	34.5	73	27	37.0
東松島市	135	44	32.6	32	9	28.1
大崎市	332	81	24.4	96	36	37.5
富谷市	145	59	40.7	43	30	69.8
蔵王町	37	17	45.9	10	6	60.0
七ヶ宿町	3	2	66.7	1	1	100.0
大河原町	57	20	35.1	21	15	71.4
村田町	35	13	37.1	11	6	54.5
柴田町	106	30	28.3	43	24	55.8
川崎町	29	11	37.9	9	7	77.8
丸森町	33	10	30.3	7	3	42.9
亶理町	105	37	35.2	30	17	56.7
山元町	44	12	27.3	7	3	42.9
松島町	50	12	24.0	10	4	40.0
七ヶ浜町	48	21	43.8	14	7	50.0
利府町	84	25	29.8	18	7	38.9
大和町	50	13	26.0	17	11	64.7
大郷町	20	7	35.0	10	6	60.0
大衡村	10	4	40.0	5	1	20.0
色麻町	15	8	53.3	5	5	100.0
加美町	81	22	27.2	19	10	52.6
涌谷町	59	20	33.9	14	6	42.9
美里町	80	28	35.0	32	15	46.9
女川町	29	6	20.7	9	2	22.2
南三陸町	45	11	24.4	15	7	46.7

※1 DCOを除く

※2 がん検診・健康診断・人間ドックにより発見された症例数