

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	10,194	7,717	17,911	100.0	100.0	100.0	908.1	654.3	778.1	441.3	340.5	382.4	310.5	254.6	277.4	36.2	27.7	31.7
口腔・咽頭	C00-C14	295	110	405	2.9	1.4	2.3	26.3	9.3	17.6	14.9	5.2	9.8	11.1	3.9	7.4	1.4	0.4	0.9
食道	C15	430	107	537	4.2	1.4	3.0	38.3	9.1	23.3	19.0	4.3	11.2	13.2	3.1	7.9	1.7	0.4	1.0
胃	C16	1,719	766	2,485	16.9	9.9	13.9	153.1	64.9	107.9	70.9	25.4	46.4	48.4	17.7	32.0	5.8	2.0	3.9
大腸（結腸・直腸）	C18-C20	1,531	1,227	2,758	15.0	15.9	15.4	136.4	104.0	119.8	69.8	42.3	55.4	49.9	30.2	39.7	6.0	3.4	4.7
結腸	C18	954	877	1,831	9.4	11.4	10.2	85.0	74.4	79.5	41.3	27.5	34.0	29.1	19.1	23.9	3.5	2.1	2.8
直腸	C19-C20	577	350	927	5.7	4.5	5.2	51.4	29.7	40.3	28.5	14.9	21.3	20.8	11.1	15.8	2.5	1.3	1.9
肝および肝内胆管	C22	402	188	590	3.9	2.4	3.3	35.8	15.9	25.6	16.3	5.2	10.4	11.3	3.6	7.2	1.3	0.4	0.8
胆のう・胆管	C23-C24	248	186	434	2.4	2.4	2.4	22.1	15.8	18.9	9.1	4.5	6.6	6.0	2.9	4.3	0.6	0.2	0.4
膵臓	C25	450	472	922	4.4	6.1	5.1	40.1	40.0	40.1	18.5	14.7	16.4	12.7	10.1	11.3	1.5	1.2	1.3
喉頭	C32	87	6	93	0.9	0.1	0.5	7.7	0.5	4.0	3.9	0.3	2.0	2.7	0.2	1.4	0.3	0.0	0.2
肺	C33-C34	1,538	615	2,153	15.1	8.0	12.0	137.0	52.1	93.5	62.5	21.7	40.4	42.5	15.3	27.9	5.2	1.8	3.5
皮膚	C43-C44	237	216	453	2.3	2.8	2.5	21.1	18.3	19.7	9.1	6.9	7.8	6.3	5.1	5.6	0.6	0.5	0.5
乳房	C50	7	1,706	1,713	0.1	22.1	9.6	0.6	144.7	74.4	0.3	100.4	51.0	0.2	77.1	38.9	0.0	8.3	4.2
子宮	C53-C55	-	530	530	-	6.9	3.0	-	44.9	-	-	34.2	-	-	26.5	-	-	2.8	-
子宮頸部	C53	-	166	166	-	2.2	0.9	-	14.1	-	-	11.8	-	-	9.2	-	-	0.9	-
子宮体部	C54	-	361	361	-	4.7	2.0	-	30.6	-	-	22.3	-	-	17.3	-	-	1.9	-
卵巣	C56	-	239	239	-	3.1	1.3	-	20.3	-	-	15.0	-	-	11.8	-	-	1.2	-
前立腺	C61	1,465	-	1,465	14.4	-	8.2	130.5	-	-	57.8	-	-	38.8	-	-	4.8	-	-
膀胱	C67	296	114	410	2.9	1.5	2.3	26.4	9.7	17.8	11.5	3.0	6.9	7.8	2.1	4.7	0.9	0.2	0.5
腎・尿路（膀胱除く）	C64-C66 C68	339	184	523	3.3	2.4	2.9	30.2	15.6	22.7	15.9	6.5	11.0	11.6	4.9	8.1	1.3	0.5	0.9
脳・中枢神経系	C70-C72	64	53	117	0.6	0.7	0.7	5.7	4.5	5.1	4.5	2.6	3.6	4.1	2.2	3.1	0.3	0.2	0.3
甲状腺	C73	64	180	244	0.6	2.3	1.4	5.7	15.3	10.6	3.8	11.4	7.6	3.0	9.0	6.0	0.3	0.9	0.6
悪性リンパ腫	C81-C85 C96	361	293	654	3.5	3.8	3.7	32.2	24.8	28.4	16.9	11.7	14.1	12.3	8.8	10.4	1.3	1.0	1.2
多発性骨髄腫	C88-C90	76	38	114	0.7	0.5	0.6	6.8	3.2	5.0	3.3	1.2	2.2	2.3	0.8	1.5	0.3	0.1	0.2
白血病	C91-C95	142	120	262	1.4	1.6	1.5	12.6	10.2	11.4	8.5	7.0	7.6	6.8	6.0	6.4	0.6	0.6	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	11,237	8,855	20,092	100.0	100.0	100.0	1,001.0	750.8	872.8	491.0	414.4	443.3	346.2	312.5	323.6	40.7	33.4	36.8
食道	C15 D001	458	119	577	4.1	1.3	2.9	40.8	10.1	25.1	20.1	4.8	12.0	14.0	3.4	8.5	1.8	0.5	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	2,135	1,531	3,666	19.0	17.3	18.2	190.2	129.8	159.3	100.5	55.5	77.0	72.5	39.6	55.5	9.0	4.6	6.7
結腸 *2	C18 D010	1,389	1,098	2,487	12.4	12.4	12.4	123.7	93.1	108.0	62.9	36.8	49.3	44.8	25.7	34.9	5.5	2.9	4.2
直腸 *2	C19-C20 D011-D012	746	433	1,179	6.6	4.9	5.9	66.5	36.7	51.2	37.6	18.7	27.8	27.7	13.9	20.6	3.4	1.6	2.5
肺	C33-C34 D021-D022	1,547	629	2,176	13.8	7.1	10.8	137.8	53.3	94.5	63.0	22.2	40.9	42.9	15.7	28.2	5.2	1.9	3.5
皮膚	C43-C44 D030-D049	268	284	552	2.4	3.2	2.7	23.9	24.1	24.0	10.2	8.6	9.2	7.0	6.2	6.5	0.6	0.6	0.6
乳房	C50 D05	8	1,946	1,954	0.1	22.0	9.7	0.7	165.0	84.9	0.3	115.5	58.6	0.2	88.9	44.9	0.0	9.6	4.8
子宮	C53-C55 D06	-	917	917	-	10.4	4.6	-	77.8	-	-	72.2	-	-	57.8	-	-	5.5	-
子宮頸部	C53 D06	-	553	553	-	6.2	2.8	-	46.9	-	-	49.8	-	-	40.5	-	-	3.5	-
膀胱	C67 D090	581	180	761	5.2	2.0	3.8	51.8	15.3	33.1	23.6	5.7	13.9	16.2	4.0	9.7	1.9	0.5	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	10,194	5	4	8	11	16	20	39	53	97	178	248	482	868	1,527	1,975	1,766	1,511	948	371	61	6	0
	口腔・咽頭	C00-C14	295	1	0	0	0	0	1	6	0	6	10	17	20	32	53	60	36	32	11	9	1	0	0
	食道	C15	430	0	0	0	0	0	0	0	0	2	5	11	28	46	75	86	83	56	32	6	0	0	0
	胃	C16	1,719	0	0	0	0	1	0	1	5	14	19	22	64	155	254	360	331	272	154	59	8	0	0
	大腸（結腸・直腸）	C18-C20	1,531	0	0	1	0	1	3	1	7	18	41	62	97	152	255	288	222	205	120	50	8	0	0
	結腸	C18	954	0	0	1	0	0	1	0	3	8	17	32	51	87	152	186	150	135	94	34	3	0	0
	直腸	C19-C20	577	0	0	0	0	1	2	1	4	10	24	30	46	65	103	102	72	70	26	16	5	0	0
	肝および肝内胆管	C22	402	1	0	0	0	0	0	2	1	1	6	9	8	30	63	76	80	61	41	21	2	0	0
	胆のう・胆管	C23-C24	248	0	0	0	0	0	0	1	0	0	4	3	6	12	31	30	47	53	45	14	2	0	0
	膵臓	C25	450	0	0	0	0	0	0	1	0	1	10	12	20	38	54	96	73	74	46	24	1	0	0
	喉頭	C32	87	0	0	0	0	0	0	0	0	4	2	2	6	4	17	13	16	14	5	3	1	0	0
	肺	C33-C34	1,538	0	0	0	0	0	0	0	3	5	10	28	60	126	239	320	304	230	146	55	8	4	0
	皮膚	C43-C44	237	0	0	0	0	1	0	1	4	3	3	5	7	15	22	26	35	44	48	17	6	0	0
	乳房	C50	7	0	0	0	0	0	0	0	0	0	1	0	0	1	0	1	1	2	1	0	0	0	0
	前立腺	C61	1,465	0	0	0	0	0	0	0	0	0	1	12	65	107	227	327	287	230	139	57	13	0	0
	膀胱	C67	296	0	0	0	0	0	0	0	1	0	2	6	13	23	39	51	41	57	46	14	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	339	1	0	0	0	1	0	0	2	9	16	11	17	36	54	57	53	43	28	8	3	0	0
	脳・中枢神経系	C70-C72	64	1	2	3	2	0	0	3	5	7	4	1	3	2	4	6	9	7	4	1	0	0	0
	甲状腺	C73	64	0	0	0	0	1	0	0	3	4	7	3	4	10	13	8	3	3	3	2	0	0	0
	悪性リンパ腫	C81-C85 C96	361	0	0	2	2	3	2	2	6	5	6	14	21	23	50	67	61	50	34	11	1	1	0
	多発性骨髄腫	C88-C90	76	0	0	0	0	0	0	0	0	0	1	1	7	7	10	18	13	12	4	3	0	0	0
	白血病	C91-C95	142	0	1	2	2	4	3	2	6	4	7	5	12	13	15	17	22	19	6	2	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	7,717	5	4	4	4	16	33	68	146	243	411	448	504	576	871	989	942	940	833	498	159	23	0
	口腔・咽頭	C00-C14	110	0	0	0	0	0	1	3	3	5	10	3	6	9	11	11	11	18	8	8	3	0	0
	食道	C15	107	0	0	0	0	0	0	0	0	1	1	6	7	11	16	26	15	8	10	5	1	0	0
	胃	C16	766	0	0	0	0	0	0	3	6	5	15	14	30	51	95	98	126	130	115	65	13	0	0
	大腸（結腸・直腸）	C18-C20	1,227	0	0	0	0	0	2	2	9	16	28	46	51	86	129	177	162	184	185	116	31	3	0
	結腸	C18	877	0	0	0	0	0	0	0	5	4	18	31	27	47	82	130	125	142	143	96	24	3	0
	直腸	C19-C20	350	0	0	0	0	0	2	2	4	12	10	15	24	39	47	47	37	42	42	20	7	0	0
	肝および肝内胆管	C22	188	0	0	0	0	1	0	1	0	1	0	2	8	6	22	18	28	29	33	30	7	2	0
	胆のう・胆管	C23-C24	186	0	0	0	0	1	0	0	0	1	0	3	2	7	10	14	32	41	34	29	10	2	0
	膵臓	C25	472	0	0	0	0	0	0	1	1	2	6	5	8	34	63	71	89	67	73	40	11	1	0
	喉頭	C32	6	0	0	0	0	0	0	1	0	0	0	0	0	1	1	1	0	0	2	0	0	0	0
	肺	C33-C34	615	0	0	0	0	1	1	2	4	4	12	13	25	43	84	106	89	114	60	41	13	3	0
	皮膚	C43-C44	216	0	0	0	0	2	3	1	0	5	5	1	13	12	15	17	24	28	42	30	16	2	0
	乳房	C50	1,706	0	0	0	0	2	6	24	56	121	188	191	162	156	197	189	149	127	84	36	13	5	0
	子宮	C53-C55	530	0	0	0	0	2	1	10	32	28	78	61	69	48	53	53	37	25	21	8	3	1	0
	子宮頸部	C53	166	0	0	0	0	1	0	9	16	18	27	14	18	11	13	10	9	8	10	1	0	1	0
	子宮体部	C54	361	0	0	0	0	1	1	1	16	10	51	47	51	37	40	43	27	16	11	7	2	0	0
	卵巣	C56	239	0	0	0	1	2	4	6	12	14	23	31	28	15	20	31	20	11	12	6	3	0	0
	膀胱	C67	114	0	0	0	0	0	0	1	2	1	1	2	3	9	18	11	21	22	16	7	0	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	184	1	0	1	0	0	0	0	3	2	3	3	8	14	23	26	24	26	32	10	6	2	0
	脳・中枢神経系	C70-C72	53	0	0	1	2	0	0	1	1	1	2	2	1	4	12	11	5	6	4	0	0	0	0
	甲状腺	C73	180	0	0	0	0	3	6	8	3	10	15	21	21	13	18	20	16	17	5	2	2	0	0
	悪性リンパ腫	C81-C85 C96	293	1	0	0	1	0	3	1	3	4	3	12	18	26	38	46	41	36	41	16	3	0	0
	多発性骨髄腫	C88-C90	38	0	0	0	0	0	0	0	0	0	1	2	2	2	2	3	7	8	8	3	0	0	0
	白血病	C91-C95	120	2	2	0	0	2	2	1	3	12	3	6	11	12	16	12	11	8	10	7	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	17,911	10	8	12	15	32	53	107	199	340	589	696	986	1,444	2,398	2,964	2,708	2,451	1,781	869	220	29	0
	口腔・咽頭	C00-C14	405	1	0	0	0	0	2	9	3	11	20	20	26	41	64	71	47	50	19	17	4	0	0
	食道	C15	537	0	0	0	0	0	0	0	0	3	6	17	35	57	91	112	98	64	42	11	1	0	0
	胃	C16	2,485	0	0	0	0	1	0	4	11	19	34	36	94	206	349	458	457	402	269	124	21	0	0
	大腸（結腸・直腸）	C18-C20	2,758	0	0	1	0	1	5	3	16	34	69	108	148	238	384	465	384	389	305	166	39	3	0
	結腸	C18	1,831	0	0	1	0	0	1	0	8	12	35	63	78	134	234	316	275	277	237	130	27	3	0
	直腸	C19-C20	927	0	0	0	0	1	4	3	8	22	34	45	70	104	150	149	109	112	68	36	12	0	0
	肝および肝内胆管	C22	590	1	0	0	0	1	0	3	1	2	6	11	16	36	85	94	108	90	74	51	9	2	0
	胆のう・胆管	C23-C24	434	0	0	0	0	1	0	1	0	1	4	6	8	19	41	44	79	94	79	43	12	2	0
	膵臓	C25	922	0	0	0	0	0	0	2	1	3	16	17	28	72	117	167	162	141	119	64	12	1	0
	喉頭	C32	93	0	0	0	0	0	0	1	0	4	2	2	6	5	18	14	16	14	7	3	1	0	0
	肺	C33-C34	2,153	0	0	0	0	1	1	2	7	9	22	41	85	169	323	426	393	344	206	96	21	7	0
	皮膚	C43-C44	453	0	0	0	0	3	3	2	4	8	8	6	20	27	37	43	59	72	90	47	22	2	0
	乳房	C50	1,713	0	0	0	0	2	6	24	56	121	189	191	162	157	197	190	150	129	85	36	13	5	0
	子宮	C53-C55	530	0	0	0	0	2	1	10	32	28	78	61	69	48	53	53	37	25	21	8	3	1	0
	子宮頸部	C53	166	0	0	0	0	1	0	9	16	18	27	14	18	11	13	10	9	8	10	1	0	1	0
	子宮体部	C54	361	0	0	0	0	1	1	1	16	10	51	47	51	37	40	43	27	16	11	7	2	0	0
	卵巣	C56	239	0	0	0	1	2	4	6	12	14	23	31	28	15	20	31	20	11	12	6	3	0	0
	前立腺	C61	1,465	0	0	0	0	0	0	0	0	0	1	12	65	107	227	327	287	230	139	57	13	0	0
	膀胱	C67	410	0	0	0	0	0	0	0	2	2	3	7	15	26	48	69	52	78	68	30	9	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	523	2	0	1	0	1	0	0	5	11	19	14	25	50	77	83	77	69	60	18	9	2	0
	脳・中枢神経系	C70-C72	117	1	2	4	4	0	0	4	6	8	6	3	4	6	16	17	14	13	8	1	0	0	0
	甲状腺	C73	244	0	0	0	0	4	6	8	6	14	22	24	25	23	31	28	19	20	8	4	2	0	0
	悪性リンパ腫	C81-C85 C96	654	1	0	2	3	3	5	3	9	9	9	26	39	49	88	113	102	86	75	27	4	1	0
	多発性骨髄腫	C88-C90	114	0	0	0	0	0	0	0	0	0	2	3	9	9	12	21	20	20	12	6	0	0	0
	白血病	C91-C95	262	2	3	2	2	6	5	3	9	16	10	11	23	25	31	29	33	27	16	9	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	11,237	5	4	8	12	19	21	43	56	106	209	290	569	980	1,703	2,197	1,907	1,650	1,004	384	64	6	0	
	食道	C15 D001	458	0	0	0	0	0	0	0	0	2	5	11	29	50	82	89	89	61	33	7	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	2,135	0	0	1	0	4	3	2	9	23	65	94	155	238	365	412	292	275	137	51	9	0	0	
	結腸 *2	C18 D010	1,389	0	0	1	0	2	1	1	4	12	30	54	93	141	229	280	204	191	108	35	3	0	0	
	直腸 *2	C19-C20 D011-D012	746	0	0	0	0	2	2	1	5	11	35	40	62	97	136	132	88	84	29	16	6	0	0	
	肺	C33-C34 D021-D022	1,547	0	0	0	0	0	0	0	0	3	6	10	28	60	127	242	322	306	230	146	55	8	4	0
	皮膚	C43-C44 D030-D049	268	0	0	0	0	1	0	1	4	3	4	5	8	15	25	30	41	50	56	18	7	0	0	
	乳房	C50 D05	8	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	1	2	1	0	0	0	
	膀胱	C67 D090	581	0	0	0	1	0	0	0	2	2	1	8	11	30	38	82	119	87	103	71	22	3	1	0
	女	全部位	C00-C96 D00-D09	8,855	5	4	4	4	22	67	144	210	356	528	529	560	652	967	1,127	1,047	1,039	884	519	164	23	0
食道		C15 D001	119	0	0	0	0	0	0	0	0	1	1	6	8	12	18	28	19	10	10	5	1	0	0	
大腸（結腸・直腸）*2		C18-C20 D010-D012	1,531	0	0	0	0	1	2	3	12	24	35	64	71	109	171	234	213	231	208	119	31	3	0	
結腸 *2		C18 D010	1,098	0	0	0	0	1	0	0	7	12	22	41	41	62	112	171	165	178	161	98	24	3	0	
直腸 *2		C19-C20 D011-D012	433	0	0	0	0	0	2	3	5	12	13	23	30	47	59	63	48	53	47	21	7	0	0	
肺		C33-C34 D021-D022	629	0	0	0	0	1	1	2	4	4	12	13	26	45	87	110	91	116	60	41	13	3	0	
皮膚		C43-C44 D030-D049	284	0	0	0	0	2	3	1	1	6	5	1	14	14	18	26	35	44	51	43	18	2	0	
乳房		C50 D05	1,946	0	0	0	0	2	7	28	61	141	233	220	172	186	219	220	164	142	95	36	15	5	0	
子宮		C53-C55 D06	917	0	0	0	0	7	34	80	86	112	137	90	82	55	67	61	44	27	22	9	3	1	0	
子宮頸部		C53 D06	553	0	0	0	0	6	33	79	70	102	86	43	31	18	27	18	16	10	11	2	0	1	0	
膀胱		C67 D090	180	0	0	0	0	0	0	0	2	2	4	3	6	12	15	33	18	30	28	19	8	0	0	
総数 *3 全部位	C00-C96 D00-D09	20,092	10	8	12	16	41	88	187	266	462	737	819	1,129	1,632	2,670	3,324	2,954	2,689	1,888	903	228	29	0		
食道	C15 D001	577	0	0	0	0	0	0	0	0	3	6	17	37	62	100	117	108	71	43	12	1	0	0		
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,666	0	0	1	0	5	5	5	21	47	100	158	226	347	536	646	505	506	345	170	40	3	0		
結腸 *2	C18 D010	2,487	0	0	1	0	3	1	1	11	24	52	95	134	203	341	451	369	369	269	133	27	3	0		
直腸 *2	C19-C20 D011-D012	1,179	0	0	0	0	2	4	4	10	23	48	63	92	144	195	195	136	137	76	37	13	0	0		
肺	C33-C34 D021-D022	2,176	0	0	0	0	1	1	2	7	10	22	41	86	172	329	432	397	346	206	96	21	7	0		
皮膚	C43-C44 D030-D049	552	0	0	0	0	3	3	2	5	9	9	6	22	29	43	56	76	94	107	61	25	2	0		
乳房	C50 D05	1,954	0	0	0	0	2	7	28	61	141	234	220	172	187	219	222	165	144	96	36	15	5	0		
子宮	C53-C55 D06	917	0	0	0	0	7	34	80	86	112	137	90	82	55	67	61	44	27	22	9	3	1	0		
子宮頸部	C53 D06	553	0	0	0	0	6	33	79	70	102	86	43	31	18	27	18	16	10	11	2	0	1	0		
膀胱	C67 D090	761	0	0	0	1	0	0	0	2	4	3	12	14	36	50	97	152	105	133	99	41	11	1	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	908.1	12.3	8.4	16.1	19.3	25.6	34.3	61.5	74.0	120.1	203.1	326.8	670.7	1,194.8	1,907.2	2,568.3	3,383.7	3,960.8	3,926.4	3,928.4	3,394.5	3,045.7	-
	口腔・咽頭	C00-C14	26.3	2.5	0.0	0.0	0.0	0.0	1.7	9.5	0.0	7.4	11.4	22.4	27.8	44.0	66.2	78.0	69.0	83.9	45.6	95.3	55.6	0.0	-
	食道	C15	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.7	14.5	39.0	63.3	93.7	111.8	159.0	146.8	132.5	63.5	0.0	0.0	-
	胃	C16	153.1	0.0	0.0	0.0	0.0	1.6	0.0	1.6	7.0	17.3	21.7	29.0	89.1	213.3	317.2	468.1	634.2	713.0	637.8	624.7	445.2	0.0	-
	大腸（結腸・直腸）	C18-C20	136.4	0.0	0.0	2.0	0.0	1.6	5.1	1.6	9.8	22.3	46.8	81.7	135.0	209.2	318.5	374.5	425.4	537.4	497.0	529.4	445.2	0.0	-
	結腸	C18	85.0	0.0	0.0	2.0	0.0	0.0	1.7	0.0	4.2	9.9	19.4	42.2	71.0	119.8	189.8	241.9	287.4	353.9	389.3	360.0	166.9	0.0	-
	直腸	C19-C20	51.4	0.0	0.0	0.0	0.0	1.6	3.4	1.6	5.6	12.4	27.4	39.5	64.0	89.5	128.6	132.6	138.0	183.5	107.7	169.4	278.2	0.0	-
	肝および肝内胆管	C22	35.8	2.5	0.0	0.0	0.0	0.0	0.0	3.2	1.4	1.2	6.8	11.9	11.1	41.3	78.7	98.8	153.3	159.9	169.8	222.4	111.3	0.0	-
	胆のう・胆管	C23-C24	22.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.6	4.0	8.3	16.5	38.7	39.0	90.1	138.9	186.4	148.2	111.3	0.0	-
	膵臓	C25	40.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.2	11.4	15.8	27.8	52.3	67.4	124.8	139.9	194.0	190.5	254.1	55.6	0.0	-
	喉頭	C32	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	2.3	2.6	8.3	5.5	21.2	16.9	30.7	36.7	20.7	31.8	55.6	0.0	-
	肺	C33-C34	137.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	6.2	11.4	36.9	83.5	173.4	298.5	416.1	582.5	602.9	604.7	582.4	445.2	2,030.5	-
	皮膚	C43-C44	21.1	0.0	0.0	0.0	0.0	1.6	0.0	1.6	5.6	3.7	3.4	6.6	9.7	20.6	27.5	33.8	67.1	115.3	198.8	180.0	333.9	0.0	-
	乳房	C50	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.4	0.0	1.3	1.9	5.2	4.1	0.0	0.0	0.0	-
	前立腺	C61	130.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	15.8	90.4	147.3	283.5	425.2	549.9	602.9	575.7	603.6	723.4	0.0	-
	膀胱	C67	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.3	7.9	18.1	31.7	48.7	66.3	78.6	149.4	190.5	148.2	111.3	507.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	30.2	2.5	0.0	0.0	0.0	1.6	0.0	0.0	2.8	11.1	18.3	14.5	23.7	49.6	67.4	74.1	101.5	112.7	116.0	84.7	166.9	0.0	-
	脳・中枢神経系	C70-C72	5.7	2.5	4.2	6.0	3.5	0.0	0.0	4.7	7.0	8.7	4.6	1.3	4.2	2.8	5.0	7.8	17.2	18.3	16.6	10.6	0.0	0.0	-
	甲状腺	C73	5.7	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.2	5.0	8.0	4.0	5.6	13.8	16.2	10.4	5.7	7.9	12.4	21.2	0.0	0.0	-
	悪性リンパ腫	C81-C85 C96	32.2	0.0	0.0	4.0	3.5	4.8	3.4	3.2	8.4	6.2	6.8	18.4	29.2	31.7	62.4	87.1	116.9	131.1	140.8	116.5	55.6	507.6	-
	多発性骨髄腫	C88-C90	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	9.7	9.6	12.5	23.4	24.9	31.5	16.6	31.8	0.0	0.0	-
	白血病	C91-C95	12.6	0.0	2.1	4.0	3.5	6.4	5.1	3.2	8.4	5.0	8.0	6.6	16.7	17.9	18.7	22.1	42.2	49.8	24.9	21.2	0.0	0.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	654.3	13.0	8.9	8.4	7.4	27.4	59.1	110.8	205.6	309.6	485.4	608.3	700.8	772.3	1,035.1	1,185.1	1,494.3	1,678.5	1,856.9	2,010.7	2,167.1	2,017.5	-
	口腔・咽頭	C00-C14	9.3	0.0	0.0	0.0	0.0	0.0	1.8	4.9	4.2	6.4	11.8	4.1	8.3	12.1	13.1	13.2	17.4	32.1	17.8	32.3	40.9	0.0	-
	食道	C15	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	8.1	9.7	14.7	19.0	31.2	23.8	14.3	22.3	20.2	13.6	0.0	-
	胃	C16	64.9	0.0	0.0	0.0	0.0	0.0	0.0	4.9	8.4	6.4	17.7	19.0	41.7	68.4	112.9	117.4	199.9	232.1	256.4	262.4	177.2	0.0	-
	大腸（結腸・直腸）	C18-C20	104.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	12.7	20.4	33.1	62.5	70.9	115.3	153.3	212.1	257.0	328.6	412.4	468.3	422.5	263.2	-
	結腸	C18	74.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	5.1	21.3	42.1	37.5	63.0	97.4	155.8	198.3	253.6	318.8	387.6	327.1	263.2	-
	直腸	C19-C20	29.7	0.0	0.0	0.0	0.0	0.0	3.6	3.3	5.6	15.3	11.8	20.4	33.4	52.3	55.9	56.3	58.7	75.0	93.6	80.7	95.4	0.0	-
	肝および肝内胆管	C22	15.9	0.0	0.0	0.0	0.0	1.7	0.0	1.6	0.0	1.3	0.0	2.7	11.1	8.0	26.1	21.6	44.4	51.8	73.6	121.1	95.4	175.4	-
	胆のう・胆管	C23-C24	15.8	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.3	0.0	4.1	2.8	9.4	11.9	16.8	50.8	73.2	75.8	117.1	136.3	175.4	-
	膵臓	C25	40.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	2.5	7.1	6.8	11.1	45.6	74.9	85.1	141.2	119.6	162.7	161.5	149.9	87.7	-
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.2	0.0	0.0	4.5	0.0	0.0	0.0	-
	肺	C33-C34	52.1	0.0	0.0	0.0	0.0	1.7	1.8	3.3	5.6	5.1	14.2	17.7	34.8	57.7	99.8	127.0	141.2	203.6	133.7	165.5	177.2	263.2	-
	皮膚	C43-C44	18.3	0.0	0.0	0.0	0.0	3.4	5.4	1.6	0.0	6.4	5.9	1.4	18.1	16.1	17.8	20.4	38.1	50.0	93.6	121.1	218.1	175.4	-
	乳房	C50	144.7	0.0	0.0	0.0	0.0	3.4	10.7	39.1	78.8	154.2	222.0	259.4	225.3	209.2	234.1	226.5	236.4	226.8	187.2	145.3	177.2	438.6	-
	子宮	C53-C55	44.9	0.0	0.0	0.0	0.0	3.4	1.8	16.3	45.1	35.7	92.1	82.8	95.9	64.4	63.0	63.5	58.7	44.6	46.8	32.3	40.9	87.7	-
	子宮頸部	C53	14.1	0.0	0.0	0.0	0.0	1.7	0.0	14.7	22.5	22.9	31.9	19.0	25.0	14.7	15.4	12.0	14.3	14.3	22.3	4.0	0.0	87.7	-
	子宮体部	C54	30.6	0.0	0.0	0.0	0.0	1.7	1.8	1.6	22.5	12.7	60.2	63.8	70.9	49.6	47.5	51.5	42.8	28.6	24.5	28.3	27.3	0.0	-
	卵巣	C56	20.3	0.0	0.0	0.0	1.9	3.4	7.2	9.8	16.9	17.8	27.2	42.1	38.9	20.1	23.8	37.1	31.7	19.6	26.7	24.2	40.9	0.0	-
	膀胱	C67	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	1.2	1.4	2.8	4.0	10.7	21.6	17.4	37.5	49.0	64.6	95.4	0.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	15.6	2.6	0.0	2.1	0.0	0.0	0.0	0.0	4.2	2.5	3.5	4.1	11.1	18.8	27.3	31.2	38.1	46.4	71.3	40.4	81.8	175.4	-
	脳・中枢神経系	C70-C72	4.5	0.0	0.0	2.1	3.7	0.0	0.0	1.6	1.4	1.3	2.4	2.7	1.4	5.4	14.3	13.2	7.9	10.7	8.9	0.0	0.0	0.0	-
	甲状腺	C73	15.3	0.0	0.0	0.0	0.0	5.1	10.7	13.0	4.2	12.7	17.7	28.5	29.2	17.4	21.4	24.0	25.4	30.4	11.1	8.1	27.3	0.0	-
	悪性リンパ腫	C81-C85 C96	24.8	2.6	0.0	0.0	1.9	0.0	5.4	1.6	4.2	5.1	3.5	16.3	25.0	34.9	45.2	55.1	65.0	64.3	91.4	64.6	40.9	0.0	-
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	2.8	2.7	2.4	3.6	11.1	14.3	17.8	12.1	0.0	0.0	-
	白血病	C91-C95	10.2	5.2	4.5	0.0	0.0	3.4	3.6	1.6	4.2	15.3	3.5	8.1	15.3	16.1	19.0	14.4	17.4	14.3	22.3	28.3	0.0	0.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	778.1	12.6	8.7	12.3	13.5	26.5	46.4	85.8	139.5	213.5	341.9	465.5	685.8	980.8	1,460.3	1,848.4	2,350.1	2,603.2	2,581.0	2,540.0	2,408.6	2,169.0	-
	口腔・咽頭	C00-C14	17.6	1.3	0.0	0.0	0.0	0.0	1.8	7.2	2.1	6.9	11.6	13.4	18.1	27.8	39.0	44.3	40.8	53.1	27.5	49.7	43.8	0.0	-
	食道	C15	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.5	11.4	24.3	38.7	55.4	69.8	85.0	68.0	60.9	32.2	10.9	0.0	-
	胃	C16	107.9	0.0	0.0	0.0	0.0	0.8	0.0	3.2	7.7	11.9	19.7	24.1	65.4	139.9	212.5	285.6	396.6	427.0	389.8	362.4	229.9	0.0	-
	大腸（結腸・直腸）	C18-C20	119.8	0.0	0.0	1.0	0.0	0.8	4.4	2.4	11.2	21.4	40.0	72.2	102.9	161.7	233.8	290.0	333.2	413.2	442.0	485.2	427.0	224.4	-
	結腸	C18	79.5	0.0	0.0	1.0	0.0	0.0	0.9	0.0	5.6	7.5	20.3	42.1	54.2	91.0	142.5	197.1	238.7	294.2	343.5	380.0	295.6	224.4	-
	直腸	C19-C20	40.3	0.0	0.0	0.0	0.0	0.8	3.5	2.4	5.6	13.8	19.7	30.1	48.7	70.6	91.3	92.9	94.6	119.0	98.5	105.2	131.4	0.0	-
	肝および肝内胆管	C22	25.6	1.3	0.0	0.0	0.0	0.8	0.0	2.4	0.7	1.3	3.5	7.4	11.1	24.5	51.8	58.6	93.7	95.6	107.2	149.1	98.5	149.6	-
	胆のう・胆管	C23-C24	18.9	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.6	2.3	4.0	5.6	12.9	25.0	27.4	68.6	99.8	114.5	125.7	131.4	149.6	-
	膵臓	C25	40.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	1.9	9.3	11.4	19.5	48.9	71.2	104.1	140.6	149.8	172.5	187.1	131.4	74.8	-
	喉頭	C32	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.5	1.2	1.3	4.2	3.4	11.0	8.7	13.9	14.9	10.1	8.8	10.9	0.0	-
	肺	C33-C34	93.5	0.0	0.0	0.0	0.0	0.8	0.9	1.6	4.9	5.7	12.8	27.4	59.1	114.8	196.7	265.7	341.1	365.4	298.5	280.6	229.9	523.6	-
	皮膚	C43-C44	19.7	0.0	0.0	0.0	0.0	2.5	2.6	1.6	2.8	5.0	4.6	4.0	13.9	18.3	22.5	26.8	51.2	76.5	130.4	137.4	240.9	149.6	-
	乳房	C50	74.4	0.0	0.0	0.0	0.0	1.7	5.3	19.2	39.3	76.0	109.7	127.7	112.7	106.6	120.0	118.5	130.2	137.0	123.2	105.2	142.3	374.0	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.7	4.7	10.4	17.7	29.2	43.0	45.1	82.8	98.5	87.7	98.5	74.8	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.7	2.5	0.0	1.0	0.0	0.8	0.0	0.0	3.5	6.9	11.0	9.4	17.4	34.0	46.9	51.8	66.8	73.3	87.0	52.6	98.5	149.6	-
	脳・中枢神経系	C70-C72	5.1	1.3	2.2	4.1	3.6	0.0	0.0	3.2	4.2	5.0	3.5	2.0	2.8	4.1	9.7	10.6	12.1	13.8	11.6	2.9	0.0	0.0	-
	甲状腺	C73	10.6	0.0	0.0	0.0	0.0	3.3	5.3	6.4	4.2	8.8	12.8	16.1	17.4	15.6	18.9	17.5	16.5	21.2	11.6	11.7	21.9	0.0	-
	悪性リンパ腫	C81-C85 C96	28.4	1.3	0.0	2.1	2.7	2.5	4.4	2.4	6.3	5.7	5.2	17.4	27.1	33.3	53.6	70.5	88.5	91.3	108.7	78.9	43.8	74.8	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	6.3	6.1	7.3	13.1	17.4	21.2	17.4	17.5	0.0	0.0	-
	白血病	C91-C95	11.4	2.5	3.3	2.1	1.8	5.0	4.4	2.4	6.3	10.0	5.8	7.4	16.0	17.0	18.9	18.1	28.6	28.7	23.2	26.3	0.0	0.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	1,001.0	12.3	8.4	16.1	21.0	30.4	36.0	67.8	78.2	131.3	238.5	382.2	791.7	1,348.9	2,127.0	2,857.0	3,653.8	4,325.1	4,158.4	4,066.1	3,561.5	3,045.7	-
	食道	C15 D001	40.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.7	14.5	40.4	68.8	102.4	115.7	170.5	159.9	136.7	74.1	0.0	0.0	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	190.2	0.0	0.0	2.0	0.0	6.4	5.1	3.2	12.6	28.5	74.2	123.9	215.7	327.6	455.9	535.8	559.5	720.9	567.4	540.0	500.8	0.0	-
	結腸 *2	C18 D010	123.7	0.0	0.0	2.0	0.0	3.2	1.7	1.6	5.6	14.9	34.2	71.2	129.4	194.1	286.0	364.1	390.9	500.7	447.3	370.6	166.9	0.0	-
	直腸 *2	C19-C20 D011-D012	66.5	0.0	0.0	0.0	0.0	3.2	3.4	1.6	7.0	13.6	39.9	52.7	86.3	133.5	169.9	171.7	168.6	220.2	120.1	169.4	333.9	0.0	-
	肺	C33-C34 D021-D022	137.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.4	11.4	36.9	83.5	174.8	302.2	418.7	586.3	602.9	604.7	582.4	445.2	2,030.5	-
	皮膚	C43-C44 D030-D049	23.9	0.0	0.0	0.0	0.0	1.6	0.0	1.6	5.6	3.7	4.6	6.6	11.1	20.6	31.2	39.0	78.6	131.1	231.9	190.6	389.5	0.0	-
	乳房	C50 D05	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.4	0.0	2.6	1.9	5.2	4.1	0.0	0.0	-
	膀胱	C67 D090	51.8	0.0	0.0	0.0	1.8	0.0	0.0	3.2	2.8	1.2	9.1	14.5	41.7	52.3	102.4	154.7	166.7	270.0	294.1	233.0	166.9	507.6	-
女	全部位	C00-C96 D00-D09	750.8	13.0	8.9	8.4	7.4	37.7	120.0	234.6	295.7	453.6	623.6	718.3	778.7	874.3	1,149.2	1,350.4	1,660.9	1,855.3	1,970.6	2,095.4	2,235.2	2,017.5	-
	食道	C15 D001	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	8.1	11.1	16.1	21.4	33.6	30.1	17.9	22.3	20.2	13.6	0.0	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	129.8	0.0	0.0	0.0	0.0	1.7	3.6	4.9	16.9	30.6	41.3	86.9	98.7	146.2	203.2	280.4	337.9	412.5	463.7	480.5	422.5	263.2	-
	結腸 *2	C18 D010	93.1	0.0	0.0	0.0	0.0	1.7	0.0	0.0	9.9	15.3	26.0	55.7	57.0	83.1	133.1	204.9	261.7	317.8	358.9	395.7	327.1	263.2	-
	直腸 *2	C19-C20 D011-D012	36.7	0.0	0.0	0.0	0.0	0.0	3.6	4.9	7.0	15.3	15.4	31.2	41.7	63.0	70.1	75.5	76.1	94.6	104.8	84.8	95.4	0.0	-
	肺	C33-C34 D021-D022	53.3	0.0	0.0	0.0	0.0	1.7	1.8	3.3	5.6	5.1	14.2	17.7	36.2	60.3	103.4	131.8	144.4	207.1	133.7	165.5	177.2	263.2	-
	皮膚	C43-C44 D030-D049	24.1	0.0	0.0	0.0	0.0	3.4	5.4	1.6	1.4	7.6	5.9	1.4	19.5	18.8	21.4	31.2	55.5	78.6	113.7	173.6	245.3	175.4	-
	乳房	C50 D05	165.0	0.0	0.0	0.0	0.0	3.4	12.5	45.6	85.9	179.6	275.2	298.7	239.2	249.4	260.3	263.6	260.2	253.6	211.8	145.3	204.4	438.6	-
	子宮	C53-C55 D06	77.8	0.0	0.0	0.0	0.0	12.0	60.9	130.3	121.1	142.7	161.8	122.2	114.0	73.7	79.6	73.1	69.8	48.2	49.0	36.3	40.9	87.7	-
子宮頸部	C53 D06	46.9	0.0	0.0	0.0	0.0	10.3	59.1	128.7	98.6	130.0	101.6	58.4	43.1	24.1	32.1	21.6	25.4	17.9	24.5	8.1	0.0	87.7	-	
膀胱	C67 D090	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.5	4.7	4.1	8.3	16.1	17.8	39.5	28.6	53.6	62.4	76.7	109.0	0.0	-	
総数 *3	全部位	C00-C96 D00-D09	872.8	12.6	8.7	12.3	14.4	33.9	77.0	149.9	186.5	290.1	427.8	547.7	785.2	1,108.5	1,625.9	2,072.9	2,563.6	2,856.0	2,736.1	2,639.4	2,496.2	2,169.0	-
	食道	C15 D001	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.5	11.4	25.7	42.1	60.9	73.0	93.7	75.4	62.3	35.1	10.9	0.0	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	159.3	0.0	0.0	1.0	0.0	4.1	4.4	4.0	14.7	29.5	58.0	105.7	157.2	235.7	326.4	402.9	438.3	537.4	500.0	496.9	437.9	224.4	-
	結腸 *2	C18 D010	108.0	0.0	0.0	1.0	0.0	2.5	0.9	0.8	7.7	15.1	30.2	63.5	93.2	137.9	207.7	281.2	320.2	391.9	389.8	388.8	295.6	224.4	-
	直腸 *2	C19-C20 D011-D012	51.2	0.0	0.0	0.0	0.0	1.7	3.5	3.2	7.0	14.4	27.9	42.1	64.0	97.8	118.7	121.6	118.0	145.5	110.1	108.1	142.3	0.0	-
	肺	C33-C34 D021-D022	94.5	0.0	0.0	0.0	0.0	0.8	0.9	1.6	4.9	6.3	12.8	27.4	59.8	116.8	200.3	269.4	344.5	367.5	298.5	280.6	229.9	523.6	-
	皮膚	C43-C44 D030-D049	24.0	0.0	0.0	0.0	0.0	2.5	2.6	1.6	3.5	5.7	5.2	4.0	15.3	19.7	26.2	34.9	66.0	99.8	155.1	178.3	273.7	149.6	-
	乳房	C50 D05	84.9	0.0	0.0	0.0	0.0	1.7	6.1	22.4	42.8	88.5	135.8	147.1	119.6	127.0	133.4	138.4	143.2	152.9	139.1	105.2	164.2	374.0	-
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	33.1	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.6	2.8	1.9	7.0	9.4	25.0	34.0	59.1	94.8	91.1	141.3	143.5	119.8	120.4	74.8	-

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	908.1	12.3	8.4	16.1	19.3	25.6	34.3	61.5	74.0	120.1	203.1	326.8	670.7	1,194.8	1,907.2	2,568.3	3,383.7	3,960.8	3,895.2	-
	口腔・咽頭	C00-C14	26.3	2.5	0.0	0.0	0.0	0.0	1.7	9.5	0.0	7.4	11.4	22.4	27.8	44.0	66.2	78.0	69.0	83.9	59.0	-
	食道	C15	38.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.7	14.5	39.0	63.3	93.7	111.8	159.0	146.8	106.8	-
	胃	C16	153.1	0.0	0.0	0.0	0.0	1.6	0.0	1.6	7.0	17.3	21.7	29.0	89.1	213.3	317.2	468.1	634.2	713.0	621.1	-
	大腸（結腸・直腸）	C18-C20	136.4	0.0	0.0	2.0	0.0	1.6	5.1	1.6	9.8	22.3	46.8	81.7	135.0	209.2	318.5	374.5	425.4	537.4	500.3	-
	結腸	C18	85.0	0.0	0.0	2.0	0.0	0.0	1.7	0.0	4.2	9.9	19.4	42.2	71.0	119.8	189.8	241.9	287.4	353.9	368.2	-
	直腸	C19-C20	51.4	0.0	0.0	0.0	0.0	1.6	3.4	1.6	5.6	12.4	27.4	39.5	64.0	89.5	128.6	132.6	138.0	183.5	132.1	-
	肝および肝内胆管	C22	35.8	2.5	0.0	0.0	0.0	0.0	0.0	3.2	1.4	1.2	6.8	11.9	11.1	41.3	78.7	98.8	153.3	159.9	179.9	-
	胆のう・胆管	C23-C24	22.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.6	4.0	8.3	16.5	38.7	39.0	90.1	138.9	171.4	-
	膵臓	C25	40.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	1.2	11.4	15.8	27.8	52.3	67.4	124.8	139.9	194.0	199.5	-
	喉頭	C32	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	2.3	2.6	8.3	5.5	21.2	16.9	30.7	36.7	25.3	-
	肺	C33-C34	137.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	6.2	11.4	36.9	83.5	173.4	298.5	416.1	582.5	602.9	598.6	-
	皮膚	C43-C44	21.1	0.0	0.0	0.0	0.0	1.6	0.0	1.6	5.6	3.7	3.4	6.6	9.7	20.6	27.5	33.8	67.1	115.3	199.5	-
	乳房	C50	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.4	0.0	1.3	1.9	5.2	2.8	-
	前立腺	C61	130.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	15.8	90.4	147.3	283.5	425.2	549.9	602.9	587.4	-
	膀胱	C67	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	2.3	7.9	18.1	31.7	48.7	66.3	78.6	149.4	177.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	30.2	2.5	0.0	0.0	0.0	1.6	0.0	0.0	2.8	11.1	18.3	14.5	23.7	49.6	67.4	74.1	101.5	112.7	109.6	-
	脳・中枢神経系	C70-C72	5.7	2.5	4.2	6.0	3.5	0.0	0.0	4.7	7.0	8.7	4.6	1.3	4.2	2.8	5.0	7.8	17.2	18.3	14.1	-
	甲状腺	C73	5.7	0.0	0.0	0.0	0.0	1.6	0.0	0.0	4.2	5.0	8.0	4.0	5.6	13.8	16.2	10.4	5.7	7.9	14.1	-
	悪性リンパ腫	C81-C85 C96	32.2	0.0	0.0	4.0	3.5	4.8	3.4	3.2	8.4	6.2	6.8	18.4	29.2	31.7	62.4	87.1	116.9	131.1	132.1	-
	多発性骨髄腫	C88-C90	6.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.3	9.7	9.6	12.5	23.4	24.9	31.5	19.7	-
	白血病	C91-C95	12.6	0.0	2.1	4.0	3.5	6.4	5.1	3.2	8.4	5.0	8.0	6.6	16.7	17.9	18.7	22.1	42.2	49.8	22.5	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	654.3	13.0	8.9	8.4	7.4	27.4	59.1	110.8	205.6	309.6	485.4	608.3	700.8	772.3	1,035.1	1,185.1	1,494.3	1,678.5	1,937.1	-
	口腔・咽頭	C00-C14	9.3	0.0	0.0	0.0	0.0	0.0	1.8	4.9	4.2	6.4	11.8	4.1	8.3	12.1	13.1	13.2	17.4	32.1	24.3	-
	食道	C15	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	8.1	9.7	14.7	19.0	31.2	23.8	14.3	20.5	-
	胃	C16	64.9	0.0	0.0	0.0	0.0	0.0	0.0	4.9	8.4	6.4	17.7	19.0	41.7	68.4	112.9	117.4	199.9	232.1	247.1	-
	大腸（結腸・直腸）	C18-C20	104.0	0.0	0.0	0.0	0.0	0.0	3.6	3.3	12.7	20.4	33.1	62.5	70.9	115.3	153.3	212.1	257.0	328.6	428.9	-
	結腸	C18	74.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	5.1	21.3	42.1	37.5	63.0	97.4	155.8	198.3	253.6	340.6	-
	直腸	C19-C20	29.7	0.0	0.0	0.0	0.0	0.0	3.6	3.3	5.6	15.3	11.8	20.4	33.4	52.3	55.9	56.3	58.7	75.0	88.3	-
	肝および肝内胆管	C22	15.9	0.0	0.0	0.0	0.0	1.7	0.0	1.6	0.0	1.3	0.0	2.7	11.1	8.0	26.1	21.6	44.4	51.8	92.2	-
	胆のう・胆管	C23-C24	15.8	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	1.3	0.0	4.1	2.8	9.4	11.9	16.8	50.8	73.2	96.0	-
	膵臓	C25	40.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.4	2.5	7.1	6.8	11.1	45.6	74.9	85.1	141.2	119.6	160.0	-
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	1.3	1.2	1.2	0.0	0.0	2.6	-
	肺	C33-C34	52.1	0.0	0.0	0.0	0.0	1.7	1.8	3.3	5.6	5.1	14.2	17.7	34.8	57.7	99.8	127.0	141.2	203.6	149.8	-
	皮膚	C43-C44	18.3	0.0	0.0	0.0	0.0	3.4	5.4	1.6	0.0	6.4	5.9	1.4	18.1	16.1	17.8	20.4	38.1	50.0	115.2	-
	乳房	C50	144.7	0.0	0.0	0.0	0.0	3.4	10.7	39.1	78.8	154.2	222.0	259.4	225.3	209.2	234.1	226.5	236.4	226.8	176.7	-
	子宮	C53-C55	44.9	0.0	0.0	0.0	0.0	3.4	1.8	16.3	45.1	35.7	92.1	82.8	95.9	64.4	63.0	63.5	58.7	44.6	42.3	-
	子宮頸部	C53	14.1	0.0	0.0	0.0	0.0	1.7	0.0	14.7	22.5	22.9	31.9	19.0	25.0	14.7	15.4	12.0	14.3	14.3	15.4	-
	子宮体部	C54	30.6	0.0	0.0	0.0	0.0	1.7	1.8	1.6	22.5	12.7	60.2	63.8	70.9	49.6	47.5	51.5	42.8	28.6	25.6	-
	卵巣	C56	20.3	0.0	0.0	0.0	1.9	3.4	7.2	9.8	16.9	17.8	27.2	42.1	38.9	20.1	23.8	37.1	31.7	19.6	26.9	-
	膀胱	C67	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.5	1.2	1.4	2.8	4.0	10.7	21.6	17.4	37.5	57.6	-
	腎・尿路（膀胱除く）	C64-C66 C68	15.6	2.6	0.0	2.1	0.0	0.0	0.0	0.0	4.2	2.5	3.5	4.1	11.1	18.8	27.3	31.2	38.1	46.4	64.0	-
	脳・中枢神経系	C70-C72	4.5	0.0	0.0	2.1	3.7	0.0	0.0	1.6	1.4	1.3	2.4	2.7	1.4	5.4	14.3	13.2	7.9	10.7	5.1	-
	甲状腺	C73	15.3	0.0	0.0	0.0	0.0	5.1	10.7	13.0	4.2	12.7	17.7	28.5	29.2	17.4	21.4	24.0	25.4	30.4	11.5	-
	悪性リンパ腫	C81-C85 C96	24.8	2.6	0.0	0.0	1.9	0.0	5.4	1.6	4.2	5.1	3.5	16.3	25.0	34.9	45.2	55.1	65.0	64.3	76.8	-
	多発性骨髄腫	C88-C90	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.7	2.8	2.7	2.4	3.6	11.1	14.3	14.1	-
	白血病	C91-C95	10.2	5.2	4.5	0.0	0.0	3.4	3.6	1.6	4.2	15.3	3.5	8.1	15.3	16.1	19.0	14.4	17.4	14.3	21.8	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	778.1	12.6	8.7	12.3	13.5	26.5	46.4	85.8	139.5	213.5	341.9	465.5	685.8	980.8	1,460.3	1,848.4	2,350.1	2,603.2	2,550.0	-
	口腔・咽頭	C00-C14	17.6	1.3	0.0	0.0	0.0	0.0	1.8	7.2	2.1	6.9	11.6	13.4	18.1	27.8	39.0	44.3	40.8	53.1	35.2	-
	食道	C15	23.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.5	11.4	24.3	38.7	55.4	69.8	85.0	68.0	47.5	-
	胃	C16	107.9	0.0	0.0	0.0	0.0	0.8	0.0	3.2	7.7	11.9	19.7	24.1	65.4	139.9	212.5	285.6	396.6	427.0	364.2	-
	大腸（結腸・直腸）	C18-C20	119.8	0.0	0.0	1.0	0.0	0.8	4.4	2.4	11.2	21.4	40.0	72.2	102.9	161.7	233.8	290.0	333.2	413.2	451.2	-
	結腸	C18	79.5	0.0	0.0	1.0	0.0	0.0	0.9	0.0	5.6	7.5	20.3	42.1	54.2	91.0	142.5	197.1	238.7	294.2	349.2	-
	直腸	C19-C20	40.3	0.0	0.0	0.0	0.0	0.8	3.5	2.4	5.6	13.8	19.7	30.1	48.7	70.6	91.3	92.9	94.6	119.0	102.0	-
	肝および肝内胆管	C22	25.6	1.3	0.0	0.0	0.0	0.8	0.0	2.4	0.7	1.3	3.5	7.4	11.1	24.5	51.8	58.6	93.7	95.6	119.6	-
	胆のう・胆管	C23-C24	18.9	0.0	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.6	2.3	4.0	5.6	12.9	25.0	27.4	68.6	99.8	119.6	-
	膵臓	C25	40.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	1.9	9.3	11.4	19.5	48.9	71.2	104.1	140.6	149.8	172.4	-
	喉頭	C32	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.5	1.2	1.3	4.2	3.4	11.0	8.7	13.9	14.9	9.7	-
	肺	C33-C34	93.5	0.0	0.0	0.0	0.0	0.8	0.9	1.6	4.9	5.7	12.8	27.4	59.1	114.8	196.7	265.7	341.1	365.4	290.3	-
	皮膚	C43-C44	19.7	0.0	0.0	0.0	0.0	2.5	2.6	1.6	2.8	5.0	4.6	4.0	13.9	18.3	22.5	26.8	51.2	76.5	141.6	-
	乳房	C50	74.4	0.0	0.0	0.0	0.0	1.7	5.3	19.2	39.3	76.0	109.7	127.7	112.7	106.6	120.0	118.5	130.2	137.0	122.3	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	17.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.7	4.7	10.4	17.7	29.2	43.0	45.1	82.8	95.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.7	2.5	0.0	1.0	0.0	0.8	0.0	0.0	3.5	6.9	11.0	9.4	17.4	34.0	46.9	51.8	66.8	73.3	78.3	-
	脳・中枢神経系	C70-C72	5.1	1.3	2.2	4.1	3.6	0.0	0.0	3.2	4.2	5.0	3.5	2.0	2.8	4.1	9.7	10.6	12.1	13.8	7.9	-
	甲状腺	C73	10.6	0.0	0.0	0.0	0.0	3.3	5.3	6.4	4.2	8.8	12.8	16.1	17.4	15.6	18.9	17.5	16.5	21.2	12.3	-
	悪性リンパ腫	C81-C85 C96	28.4	1.3	0.0	2.1	2.7	2.5	4.4	2.4	6.3	5.7	5.2	17.4	27.1	33.3	53.6	70.5	88.5	91.3	94.1	-
	多発性骨髄腫	C88-C90	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.0	6.3	6.1	7.3	13.1	17.4	21.2	15.8	-
	白血病	C91-C95	11.4	2.5	3.3	2.1	1.8	5.0	4.4	2.4	6.3	10.0	5.8	7.4	16.0	17.0	18.9	18.1	28.6	28.7	22.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	1,001.0	12.3	8.4	16.1	21.0	30.4	36.0	67.8	78.2	131.3	238.5	382.2	791.7	1,348.9	2,127.0	2,857.0	3,653.8	4,325.1	4,097.6	-
	食道	C15 D001	40.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	5.7	14.5	40.4	68.8	102.4	115.7	170.5	159.9	112.4	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	190.2	0.0	0.0	2.0	0.0	6.4	5.1	3.2	12.6	28.5	74.2	123.9	215.7	327.6	455.9	535.8	559.5	720.9	553.7	-
	結腸 *2	C18 D010	123.7	0.0	0.0	2.0	0.0	3.2	1.7	1.6	5.6	14.9	34.2	71.2	129.4	194.1	286.0	364.1	390.9	500.7	410.3	-
	直腸 *2	C19-C20 D011-D012	66.5	0.0	0.0	0.0	0.0	3.2	3.4	1.6	7.0	13.6	39.9	52.7	86.3	133.5	169.9	171.7	168.6	220.2	143.3	-
	肺	C33-C34 D021-D022	137.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	7.4	11.4	36.9	83.5	174.8	302.2	418.7	586.3	602.9	598.6
	皮膚	C43-C44 D030-D049	23.9	0.0	0.0	0.0	0.0	1.6	0.0	1.6	5.6	3.7	4.6	6.6	11.1	20.6	31.2	39.0	78.6	131.1	227.6	-
	乳房	C50 D05	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.4	0.0	2.6	1.9	5.2	2.8
	膀胱	C67 D090	51.8	0.0	0.0	0.0	1.8	0.0	0.0	3.2	2.8	1.2	9.1	14.5	41.7	52.3	102.4	154.7	166.7	270.0	272.6	-
女	全部位	C00-C96 D00-D09	750.8	13.0	8.9	8.4	7.4	37.7	120.0	234.6	295.7	453.6	623.6	718.3	778.7	874.3	1,149.2	1,350.4	1,660.9	1,855.3	2,035.7	-
	食道	C15 D001	10.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	8.1	11.1	16.1	21.4	33.6	30.1	17.9	20.5	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	129.8	0.0	0.0	0.0	0.0	1.7	3.6	4.9	16.9	30.6	41.3	86.9	98.7	146.2	203.2	280.4	337.9	412.5	462.2	-
	結腸 *2	C18 D010	93.1	0.0	0.0	0.0	0.0	1.7	0.0	0.0	9.9	15.3	26.0	55.7	57.0	83.1	133.1	204.9	261.7	317.8	366.2	-
	直腸 *2	C19-C20 D011-D012	36.7	0.0	0.0	0.0	0.0	0.0	3.6	4.9	7.0	15.3	15.4	31.2	41.7	63.0	70.1	75.5	76.1	94.6	96.0	-
	肺	C33-C34 D021-D022	53.3	0.0	0.0	0.0	0.0	1.7	1.8	3.3	5.6	5.1	14.2	17.7	36.2	60.3	103.4	131.8	144.4	207.1	149.8	-
	皮膚	C43-C44 D030-D049	24.1	0.0	0.0	0.0	0.0	3.4	5.4	1.6	1.4	7.6	5.9	1.4	19.5	18.8	21.4	31.2	55.5	78.6	146.0	-
	乳房	C50 D05	165.0	0.0	0.0	0.0	0.0	3.4	12.5	45.6	85.9	179.6	275.2	298.7	239.2	249.4	260.3	263.6	260.2	253.6	193.3	-
	子宮	C53-C55 D06	77.8	0.0	0.0	0.0	0.0	12.0	60.9	130.3	121.1	142.7	161.8	122.2	114.0	73.7	79.6	73.1	69.8	48.2	44.8	-
子宮頸部	C53 D06	46.9	0.0	0.0	0.0	0.0	10.3	59.1	128.7	98.6	130.0	101.6	58.4	43.1	24.1	32.1	21.6	25.4	17.9	17.9	-	
膀胱	C67 D090	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	2.5	4.7	4.1	8.3	16.1	17.8	39.5	28.6	53.6	70.4	-	
総数 *3	全部位	C00-C96 D00-D09	872.8	12.6	8.7	12.3	14.4	33.9	77.0	149.9	186.5	290.1	427.8	547.7	785.2	1,108.5	1,625.9	2,072.9	2,563.6	2,856.0	2,681.0	-
	食道	C15 D001	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.5	11.4	25.7	42.1	60.9	73.0	93.7	75.4	49.3	-
	大腸（結腸・直腸）*2	C18-C20 D010-D012	159.3	0.0	0.0	1.0	0.0	4.1	4.4	4.0	14.7	29.5	58.0	105.7	157.2	235.7	326.4	402.9	438.3	537.4	490.8	-
	結腸 *2	C18 D010	108.0	0.0	0.0	1.0	0.0	2.5	0.9	0.8	7.7	15.1	30.2	63.5	93.2	137.9	207.7	281.2	320.2	391.9	380.0	-
	直腸 *2	C19-C20 D011-D012	51.2	0.0	0.0	0.0	0.0	1.7	3.5	3.2	7.0	14.4	27.9	42.1	64.0	97.8	118.7	121.6	118.0	145.5	110.8	-
	肺	C33-C34 D021-D022	94.5	0.0	0.0	0.0	0.0	0.8	0.9	1.6	4.9	6.3	12.8	27.4	59.8	116.8	200.3	269.4	344.5	367.5	290.3	-
	皮膚	C43-C44 D030-D049	24.0	0.0	0.0	0.0	0.0	2.5	2.6	1.6	3.5	5.7	5.2	4.0	15.3	19.7	26.2	34.9	66.0	99.8	171.5	-
	乳房	C50 D05	84.9	0.0	0.0	0.0	0.0	1.7	6.1	22.4	42.8	88.5	135.8	147.1	119.6	127.0	133.4	138.4	143.2	152.9	133.7	-
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
膀胱	C67 D090	33.1	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.6	2.8	1.9	7.0	9.4	25.0	34.0	59.1	94.8	91.1	141.3	133.7	-

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	17,700	15.9	33.6	0.0	47.7	2.8
口腔・咽頭	C00-C14	404	3.7	27.2	0.0	67.1	2.0
食道	C15	535	16.6	36.6	0.0	45.8	0.9
胃	C16	2,467	23.1	41.7	0.0	33.6	1.6
大腸（結腸・直腸）	C18-C20	2,727	19.8	26.5	0.0	52.1	1.6
結腸	C18	1,807	19.5	28.9	0.0	49.9	1.7
直腸	C19-C20	920	20.3	21.7	0.0	56.6	1.3
肝および肝内胆管	C22	578	3.5	58.8	0.0	34.1	3.6
胆のう・胆管	C23-C24	426	4.2	39.7	0.0	55.2	0.9
膵臓	C25	906	4.0	34.5	0.0	59.8	1.7
喉頭	C32	93	1.1	17.2	0.0	79.6	2.2
肺	C33-C34	2,110	19.6	41.8	0.0	36.2	2.3
皮膚	C43-C44	452	0.0	15.7	0.0	83.6	0.7
乳房	C50	1,703	25.0	18.1	0.0	53.1	3.8
乳房（女性のみ）	C50	1,696	25.1	18.2	0.0	52.9	3.8
子宮	C53-C55	528	12.5	18.8	0.0	66.3	2.5
子宮頸部	C53	165	19.4	13.3	0.0	62.4	4.8
子宮体部	C54	360	9.4	21.1	0.0	68.3	1.1
卵巣	C56	236	10.2	25.0	0.0	61.9	3.0
前立腺	C61	1,447	25.4	40.5	0.0	26.1	8.0
膀胱	C67	405	2.7	26.7	0.0	66.4	4.2
腎・尿路（膀胱除く）	C64-C66 C68	513	9.7	50.5	0.0	37.8	1.9
脳・中枢神経系	C70-C72	116	1.7	19.8	0.0	70.7	7.8
甲状腺	C73	243	19.8	40.7	0.0	32.9	6.6
悪性リンパ腫	C81-C85 C96	650	6.0	25.7	0.2	66.5	1.7
多発性骨髄腫	C88-C90	110	6.4	51.8	0.0	34.5	7.3
白血病	C91-C95	259	7.7	38.6	0.0	47.9	5.8

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	19,881	17.5	34.3	0.0	45.7	2.6
食道	C15 D001	575	16.7	39.1	0.0	43.3	0.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,635	25.1	30.0	0.0	43.5	1.4
結腸 *2	C18 D010	2,463	24.9	32.4	0.0	41.2	1.5
直腸 *2	C19-C20 D011-D012	1,172	25.6	25.1	0.0	48.2	1.1
肺	C33-C34 D021-D022	2,133	19.4	42.4	0.0	35.9	2.3
皮膚	C43-C44 D030-D049	551	0.0	16.0	0.0	83.5	0.5
乳房	C50 D05	1,944	27.2	19.1	0.0	50.3	3.4
乳房（女性のみ）	C50 D05	1,936	27.3	19.2	0.0	50.1	3.5
子宮	C53-C55 D06	915	23.9	28.3	0.0	45.8	2.0
子宮頸部	C53 D06	552	33.5	33.0	0.0	31.2	2.4
膀胱	C67 D090	756	3.7	30.3	0.0	63.4	2.6

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,332	50.2	9.2	13.4	17.9	9.2	22.6
口腔・咽頭	C00-C14	404	38.6	14.6	37.6	5.0	4.2	52.2
食道	C15	535	48.0	6.4	23.6	16.3	5.8	29.9
胃	C16	2,467	68.0	9.0	5.4	12.4	5.3	14.3
大腸（結腸・直腸）	C18-C20	2,727	50.7	17.8	9.7	16.6	5.1	27.5
結腸	C18	1,807	51.4	16.7	10.6	16.3	5.0	27.3
直腸	C19-C20	920	49.3	20.0	7.9	17.4	5.3	27.9
肝および肝内胆管	C22	578	57.6	3.3	8.5	14.4	16.3	11.8
胆のう・胆管	C23-C24	426	17.6	3.5	35.7	16.7	26.5	39.2
膵臓	C25	906	22.4	6.8	19.5	43.5	7.7	26.4
喉頭	C32	93	68.8	9.7	8.6	6.5	6.5	18.3
肺	C33-C34	2,110	35.6	8.5	9.4	37.4	9.1	17.9
皮膚	C43-C44	452	85.8	0.4	9.1	0.0	4.6	9.5
乳房	C50	1,703	62.1	19.7	4.1	6.8	7.3	23.8
乳房（女性のみ）	C50	1,696	62.1	19.8	4.0	6.8	7.3	23.8
子宮	C53-C55	528	60.8	4.2	20.1	9.7	5.3	24.2
子宮頸部	C53	165	38.8	5.5	38.8	11.5	5.5	44.2
子宮体部	C54	360	71.4	3.6	11.7	8.6	4.7	15.3
卵巣	C56	236	35.6	0.4	39.8	16.9	6.8	40.3
前立腺	C61	1,447	54.4	1.6	16.9	15.1	12.0	18.5
膀胱	C67	405	65.2	1.0	13.6	7.2	12.8	14.6
腎・尿路（膀胱除く）	C64-C66 C68	513	56.9	2.1	17.3	14.6	9.0	19.5
脳・中枢神経系	C70-C72	116	54.3	0.0	19.8	6.9	19.0	19.8
甲状腺	C73	243	33.3	30.5	21.0	5.3	9.9	51.4
悪性リンパ腫	C81-C85 C96	639	27.7	0.8	15.5	42.9	13.1	16.3
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,513	10.9	44.7	8.2	11.9	15.9	8.4	20.1
食道	C15 D001	575	7.0	44.7	5.9	21.9	15.1	5.4	27.8
大腸（結腸・直腸）*3	C18-C20 D010-D012	3,635	24.9	38.0	13.4	7.3	12.5	3.9	20.7
結腸 *3	C18 D010	2,463	26.6	37.7	12.3	7.8	11.9	3.7	20.1
直腸 *3	C19-C20 D011-D012	1,172	21.4	38.7	15.7	6.2	13.7	4.3	21.9
肺	C33-C34 D021-D022	2,133	1.0	35.3	8.4	9.3	37.0	9.0	17.7
皮膚	C43-C44 D030-D049	551	17.4	70.4	0.4	7.4	0.0	4.4	7.8
乳房	C50 D05	1,944	11.9	54.7	17.4	3.5	6.0	6.5	20.9
乳房（女性のみ）	C50 D05	1,936	12.0	54.7	17.5	3.5	5.9	6.5	20.9
子宮	C53-C55 D06	915	42.1	35.1	2.4	11.6	5.6	3.3	14.0
子宮頸部	C53 D06	552	69.7	11.6	1.6	11.6	3.4	2.0	13.2
膀胱	C67 D090	756	45.2	34.9	0.5	7.3	3.8	8.2	7.8

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	17,332	1.2	49.0	7.3	11.7	17.5	13.2	19.1
口腔・咽頭	C00-C14	404	0.5	37.4	14.9	35.9	5.0	6.4	50.7
食道	C15	535	3.9	44.9	5.4	23.0	16.3	6.5	28.4
胃	C16	2,467	0.0	69.0	7.2	4.1	11.4	8.3	11.3
大腸（結腸・直腸）	C18-C20	2,727	1.9	42.6	15.4	10.3	15.8	13.9	25.7
結腸	C18	1,807	2.1	41.4	14.8	11.0	15.5	15.3	25.7
直腸	C19-C20	920	1.5	45.1	16.6	9.0	16.5	11.2	25.7
肝および肝内胆管	C22	578	0.0	56.7	3.1	7.8	14.2	18.2	10.9
胆のう・胆管	C23-C24	426	0.0	16.2	3.1	28.6	16.0	36.2	31.7
膵臓	C25	906	0.6	24.1	5.2	17.7	42.8	9.7	22.8
喉頭	C32	93	0.0	65.6	10.8	11.8	5.4	6.5	22.6
肺	C33-C34	2,110	0.9	34.9	7.7	9.2	37.3	10.0	16.9
皮膚	C43-C44	452	1.8	77.7	0.2	8.2	0.0	12.2	8.4
乳房	C50	1,703	4.0	65.5	11.7	4.4	6.8	7.6	16.1
乳房（女性のみ）	C50	1,696	4.0	65.6	11.7	4.4	6.7	7.6	16.1
子宮	C53-C55	528	3.4	57.4	2.3	16.3	8.5	12.1	18.6
子宮頸部	C53	165	10.9	31.5	3.0	37.0	11.5	6.1	40.0
子宮体部	C54	360	0.0	69.7	1.9	6.9	6.9	14.4	8.9
卵巣	C56	236	0.0	28.8	1.3	21.6	15.3	33.1	22.9
前立腺	C61	1,447	0.0	58.4	1.3	12.0	15.1	13.2	13.3
膀胱	C67	405	2.7	61.0	1.0	13.1	6.9	15.3	14.1
腎・尿路（膀胱除く）	C64-C66 C68	513	0.0	59.8	3.1	10.7	15.2	11.1	13.8
脳・中枢神経系	C70-C72	116	0.0	55.2	0.0	18.1	6.9	19.8	18.1
甲状腺	C73	243	0.0	42.4	21.0	9.9	5.3	21.4	30.9
悪性リンパ腫	C81-C85 C96	639	0.0	26.9	0.3	14.9	42.9	15.0	15.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	19,513	7.4	44.7	6.5	10.5	15.6	15.4	17.0
食道	C15 D001	575	9.2	42.4	5.0	21.4	15.1	6.8	26.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,635	9.0	34.2	11.6	7.7	11.9	25.6	19.3
結腸 *3	C18 D010	2,463	9.5	32.6	10.8	8.0	11.4	27.6	18.9
直腸 *3	C19-C20 D011-D012	1,172	8.0	37.5	13.1	7.1	13.0	21.3	20.2
肺	C33-C34 D021-D022	2,133	1.3	35.1	7.6	9.1	36.8	10.0	16.7
皮膚	C43-C44 D030-D049	551	17.2	64.6	0.2	6.7	0.0	11.3	6.9
乳房	C50 D05	1,944	13.5	58.9	10.3	3.9	5.9	7.6	14.1
乳房 (女性のみ)	C50 D05	1,936	13.5	58.9	10.3	3.8	5.9	7.5	14.2
子宮	C53-C55 D06	915	40.4	33.4	1.3	9.4	4.9	10.5	10.7
子宮頸部	C53 D06	552	67.0	10.0	0.9	11.1	3.4	7.6	12.0
膀胱	C67 D090	756	33.3	41.5	0.5	7.1	3.7	13.8	7.7

*1 DCO、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	10,609	58.3	10.0	10.5	3.2	18.0	20.5
口腔・咽頭	C00-C14	272	44.1	9.6	31.6	0.0	14.7	41.2
食道	C15	254	68.1	3.1	4.7	0.8	23.2	7.9
胃	C16	2,003	73.6	8.9	4.4	2.1	10.9	13.3
大腸（結腸・直腸）	C18-C20	2,214	56.0	19.2	8.8	7.9	8.1	28.0
結腸	C18	1,520	55.1	18.0	10.3	8.6	8.0	28.3
直腸	C19-C20	694	57.9	22.0	5.3	6.3	8.4	27.4
肝および肝内胆管	C22	170	45.3	0.6	2.9	1.2	50.0	3.5
胆のう・胆管	C23-C24	233	16.3	4.3	44.2	3.4	31.8	48.5
膵臓	C25	251	18.3	10.0	12.7	4.4	54.6	22.7
喉頭	C32	41	56.1	7.3	14.6	4.9	17.1	22.0
肺	C33-C34	959	59.7	6.2	5.0	2.8	26.3	11.2
皮膚	C43-C44	427	85.5	0.2	7.5	0.0	6.8	7.7
乳房	C50	1,212	70.3	16.6	1.2	0.3	11.6	17.7
乳房（女性のみ）	C50	1,206	70.4	16.7	1.1	0.2	11.6	17.7
子宮	C53-C55	415	70.8	4.6	12.0	4.1	8.4	16.6
子宮頸部	C53	85	61.2	7.1	12.9	0.0	18.8	20.0
子宮体部	C54	329	73.6	4.0	11.9	5.2	5.5	15.8
卵巣	C56	180	45.6	0.0	40.6	5.0	8.3	40.6
前立腺	C61	416	36.3	1.0	20.7	0.5	41.6	21.6
膀胱	C67	302	35.8	0.7	4.6	1.7	57.3	5.3
腎・尿路（膀胱除く）	C64-C66 C68	348	62.6	0.3	18.7	2.6	15.8	19.0
脳・中枢神経系	C70-C72	58	44.8	0.0	15.5	1.7	37.9	15.5
甲状腺	C73	216	31.5	32.9	22.2	2.8	10.6	55.1
悪性リンパ腫	C81-C85 C96	131	17.6	3.1	6.1	4.6	68.7	9.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	12,706	15.9	48.8	8.4	8.8	2.6	15.5	17.1
食道	C15 D001	285	9.1	60.7	2.8	4.2	0.7	22.5	7.0
大腸 (結腸・直腸) *3	C18-C20 D010-D012	3,120	29.0	39.7	13.7	6.2	5.6	5.8	19.9
結腸 *3	C18 D010	2,174	30.0	38.5	12.6	7.2	6.0	5.7	19.8
直腸 *3	C19-C20 D011-D012	946	26.5	42.5	16.2	3.9	4.7	6.2	20.1
肺	C33-C34 D021-D022	982	2.2	58.4	6.0	4.9	2.7	25.8	10.9
皮膚	C43-C44 D030-D049	515	15.9	70.9	0.2	6.2	0.0	6.8	6.4
乳房	C50 D05	1,443	15.2	59.4	14.1	1.0	0.3	10.0	15.0
乳房 (女性のみ)	C50 D05	1,437	15.3	59.4	14.1	0.9	0.2	10.0	15.0
子宮	C53-C55 D06	780	45.5	37.7	2.4	6.4	2.2	5.8	8.8
子宮頸部	C53 D06	450	78.9	11.6	1.3	2.4	0.0	5.8	3.8
膀胱	C67 D090	635	49.0	17.0	0.3	2.2	0.8	30.7	2.5

*1 DC0、「660:手術なし・術前治療後」、「777:該当せず」を除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96	17,700	25.6	18.8	11.4	11.3	28.2	10.4	2.1	23.2
口腔・咽頭	C00-C14	404	54.0	2.0	3.2	31.7	17.8	0.5	0.0	19.3
食道	C15	535	1.1	16.1	31.4	24.7	35.1	0.0	2.8	21.3
胃	C16	2,467	12.4	18.7	45.2	0.9	13.9	0.0	0.2	20.1
大腸（結腸・直腸）	C18-C20	2,727	20.6	48.3	14.0	2.4	27.0	0.0	0.3	16.3
結腸	C18	1,807	24.2	46.5	13.3	0.5	24.7	0.0	0.2	16.7
直腸	C19-C20	920	13.7	51.7	15.3	6.2	31.5	0.0	0.4	15.7
肝および肝内胆管	C22	578	10.7	5.2	0.2	2.2	38.9	0.0	35.3	37.2
胆のう・胆管	C23-C24	426	36.4	4.9	0.7	0.7	22.3	0.0	0.9	47.7
膵臓	C25	906	21.4	2.3	0.1	3.5	47.8	0.0	0.2	45.1
喉頭	C32	93	25.8	6.5	9.7	49.5	25.8	0.0	2.2	11.8
肺	C33-C34	2,110	1.1	33.0	0.0	18.0	34.7	0.0	0.3	30.9
皮膚	C43-C44	452	88.5	0.0	0.2	2.9	1.3	0.0	0.4	9.1
乳房	C50	1,703	79.6	0.1	0.1	30.0	36.4	58.7	0.2	9.7
乳房（女性のみ）	C50	1,696	79.6	0.1	0.1	30.1	36.4	58.7	0.2	9.7
子宮	C53-C55	528	57.6	16.7	1.1	20.8	38.1	0.6	0.2	10.4
子宮頸部	C53	165	38.2	6.1	1.8	57.6	44.2	0.6	0.0	13.3
子宮体部	C54	360	66.9	21.7	0.8	4.2	35.6	0.6	0.3	8.3
卵巣	C56	236	75.0	7.6	0.0	0.8	52.5	0.0	0.8	14.8
前立腺	C61	1,447	1.5	15.6	1.0	15.3	2.4	53.7	0.9	22.4
膀胱	C67	405	7.4	5.2	65.2	5.2	50.1	0.2	12.8	23.0
腎・尿路（膀胱除く）	C64-C66 C68	513	17.5	42.7	1.0	4.7	18.5	0.4	1.9	27.3
脳・中枢神経系	C70-C72	116	34.5	0.0	0.0	50.9	49.1	0.0	0.0	37.9
甲状腺	C73	243	79.8	0.8	0.8	13.6	1.2	14.0	1.6	17.3
悪性リンパ腫	C81-C85 C96	650	6.5	2.2	0.3	14.2	60.9	1.1	1.7	29.8
多発性骨髄腫	C88-C90	110	0.0	0.9	0.0	8.2	60.9	4.5	3.6	35.5
白血病	C91-C95	259	0.0	0.0	0.0	5.0	69.5	0.4	4.6	30.5

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	19,881	26.3	17.5	16.3	10.4	26.3	9.6	2.2	21.1
食道	C15 D001	575	1.0	15.1	33.6	23.0	32.7	0.0	3.1	22.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,635	15.7	37.5	34.0	1.8	20.2	0.0	0.2	12.3
結腸 *2	C18 D010	2,463	18.0	35.6	34.6	0.4	18.1	0.0	0.2	12.3
直腸 *2	C19-C20 D011-D012	1,172	10.9	41.4	32.7	4.9	24.7	0.0	0.3	12.4
肺	C33-C34 D021-D022	2,133	1.1	33.7	0.0	17.8	34.4	0.0	0.3	30.6
皮膚	C43-C44 D030-D049	551	87.5	0.2	0.2	2.4	2.7	0.0	0.9	8.7
乳房	C50 D05	1,944	81.5	0.1	0.1	30.1	32.3	54.6	0.2	8.9
乳房（女性のみ）	C50 D05	1,936	81.5	0.1	0.1	30.2	32.3	54.6	0.2	8.9
子宮	C53-C55 D06	915	67.5	13.2	2.1	12.0	22.0	0.4	0.1	9.3
子宮頸部	C53 D06	552	68.3	7.8	2.9	17.2	13.2	0.4	0.0	9.4
膀胱	C67 D090	756	4.2	3.4	77.6	2.8	54.1	0.7	14.3	14.7

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	9,612	88.8	8.8	2.4
口腔・咽頭	C00-C14	238	85.7	13.4	0.8
食道	C15	258	88.8	9.7	1.6
胃	C16	1,818	95.3	3.9	0.8
大腸（結腸・直腸）	C18-C20	2,120	90.9	8.2	0.8
結腸	C18	1,423	90.8	8.4	0.8
直腸	C19-C20	697	91.2	7.7	1.0
肝および肝内胆管	C22	93	91.4	8.6	0.0
胆のう・胆管	C23-C24	174	78.7	20.1	1.1
膵臓	C25	214	85.0	13.6	1.4
喉頭	C32	38	89.5	7.9	2.6
肺	C33-C34	719	95.1	4.7	0.1
皮膚	C43-C44	401	95.3	3.7	1.0
乳房	C50	1,357	89.5	4.8	5.7
乳房（女性のみ）	C50	1,351	89.6	4.7	5.7
子宮	C53-C55	390	89.0	10.3	0.8
子宮頸部	C53	72	80.6	18.1	1.4
子宮体部	C54	318	90.9	8.5	0.6
卵巣	C56	190	77.4	17.9	4.7
前立腺	C61	261	76.2	21.8	1.9
膀胱	C67	291	58.1	29.9	12.0
腎・尿路（膀胱除く）	C64-C66 C68	312	86.9	6.7	6.4
脳・中枢神経系	C70-C72	40	50.0	50.0	0.0
甲状腺	C73	196	85.2	12.8	2.0
悪性リンパ腫	C81-C85 C96	58	60.3	29.3	10.3
多発性骨髄腫	C88-C90	1	100.0	0.0	0.0
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	11,677	89.6	7.8	2.6
食道	C15 D001	284	88.0	10.2	1.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	3,025	93.1	5.9	1.0
結腸 *2	C18 D010	2,077	93.1	5.9	1.0
直腸 *2	C19-C20 D011-D012	948	93.1	5.8	1.1
肺	C33-C34 D021-D022	741	95.3	4.6	0.1
皮膚	C43-C44 D030-D049	483	95.7	3.3	1.0
乳房	C50 D05	1,585	90.3	4.5	5.2
乳房（女性のみ）	C50 D05	1,579	90.4	4.4	5.2
子宮	C53-C55 D06	747	88.0	10.0	2.0
子宮頸部	C53 D06	429	85.8	11.2	3.0
膀胱	C67 D090	619	72.4	15.7	12.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

宮城県

2020年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.39	0.37	0.38	1.3	2.0	1.6	0.9	1.5	1.2	86.0	86.6	86.3	83.0	83.7	83.3
口腔・咽頭	C00-C14	0.36	0.44	0.38	0.0	0.9	0.2	0.0	0.9	0.2	97.6	97.3	97.5	95.9	89.1	94.1
食道	C15	0.35	0.40	0.36	0.5	1.9	0.7	0.2	0.9	0.4	97.7	96.3	97.4	97.7	96.3	97.4
胃	C16	0.28	0.33	0.29	0.9	0.8	0.8	0.8	0.7	0.7	97.6	93.5	96.3	97.5	93.5	96.3
大腸（結腸・直腸）	C18-C20	0.31	0.36	0.33	0.9	2.2	1.5	0.7	1.6	1.1	95.1	89.4	92.6	95.0	89.3	92.5
結腸	C18	0.32	0.38	0.35	0.8	2.6	1.7	0.6	2.1	1.3	94.4	87.9	91.3	94.3	87.8	91.2
直腸	C19-C20	0.29	0.31	0.30	1.0	1.1	1.1	0.9	0.6	0.8	96.2	93.1	95.0	96.2	93.1	95.0
肝および肝内胆管	C22	0.66	0.73	0.69	1.2	6.9	3.1	0.7	4.8	2.0	32.6	31.4	32.2	32.1	29.3	31.2
胆のう・胆管	C23-C24	0.75	0.89	0.81	1.2	4.8	2.8	0.8	3.2	1.8	79.8	64.0	73.0	71.4	55.9	64.7
膵臓	C25	0.76	0.77	0.77	1.6	4.9	3.3	0.4	3.0	1.7	68.4	58.9	63.6	62.7	53.8	58.1
喉頭	C32	0.13	0.33	0.14	0.0	0.0	0.0	0.0	0.0	0.0	97.7	83.3	96.8	97.7	83.3	96.8
肺	C33-C34	0.65	0.63	0.64	2.1	3.4	2.5	1.6	2.9	2.0	78.0	76.7	77.6	69.5	70.4	69.8
皮膚	C43-C44	0.07	0.06	0.07	0.0	0.5	0.2	0.0	0.5	0.2	97.5	96.8	97.1	97.5	96.8	97.1
乳房	C50	0.14	0.14	0.14	0.0	0.6	0.6	0.0	0.6	0.6	100.0	96.8	96.8	100.0	96.4	96.4
子宮	C53-C55	-	0.22	0.22	-	0.4	0.4	-	0.4	0.4	-	97.5	97.5	-	96.0	96.0
子宮頸部	C53	-	0.30	0.30	-	0.6	0.6	-	0.6	0.6	-	97.6	97.6	-	94.6	94.6
子宮体部	C54	-	0.14	0.14	-	0.3	0.3	-	0.3	0.3	-	98.1	98.1	-	97.2	97.2
卵巣	C56	-	0.49	0.49	-	2.1	2.1	-	1.3	1.3	-	88.7	88.7	-	85.8	85.8
前立腺	C61	0.18	-	0.18	1.3	-	1.3	1.2	-	1.2	82.5	-	82.5	82.3	-	82.3
膀胱	C67	0.35	0.58	0.42	1.7	1.8	1.7	1.4	0.9	1.2	87.8	76.3	84.6	81.1	71.9	78.5
腎・尿路（膀胱除く）	C64-C66 C68	0.38	0.38	0.38	1.8	2.7	2.1	1.5	2.7	1.9	78.5	70.7	75.7	71.7	64.1	69.0
脳・中枢神経系	C70-C72	0.56	0.58	0.57	1.6	1.9	1.7	0.0	1.9	0.9	67.2	56.6	62.4	67.2	56.6	62.4
甲状腺	C73	0.08	0.09	0.09	1.6	0.0	0.4	1.6	0.0	0.4	96.9	95.0	95.5	90.6	88.3	88.9
悪性リンパ腫	C81-C85 C96	0.37	0.39	0.38	1.9	2.0	2.0	0.6	0.7	0.6	92.8	93.5	93.1	90.9	89.4	90.2
多発性骨髄腫	C88-C90	0.62	0.95	0.73	3.9	10.5	6.1	1.3	7.9	3.5	94.7	94.7	94.7	71.1	60.5	67.5
白血病	C91-C95	0.56	0.44	0.51	0.0	2.5	1.1	0.0	2.5	1.1	100.0	99.2	99.6	73.9	65.0	69.8

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

宮城県

2020年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.32	0.34	1.2	1.8	1.5	0.9	1.3	1.1	87.3	88.4	87.8	84.6	85.7	85.1
食道	C15 D001	0.33	0.36	0.33	0.4	1.7	0.7	0.2	0.8	0.3	97.8	96.6	97.6	97.8	96.6	97.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.22	0.29	0.25	0.7	1.8	1.1	0.5	1.3	0.8	96.5	91.5	94.4	96.4	91.4	94.4
結腸 *2	C18 D010	0.22	0.30	0.26	0.6	2.1	1.2	0.4	1.6	1.0	96.2	90.3	93.6	96.1	90.3	93.5
直腸 *2	C19-C20 D011-D012	0.22	0.25	0.23	0.8	0.9	0.8	0.7	0.5	0.6	97.1	94.5	96.1	97.1	94.5	96.1
肺	C33-C34 D021-D022	0.64	0.62	0.63	2.1	3.3	2.5	1.6	2.9	2.0	78.1	77.3	77.8	69.7	71.1	70.1
皮膚	C43-C44 D030-D049	0.06	0.05	0.05	0.0	0.4	0.2	0.0	0.4	0.2	97.8	97.5	97.6	97.8	97.5	97.6
乳房	C50 D05	0.13	0.12	0.12	0.0	0.6	0.6	0.0	0.5	0.5	100.0	97.2	97.2	100.0	96.7	96.7
子宮	C53-C55 D06	-	0.12	0.12	-	0.2	0.2	-	0.2	0.2	-	98.6	98.6	-	97.2	97.2
子宮頸部	C53 D06	-	0.09	0.09	-	0.2	0.2	-	0.2	0.2	-	99.3	99.3	-	97.5	97.5
膀胱	C67 D090	0.18	0.37	0.22	0.9	1.1	0.9	0.7	0.6	0.7	93.8	85.0	91.7	89.8	81.7	87.9

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

宮城県

2020年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	3,982	2,863	6,845	100.0	100.0	100.0	358.0	245.1	300.2	147.7	80.5	110.0	98.6	56.3	75.0	10.0	5.6	7.7
口腔・咽頭	C00-C14	107	48	155	2.7	1.7	2.3	9.6	4.1	6.8	4.7	1.2	2.9	3.2	0.9	2.0	0.4	0.1	0.2
食道	C15	150	43	193	3.8	1.5	2.8	13.5	3.7	8.5	5.8	1.3	3.3	3.8	0.9	2.2	0.4	0.1	0.3
胃	C16	478	251	729	12.0	8.8	10.7	43.0	21.5	32.0	17.5	6.7	11.5	11.7	4.6	7.8	1.1	0.5	0.8
大腸（結腸・直腸）	C18-C20	472	440	912	11.9	15.4	13.3	42.4	37.7	40.0	18.3	11.4	14.6	12.7	8.0	10.2	1.4	0.8	1.1
結腸	C18	307	331	638	7.7	11.6	9.3	27.6	28.3	28.0	11.1	7.8	9.3	7.5	5.4	6.4	0.8	0.5	0.6
直腸	C19-C20	165	109	274	4.1	3.8	4.0	14.8	9.3	12.0	7.2	3.6	5.3	5.2	2.6	3.8	0.6	0.3	0.4
肝および肝内胆管	C22	267	138	405	6.7	4.8	5.9	24.0	11.8	17.8	10.2	3.2	6.4	6.9	2.2	4.4	0.7	0.2	0.5
胆のう・胆管	C23-C24	185	165	350	4.6	5.8	5.1	16.6	14.1	15.3	6.0	3.2	4.5	3.9	2.1	2.9	0.4	0.2	0.3
膵臓	C25	344	363	707	8.6	12.7	10.3	30.9	31.1	31.0	13.4	9.7	11.4	9.0	6.5	7.7	1.0	0.6	0.8
喉頭	C32	11	2	13	0.3	0.1	0.2	1.0	0.2	0.6	0.4	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
肺	C33-C34	993	387	1,380	24.9	13.5	20.2	89.3	33.1	60.5	36.6	9.7	21.8	23.8	6.3	14.2	2.5	0.6	1.5
皮膚	C43-C44	17	13	30	0.4	0.5	0.4	1.5	1.1	1.3	0.7	0.2	0.5	0.4	0.2	0.3	0.0	0.0	0.0
乳房	C50	1	242	243	0.0	8.5	3.6	0.1	20.7	10.7	0.1	9.8	5.1	0.1	7.2	3.8	0.0	0.8	0.4
子宮	C53-C55	-	114	114	-	4.0	1.7	-	9.8	-	-	5.1	-	-	3.7	-	-	0.4	-
子宮頸部	C53	-	49	49	-	1.7	0.7	-	4.2	-	-	2.4	-	-	1.8	-	-	0.2	-
子宮体部	C54	-	51	51	-	1.8	0.7	-	4.4	-	-	2.0	-	-	1.4	-	-	0.2	-
卵巣	C56	-	116	116	-	4.1	1.7	-	9.9	-	-	4.9	-	-	3.6	-	-	0.4	-
前立腺	C61	265	-	265	6.7	-	3.9	23.8	-	-	7.8	-	-	4.9	-	-	0.3	-	-
膀胱	C67	105	66	171	2.6	2.3	2.5	9.4	5.7	7.5	3.4	1.1	2.1	2.1	0.7	1.3	0.2	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	130	70	200	3.3	2.4	2.9	11.7	6.0	8.8	4.7	1.4	2.9	3.2	1.0	2.0	0.3	0.1	0.2
脳・中枢神経系	C70-C72	36	31	67	0.9	1.1	1.0	3.2	2.7	2.9	2.0	1.6	1.8	1.4	1.4	1.4	0.1	0.1	0.1
甲状腺	C73	5	16	21	0.1	0.6	0.3	0.4	1.4	0.9	0.2	0.4	0.3	0.1	0.3	0.2	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	135	115	250	3.4	4.0	3.7	12.1	9.8	11.0	4.7	2.6	3.5	3.0	1.7	2.3	0.3	0.2	0.2
多発性骨髄腫	C88-C90	47	36	83	1.2	1.3	1.2	4.2	3.1	3.6	1.5	0.8	1.1	0.9	0.5	0.7	0.1	0.0	0.1
白血病	C91-C95	80	53	133	2.0	1.9	1.9	7.2	4.5	5.8	3.6	1.6	2.6	2.6	1.2	1.9	0.3	0.1	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	3,982	0	1	0	1	1	4	5	11	18	28	59	107	233	444	620	697	769	617	299	60	8	0
	口腔・咽頭	C00-C14	107	0	0	0	0	0	0	0	0	1	0	5	10	9	15	17	17	18	9	4	2	0	0
	食道	C15	150	0	0	0	0	0	0	0	0	0	0	3	7	9	24	23	21	38	15	10	0	0	0
	胃	C16	478	0	0	0	0	0	0	0	0	5	2	8	14	31	54	62	76	95	74	49	8	0	0
	大腸（結腸・直腸）	C18-C20	472	0	0	0	0	0	1	0	3	3	9	5	20	33	63	72	67	75	75	40	6	0	0
	結腸	C18	307	0	0	0	0	0	0	0	1	1	6	1	10	16	36	50	45	54	57	26	4	0	0
	直腸	C19-C20	165	0	0	0	0	0	1	0	2	2	3	4	10	17	27	22	22	21	18	14	2	0	0
	肝および肝内胆管	C22	267	0	1	0	0	0	0	0	0	2	0	6	8	13	35	47	57	40	36	17	5	0	0
	胆のう・胆管	C23-C24	185	0	0	0	0	0	0	0	0	0	2	1	1	6	18	29	29	36	38	20	4	1	0
	膵臓	C25	344	0	0	0	0	0	0	0	0	1	2	11	9	22	47	68	62	54	46	19	3	0	0
	喉頭	C32	11	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	3	3	0	0	0	0
	肺	C33-C34	993	0	0	0	0	0	1	0	3	4	1	10	17	64	104	175	199	212	136	59	4	4	0
	皮膚	C43-C44	17	0	0	0	0	0	0	0	0	1	0	0	2	0	0	4	4	3	2	1	0	0	0
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0
	前立腺	C61	265	0	0	0	0	0	0	0	0	0	0	0	0	7	17	27	43	59	67	31	13	1	0
	膀胱	C67	105	0	0	0	0	0	0	0	0	0	0	1	4	3	5	10	22	22	24	11	2	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	130	0	0	0	0	0	0	1	0	0	2	1	3	8	13	19	22	22	25	10	4	0	0
	脳・中枢神経系	C70-C72	36	0	0	0	0	0	1	2	1	0	3	1	2	3	3	3	8	7	1	0	1	0	0
	甲状腺	C73	5	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	1	0	0	0
	悪性リンパ腫	C81-C85 C96	135	0	0	0	0	0	0	0	1	0	0	0	2	7	18	12	26	31	28	9	1	0	0
	多発性骨髄腫	C88-C90	47	0	0	0	0	0	0	0	0	0	0	0	0	0	1	13	8	12	9	4	0	0	0
	白血病	C91-C95	80	0	0	0	1	0	0	1	1	1	4	3	2	7	7	12	15	13	7	5	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	2,863	2	0	0	3	0	0	4	11	21	51	60	88	139	218	285	371	468	584	392	145	21	0
	口腔・咽頭	C00-C14	48	0	0	0	1	0	0	0	1	0	0	0	0	2	4	3	6	8	12	5	5	1	0
	食道	C15	43	0	0	0	0	0	0	0	1	0	1	0	1	2	5	7	5	7	6	7	1	0	0
	胃	C16	251	0	0	0	0	0	0	2	1	1	3	3	5	14	19	26	30	40	50	37	19	1	0
	大腸（結腸・直腸）	C18-C20	440	0	0	0	0	0	0	0	1	1	10	5	12	24	33	42	47	67	88	79	28	3	0
	結腸	C18	331	0	0	0	0	0	0	0	1	1	7	2	5	16	18	32	34	51	72	65	24	3	0
	直腸	C19-C20	109	0	0	0	0	0	0	0	0	0	3	3	7	8	15	10	13	16	16	14	4	0	0
	肝および肝内胆管	C22	138	0	0	0	0	0	0	0	0	0	2	2	3	3	11	12	15	23	33	27	6	1	0
	胆のう・胆管	C23-C24	165	0	0	0	0	0	0	0	0	0	0	0	1	7	9	8	16	38	46	30	9	1	0
	膵臓	C25	363	0	0	0	0	0	0	1	0	0	3	6	7	16	35	33	61	69	79	37	14	2	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	0	0	0
	肺	C33-C34	387	0	0	0	0	0	0	0	0	0	4	6	6	16	12	51	69	76	73	50	23	1	0
	皮膚	C43-C44	13	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	2	2	6	1	0	0
	乳房	C50	242	0	0	0	0	0	0	1	2	8	11	13	21	14	23	36	25	23	30	23	9	3	0
	子宮	C53-C55	114	0	0	0	0	0	0	0	2	6	7	10	10	4	13	4	16	14	16	9	2	1	0
	子宮頸部	C53	49	0	0	0	0	0	0	0	1	4	4	6	3	2	4	1	6	7	7	3	0	1	0
	子宮体部	C54	51	0	0	0	0	0	0	0	1	1	1	2	6	2	8	3	7	5	8	5	2	0	0
	卵巣	C56	116	0	0	0	0	0	0	0	1	4	6	7	6	11	14	14	13	21	11	6	2	0	0
	膀胱	C67	66	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	9	10	19	15	8	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	70	0	0	0	0	0	0	0	0	0	0	0	0	3	5	8	5	14	25	4	4	2	0
	脳・中枢神経系	C70-C72	31	1	0	0	1	0	0	0	0	0	1	2	3	2	6	3	6	2	4	0	0	0	0
	甲状腺	C73	16	0	0	0	0	0	0	0	0	0	1	0	0	0	2	3	2	3	2	3	0	0	0
	悪性リンパ腫	C81-C85 C96	115	0	0	0	1	0	0	0	0	0	0	1	3	1	9	9	12	22	33	21	2	1	0
	多発性骨髄腫	C88-C90	36	0	0	0	0	0	0	0	0	0	0	0	0	0	5	3	9	4	12	1	2	0	0
	白血病	C91-C95	53	1	0	0	0	0	0	0	0	1	0	1	1	2	0	11	11	9	8	8	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	6,845	2	1	0	4	1	4	9	22	39	79	119	195	372	662	905	1,068	1,237	1,201	691	205	29	0
	口腔・咽頭	C00-C14	155	0	0	0	1	0	0	0	1	1	0	5	10	11	19	20	23	26	21	9	7	1	0
	食道	C15	193	0	0	0	0	0	0	0	1	0	1	3	8	11	29	30	26	45	21	17	1	0	0
	胃	C16	729	0	0	0	0	0	0	2	1	6	5	11	19	45	73	88	106	135	124	86	27	1	0
	大腸（結腸・直腸）	C18-C20	912	0	0	0	0	0	1	0	4	4	19	10	32	57	96	114	114	142	163	119	34	3	0
	結腸	C18	638	0	0	0	0	0	0	0	2	2	13	3	15	32	54	82	79	105	129	91	28	3	0
	直腸	C19-C20	274	0	0	0	0	0	1	0	2	2	6	7	17	25	42	32	35	37	34	28	6	0	0
	肝および肝内胆管	C22	405	0	1	0	0	0	0	0	0	2	2	8	11	16	46	59	72	63	69	44	11	1	0
	胆のう・胆管	C23-C24	350	0	0	0	0	0	0	0	0	0	2	1	2	13	27	37	45	74	84	50	13	2	0
	膵臓	C25	707	0	0	0	0	0	0	1	0	1	5	17	16	38	82	101	123	123	125	56	17	2	0
	喉頭	C32	13	0	0	0	0	0	0	0	0	0	0	0	0	2	3	0	1	3	4	0	0	0	0
	肺	C33-C34	1,380	0	0	0	0	0	1	0	3	4	5	16	23	80	116	226	268	288	209	109	27	5	0
	皮膚	C43-C44	30	0	0	0	0	0	0	0	0	1	0	0	3	0	1	4	4	5	4	7	1	0	0
	乳房	C50	243	0	0	0	0	0	0	1	2	8	11	13	21	15	23	36	25	23	30	23	9	3	0
	子宮	C53-C55	114	0	0	0	0	0	0	0	2	6	7	10	10	4	13	4	16	14	16	9	2	1	0
	子宮頸部	C53	49	0	0	0	0	0	0	0	1	4	4	6	3	2	4	1	6	7	7	3	0	1	0
	子宮体部	C54	51	0	0	0	0	0	0	0	1	1	1	2	6	2	8	3	7	5	8	5	2	0	0
	卵巣	C56	116	0	0	0	0	0	0	0	1	4	6	7	6	11	14	14	13	21	11	6	2	0	0
	前立腺	C61	265	0	0	0	0	0	0	0	0	0	0	0	0	7	17	27	43	59	67	31	13	1	0
	膀胱	C67	171	0	0	0	0	0	0	0	0	0	0	2	4	4	7	11	31	32	43	26	10	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	200	0	0	0	0	0	0	1	0	0	2	1	3	11	18	27	27	36	50	14	8	2	0
	脳・中枢神経系	C70-C72	67	1	0	0	1	0	1	2	1	0	4	3	5	5	9	6	14	9	5	0	1	0	0
	甲状腺	C73	21	0	0	0	0	0	0	0	0	0	1	0	0	1	3	3	3	4	2	4	0	0	0
	悪性リンパ腫	C81-C85 C96	250	0	0	0	1	0	0	0	1	0	0	1	5	8	27	21	38	53	61	30	3	1	0
	多発性骨髄腫	C88-C90	83	0	0	0	0	0	0	0	0	0	0	0	0	0	6	16	17	16	21	5	2	0	0
	白血病	C91-C95	133	1	0	0	1	0	0	1	1	2	4	4	3	9	7	23	26	22	15	13	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳		
男	全部位	C00-C97	358.0	0.0	2.1	0.0	1.8	1.7	7.2	8.1	15.5	22.4	32.1	78.1	149.4	321.7	555.7	807.7	1,337.2	2,017.7	2,557.6	3,166.7	3,338.9	4,060.9	-	
	口腔・咽頭	C00-C14	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	6.6	14.0	12.4	18.8	22.1	32.6	47.2	37.3	42.4	111.3	0.0	-
	食道	C15	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	9.8	12.4	30.0	30.0	40.3	99.7	62.2	105.9	0.0	0.0	-	
	胃	C16	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	2.3	10.6	19.5	42.8	67.6	80.8	145.8	249.3	306.7	519.0	445.2	0.0	-	
	大腸（結腸・直腸）	C18-C20	42.4	0.0	0.0	0.0	0.0	0.0	1.8	0.0	4.2	3.7	10.3	6.6	27.9	45.6	78.8	93.8	128.5	196.8	310.9	423.6	333.9	0.0	-	
	結腸	C18	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	6.9	1.3	14.0	22.1	45.1	65.1	86.3	141.7	236.3	275.4	222.6	0.0	-	
	直腸	C19-C20	14.8	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.8	2.5	3.4	5.3	14.0	23.5	33.8	28.7	42.2	55.1	74.6	148.3	111.3	0.0	-	
	肝および肝内胆管	C22	24.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.9	11.2	17.9	43.8	61.2	109.4	105.0	149.2	180.0	278.2	0.0	-	
	胆のう・胆管	C23-C24	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.3	1.4	8.3	22.5	37.8	55.6	94.5	157.5	211.8	222.6	507.6	-	
	膵臓	C25	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.3	14.6	12.6	30.4	58.8	88.6	118.9	141.7	190.7	201.2	166.9	0.0	-	
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	0.0	1.9	7.9	12.4	0.0	0.0	0.0	-	
	肺	C33-C34	89.3	0.0	0.0	0.0	0.0	0.0	1.8	0.0	4.2	5.0	1.1	13.2	23.7	88.4	130.2	228.0	381.8	556.2	563.8	624.9	222.6	2,030.5	-	
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	2.8	0.0	0.0	5.2	7.7	7.9	8.3	10.6	0.0	0.0	-	
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-	
	前立腺	C61	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	21.3	35.2	82.5	154.8	277.7	328.3	723.4	507.6	-	
	膀胱	C67	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.6	4.1	6.3	13.0	42.2	57.7	99.5	116.5	111.3	507.6	-	
	腎・尿路（膀胱除く）	C64-C66 C68	11.7	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	2.3	1.3	4.2	11.0	16.3	24.8	42.2	57.7	103.6	105.9	222.6	0.0	-	
	脳・中枢神経系	C70-C72	3.2	0.0	0.0	0.0	0.0	0.0	1.8	3.2	1.4	0.0	3.4	1.3	2.8	4.1	3.8	3.9	15.3	18.4	4.1	0.0	55.6	0.0	-	
	甲状腺	C73	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	1.9	2.6	0.0	10.6	0.0	0.0	-	
	悪性リンパ腫	C81-C85 C96	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	2.8	9.7	22.5	15.6	49.9	81.3	116.1	95.3	55.6	0.0	-	
	多発性骨髄腫	C88-C90	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	16.9	15.3	31.5	37.3	42.4	0.0	0.0	-	
	白血病	C91-C95	7.2	0.0	0.0	0.0	1.8	0.0	0.0	1.6	1.4	1.2	4.6	4.0	2.8	9.7	8.8	15.6	28.8	34.1	29.0	53.0	55.6	0.0	-	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	245.1	5.2	0.0	0.0	5.6	0.0	0.0	6.7	15.7	27.1	60.8	82.3	123.5	187.6	259.9	342.1	589.5	836.8	1,303.0	1,583.9	1,977.6	1,842.1	-
	口腔・咽頭	C00-C14	4.1	0.0	0.0	0.0	1.9	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	2.7	4.8	3.6	9.5	14.3	26.8	20.2	68.2	87.7	-
	食道	C15	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	1.4	2.7	6.0	8.4	7.9	12.5	13.4	28.3	13.6	0.0	-
	胃	C16	21.5	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.4	1.3	3.6	4.1	7.0	18.9	22.7	31.2	47.7	71.5	111.6	149.5	259.1	87.7	-
	大腸（結腸・直腸）	C18-C20	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	11.9	6.9	16.8	32.4	39.3	50.4	74.7	119.8	196.3	319.2	381.9	263.2	-
	結腸	C18	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	8.3	2.7	7.0	21.6	21.5	38.4	54.0	91.2	160.6	262.6	327.3	263.2	-
	直腸	C19-C20	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	9.8	10.8	17.9	12.0	20.7	28.6	35.7	56.6	54.6	0.0	-
	肝および肝内胆管	C22	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.7	4.2	4.0	13.1	14.4	23.8	41.1	73.6	109.1	81.8	87.7	-
	胆のう・胆管	C23-C24	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.4	10.7	9.6	25.4	67.9	102.6	121.2	122.7	87.7	-
	膵臓	C25	31.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.6	8.2	9.8	21.6	41.7	39.6	96.9	123.4	176.3	149.5	190.9	175.4	-
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	-
	肺	C33-C34	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.2	8.4	21.6	14.3	61.2	109.6	135.9	162.9	202.0	313.7	87.7	-
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	0.0	3.6	4.5	24.2	13.6	0.0	-
	乳房	C50	20.7	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.8	10.3	13.1	17.8	29.5	18.9	27.4	43.2	39.7	41.1	66.9	92.9	122.7	263.2	-
	子宮	C53-C55	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	7.7	8.3	13.7	14.0	5.4	15.5	4.8	25.4	25.0	35.7	36.4	27.3	87.7	-
	子宮頸部	C53	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	4.8	8.2	4.2	2.7	4.8	1.2	9.5	12.5	15.6	12.1	0.0	87.7	-
	子宮体部	C54	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.2	2.7	8.4	2.7	9.5	3.6	11.1	8.9	17.8	20.2	27.3	0.0	-
	卵巣	C56	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	7.2	9.6	8.4	14.8	16.7	16.8	20.7	37.5	24.5	24.2	27.3	0.0	-
	膀胱	C67	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	2.4	1.2	14.3	17.9	42.4	60.6	109.1	0.0	-
	腎・尿路（膀胱除く）	C64-C66 C68	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.0	9.6	7.9	25.0	55.8	16.2	54.6	175.4	-
	脳・中枢神経系	C70-C72	2.7	2.6	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.2	2.7	4.2	2.7	7.2	3.6	9.5	3.6	8.9	0.0	0.0	0.0	-
	甲状腺	C73	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	2.4	3.6	3.2	5.4	4.5	12.1	0.0	0.0	-
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	1.3	10.7	10.8	19.1	39.3	73.6	84.9	27.3	87.7	-
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	3.6	14.3	7.2	26.8	4.0	27.3	0.0	-
	白血病	C91-C95	4.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	1.4	2.7	0.0	13.2	17.5	16.1	17.8	32.3	0.0	0.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	300.2	2.5	1.1	0.0	3.6	0.9	3.7	7.4	15.6	24.7	46.2	80.1	136.5	253.9	404.2	565.4	928.2	1,315.4	1,742.0	2,021.0	2,245.6	2,169.0	・
	口腔・咽頭	C00-C14	6.8	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.7	0.6	0.0	3.4	7.0	7.5	11.6	12.5	20.0	27.6	30.5	26.3	76.7	74.8	・
	食道	C15	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	2.0	5.6	7.5	17.7	18.7	22.6	47.9	30.5	49.7	11.0	0.0	・
	胃	C16	32.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	3.8	2.9	7.4	13.3	30.7	44.6	55.0	92.1	143.6	179.9	251.5	295.8	74.8	・
	大腸（結腸・直腸）	C18-C20	40.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.8	2.5	11.1	6.7	22.4	38.9	58.6	71.2	99.1	151.0	236.4	348.0	372.4	224.4	・
	結腸	C18	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	7.6	2.0	10.5	21.8	33.0	51.2	68.7	111.7	187.1	266.2	306.7	224.4	・
	直腸	C19-C20	12.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.4	1.3	3.5	4.7	11.9	17.1	25.6	20.0	30.4	39.3	49.3	81.9	65.7	0.0	・
	肝および肝内胆管	C22	17.8	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	5.4	7.7	10.9	28.1	36.9	62.6	67.0	100.1	128.7	120.5	74.8	・
	胆のう・胆管	C23-C24	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	1.4	8.9	16.5	23.1	39.1	78.7	121.8	146.2	142.4	149.6	・
	膵臓	C25	31.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	2.9	11.4	11.2	25.9	50.1	63.1	106.9	130.8	181.3	163.8	186.2	149.6	・
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.8	0.0	0.9	3.2	5.8	0.0	0.0	0.0	・
	肺	C33-C34	60.5	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.1	2.5	2.9	10.8	16.1	54.6	70.8	141.2	232.9	306.3	303.2	318.8	295.8	374.0	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	2.1	0.0	0.6	2.5	3.5	5.3	5.8	20.5	11.0	0.0	・
	乳房	C50	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	5.1	6.4	8.8	14.7	10.2	14.0	22.5	21.7	24.5	43.5	67.3	98.6	224.4	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	2.7	4.3	6.9	26.9	34.0	62.4	76.0	109.5	74.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.2	0.7	2.1	7.5	11.0	16.9	23.5	38.3	72.5	40.9	87.6	149.6	・
	脳・中枢神経系	C70-C72	2.9	1.3	0.0	0.0	0.9	0.0	0.9	1.6	0.7	0.0	2.3	2.0	3.5	3.4	5.5	3.7	12.2	9.6	7.3	0.0	11.0	0.0	・
	甲状腺	C73	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.8	1.9	2.6	4.3	2.9	11.7	0.0	0.0	・
	悪性リンパ腫	C81-C85 C96	11.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.7	0.0	0.0	0.7	3.5	5.5	16.5	13.1	33.0	56.4	88.5	87.7	32.9	74.8	・
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	10.0	14.8	17.0	30.5	14.6	21.9	0.0	・
	白血病	C91-C95	5.8	1.3	0.0	0.0	0.9	0.0	0.0	0.8	0.7	1.3	2.3	2.7	2.1	6.1	4.3	14.4	22.6	23.4	21.8	38.0	11.0	0.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	358.0	0.0	2.1	0.0	1.8	1.7	7.2	8.1	15.5	22.4	32.1	78.1	149.4	321.7	555.7	807.7	1,337.2	2,017.7	2,767.2	.
	口腔・咽頭	C00-C14	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	6.6	14.0	12.4	18.8	22.1	32.6	47.2	42.2	.
	食道	C15	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	9.8	12.4	30.0	30.0	40.3	99.7	70.3	.
	胃	C16	43.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	2.3	10.6	19.5	42.8	67.6	80.8	145.8	249.3	368.4	.
	大腸（結腸・直腸）	C18-C20	42.4	0.0	0.0	0.0	0.0	0.0	1.8	0.0	4.2	3.7	10.3	6.6	27.9	45.6	78.8	93.8	128.5	196.8	340.3	.
	結腸	C18	27.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.2	6.9	1.3	14.0	22.1	45.1	65.1	86.3	141.7	244.7	.
	直腸	C19-C20	14.8	0.0	0.0	0.0	0.0	0.0	1.8	0.0	2.8	2.5	3.4	5.3	14.0	23.5	33.8	28.7	42.2	55.1	95.6	.
	肝および肝内胆管	C22	24.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	7.9	11.2	17.9	43.8	61.2	109.4	105.0	163.1	.
	胆のう・胆管	C23-C24	16.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.3	1.4	8.3	22.5	37.8	55.6	94.5	177.2	.
	膵臓	C25	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.3	14.6	12.6	30.4	58.8	88.6	118.9	141.7	191.2	.
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	0.0	1.9	7.9	8.4	.
	肺	C33-C34	89.3	0.0	0.0	0.0	0.0	0.0	1.8	0.0	4.2	5.0	1.1	13.2	23.7	88.4	130.2	228.0	381.8	556.2	570.9	.
	皮膚	C43-C44	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	2.8	0.0	0.0	5.2	7.7	7.9	8.4	.
	乳房	C50	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	.
	前立腺	C61	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	21.3	35.2	82.5	154.8	315.0	.
	膀胱	C67	9.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.6	4.1	6.3	13.0	42.2	57.7	106.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	11.7	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	2.3	1.3	4.2	11.0	16.3	24.8	42.2	57.7	109.7	.
	脳・中枢神経系	C70-C72	3.2	0.0	0.0	0.0	0.0	0.0	1.8	3.2	1.4	0.0	3.4	1.3	2.8	4.1	3.8	3.9	15.3	18.4	5.6	.
	甲状腺	C73	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.0	1.9	2.6	2.8	.
	悪性リンパ腫	C81-C85 C96	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	2.8	9.7	22.5	15.6	49.9	81.3	106.9	.
	多発性骨髄腫	C88-C90	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	16.9	15.3	31.5	36.6	.
	白血病	C91-C95	7.2	0.0	0.0	0.0	1.8	0.0	0.0	1.6	1.4	1.2	4.6	4.0	2.8	9.7	8.8	15.6	28.8	34.1	36.6	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	245.1	5.2	0.0	0.0	5.6	0.0	0.0	6.7	15.7	27.1	60.8	82.3	123.5	187.6	259.9	342.1	589.5	836.8	1,463.4	.
	口腔・咽頭	C00-C14	4.1	0.0	0.0	0.0	1.9	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	2.7	4.8	3.6	9.5	14.3	29.5	.
	食道	C15	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	1.4	2.7	6.0	8.4	7.9	12.5	17.9	.
	胃	C16	21.5	0.0	0.0	0.0	0.0	0.0	0.0	3.3	1.4	1.3	3.6	4.1	7.0	18.9	22.7	31.2	47.7	71.5	137.1	.
	大腸（結腸・直腸）	C18-C20	37.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	11.9	6.9	16.8	32.4	39.3	50.4	74.7	119.8	253.7	.
	結腸	C18	28.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	8.3	2.7	7.0	21.6	21.5	38.4	54.0	91.2	210.2	.
	直腸	C19-C20	9.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	9.8	10.8	17.9	12.0	20.7	28.6	43.6	.
	肝および肝内胆管	C22	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.7	4.2	4.0	13.1	14.4	23.8	41.1	85.9	.
	胆のう・胆管	C23-C24	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.4	10.7	9.6	25.4	67.9	110.2	.
	膵臓	C25	31.1	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	3.6	8.2	9.8	21.6	41.7	39.6	96.9	123.4	169.1	.
	喉頭	C32	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.3	.
	肺	C33-C34	33.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	8.2	8.4	21.6	14.3	61.2	109.6	135.9	188.4	.
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.2	0.0	0.0	3.6	11.5	.
	乳房	C50	20.7	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2.8	10.3	13.1	17.8	29.5	18.9	27.4	43.2	39.7	41.1	83.3	.
	子宮	C53-C55	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	7.7	8.3	13.7	14.0	5.4	15.5	4.8	25.4	25.0	35.9	.
	子宮頸部	C53	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	4.8	8.2	4.2	2.7	4.8	1.2	9.5	12.5	14.1	.
	子宮体部	C54	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	1.2	2.7	8.4	2.7	9.5	3.6	11.1	8.9	19.2	.
	卵巣	C56	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	7.2	9.6	8.4	14.8	16.7	16.8	20.7	37.5	24.3	.
	膀胱	C67	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.3	2.4	1.2	14.3	17.9	53.8	.
	腎・尿路（膀胱除く）	C64-C66 C68	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.0	9.6	7.9	25.0	44.8	.
	脳・中枢神経系	C70-C72	2.7	2.6	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.2	2.7	4.2	2.7	7.2	3.6	9.5	3.6	5.1	.
	甲状腺	C73	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	2.4	3.6	3.2	5.4	6.4	.
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.2	1.3	10.7	10.8	19.1	39.3	73.0	.
	多発性骨髄腫	C88-C90	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	3.6	14.3	7.2	19.2	.
	白血病	C91-C95	4.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.4	1.4	2.7	0.0	13.2	17.5	16.1	20.5	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

宮城県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	300.2	2.5	1.1	0.0	3.6	0.9	3.7	7.4	15.6	24.7	46.2	80.1	136.5	253.9	404.2	565.4	928.2	1,315.4	1,871.5	.
	口腔・咽頭	C00-C14	6.8	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.7	0.6	0.0	3.4	7.0	7.5	11.6	12.5	20.0	27.6	33.5	.
	食道	C15	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.6	2.0	5.6	7.5	17.7	18.7	22.6	47.9	34.3	.
	胃	C16	32.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.7	3.8	2.9	7.4	13.3	30.7	44.6	55.0	92.1	143.6	209.5	.
	大腸（結腸・直腸）	C18-C20	40.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.8	2.5	11.1	6.7	22.4	38.9	58.6	71.2	99.1	151.0	280.8	.
	結腸	C18	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	7.6	2.0	10.5	21.8	33.0	51.2	68.7	111.7	221.0	.
	直腸	C19-C20	12.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.4	1.3	3.5	4.7	11.9	17.1	25.6	20.0	30.4	39.3	59.9	.
	肝および肝内胆管	C22	17.8	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	5.4	7.7	10.9	28.1	36.9	62.6	67.0	110.0	.
	胆のう・胆管	C23-C24	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.7	1.4	8.9	16.5	23.1	39.1	78.7	131.2	.
	膵臓	C25	31.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.6	2.9	11.4	11.2	25.9	50.1	63.1	106.9	130.8	176.1	.
	喉頭	C32	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.8	0.0	0.9	3.2	3.5	.
	肺	C33-C34	60.5	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.1	2.5	2.9	10.8	16.1	54.6	70.8	141.2	232.9	306.3	308.1	.
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	2.1	0.0	0.6	2.5	3.5	5.3	10.6	.
	乳房	C50	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	5.1	6.4	8.8	14.7	10.2	14.0	22.5	21.7	24.5	57.2	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	2.7	4.3	6.9	26.9	34.0	70.4	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.2	0.7	2.1	7.5	11.0	16.9	23.5	38.3	65.1	.
	脳・中枢神経系	C70-C72	2.9	1.3	0.0	0.0	0.9	0.0	0.9	1.6	0.7	0.0	2.3	2.0	3.5	3.4	5.5	3.7	12.2	9.6	5.3	.
	甲状腺	C73	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.8	1.9	2.6	4.3	5.3	.
	悪性リンパ腫	C81-C85 C96	11.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.7	0.0	0.0	0.7	3.5	5.5	16.5	13.1	33.0	56.4	83.6	.
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	10.0	14.8	17.0	24.6	.
	白血病	C91-C95	5.8	1.3	0.0	0.0	0.9	0.0	0.0	0.8	0.7	1.3	2.3	2.7	2.1	6.1	4.3	14.4	22.6	23.4	25.5	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計